

Shop-Made Drum Sander for \$115

AMERICAN[®] WOODWORKER



Central Dust Collection

The ultimate small-shop system
is easier than you think!

Benchtop Planers

One machine is an *amazing* value

- Walnut Bookshelf
- Country-Style Grandfather Clock

#100 May 2003

www.americanwoodworker.com

\$4.99 U.S. / \$5.99 CAN



A READERS' DIGEST PUBLICATION



Grizzly Industrial

PURVEYORS OF FINE MACHINERY™

OSCILLATING SPINDLE SANDER

- 1 HP, SINGLE-PHASE, 110/220V, TEFC MOTOR
- PRECISION GROUND CAST IRON 25" x 25" TABLE TILTS TO 45°
- STROKE LENGTH: 1 1/2"
- FLOOR-TO-TABLE HEIGHT: 35 1/2"
- 1725 RPM SPINDLE SPEED
- SPINDLE OSCILLATES AT 72 SPM
- INCLUDES 100 GRIT SLEEVE FOR EACH SPINDLE & GROUND STEEL TABLE INSERTS
- 10 TAPERED & THREADED SPINDLE SIZES
- PERMANENTLY LUBRICATED BALL BEARINGS
- BUILT-IN 4" DUST COLLECTION PORT
- APPROX. SHIPPING WEIGHT: 300 LBS.

\$75
ANYWHERE IN
LOWER 48 STATES

G1071

ONLY \$525⁰⁰



12 SPEED 17" FLOOR DRILL PRESS

- 1 HP, SINGLE-PHASE, 110V/220V MOTOR
- PRECISION GROUND CAST IRON TABLE: 13 3/8" SQ.
- SPINDLE TAPER: MT#3
- SPINDLE TRAVEL: 4 1/4"
- SWING: 17"
- DRILL CHUCK: 3/8"
- 12 SPEEDS: 210, 310, 400, 440, 630, 670, 1260, 1430, 1650, 2050, 2350, 3300 RPM
- DRILLING CAPACITY: 1" STEEL
- OVERALL HEIGHT: 64 1/2"
- TABLE TILTS 90° IN BOTH DIRECTIONS
- APPROX. SHIPPING WEIGHT: 275 LBS.

\$75
ANYWHERE IN
LOWER 48 STATES

G7947

ONLY \$375⁰⁰



2 HP DUST COLLECTOR

- MOTOR SIZE: 2 HP, 220V SINGLE-PHASE
- PORTABLE BASE SIZE: 21 1/2" x 33 1/2"
- STATIC PRESSURE: 12.3"
- AIR SUCTION CAPACITY: 1550 CFM
- STANDARD BAG FILTRATION: 30 MICRON
- MOTOR AMP DRAW: 12 AMPS (220V ONLY)
- APPROX. SHIPPING WEIGHT: 130 LBS.

FREE
CYCLONE SEPARATOR!

\$55
ANYWHERE IN
LOWER 48 STATES

G1029

ONLY \$249⁹⁵



10" HEAVY-DUTY TABLE SAW

- 1 1/2 HP, SINGLE-PHASE, 110/220V MOTOR
- PRECISION GROUND CAST IRON TABLE
- TABLE SIZE (W/ WINGS ATTACHED): 27 1/8" x 40 1/8"
- CUTTING CAPACITY AT 90°: 3 1/8" AND AT 45°: 2 1/8"
- 5/8" x 1 1/4" ARBOR ACCEPTS DADO BLADES
- MAXIMUM RIPPING CAPACITY: 24"

TOOL
BUYING GUIDE
Cuts More Than



- APPROXIMATE SHIPPING WEIGHT: 220 LBS.

\$55
ANYWHERE IN
LOWER 48 STATES

G1022SM

ONLY \$325⁰⁰

10" LEFT-TILTING SUPER HEAVY-DUTY TABLE SAW

- 3 HP, SINGLE-PHASE, 220V MOTOR
- PRECISION GROUND CAST IRON TABLE
- TABLE SIZE (W/ WINGS ATTACHED): 40 1/8" x 27"
- EXTRA-LARGE HANDWHEELS
- CUTTING CAPACITY: 8" L & 26" R OF BLADE
- MAXIMUM DEPTH OF CUT @ 90°: 3"
- MAXIMUM DEPTH OF CUT @ 45°: 2 1/8"
- 5/8" DIAMETER ARBOR ACCEPTS DADO BLADES UP TO 1 1/8"
- APPROX. SHIPPING WEIGHT: 467 LBS.

MOTOR COVER & DUST HOOD INCLUDED

\$75
ANYWHERE IN
LOWER 48 STATES

G1023SL

ONLY \$895⁰⁰



24" DRUM SANDER WITH VARIABLE SPEED

- 5 HP, 220V DRUM MOTOR DRIVES 2 ALUMINUM SANDING DRUMS
- 1/4 HP CONVEYOR MOTOR: VARIABLE SPEED
- CONTROL PANEL WITH AMP LOAD METER
- HANDLES STOCK UP TO 23 1/2" WIDE AND 4 1/4" THICK
- HOOK AND LOOP SANDPAPER INSTALLS EASILY ONTO THE DRUMS
- INDUSTRIAL RUBBER CONVEYOR BELT
- 2 - 4" DIA. DUST PORTS
- APPROXIMATE SHIPPING WEIGHT: 495 LBS.

\$75
ANYWHERE IN
LOWER 48 STATES

G1066Z

ONLY \$1595⁰⁰



THE ULTIMATE 14" BANDSAW

- MOTOR: 1 HP, TEFC, 110V / 220V SINGLE-PHASE
- PRECISION GROUND CAST IRON TABLE: 14" x 14"
- 2 SPEEDS: 1500 & 3200 FPM
- CUTTING CAPACITY/THROAT: 13 1/2"
- MAXIMUM CUTTING HEIGHT: 6"
- QUICK CHANGE BLADE RELEASE/TENSIONING
- TABLE TILT: 45° RIGHT, 10° LEFT
- FENCE: DELUXE EXTRUDED ALUMINUM
- WHEELS: FULLY BALANCED CAST ALUMINUM WITH RUBBER TIRES
- BLADE SIZE: 92 1/2" (1/4" TO 3/4" WIDE)
- BALL BEARING BLADE GUIDES
- 4" DUST PORT
- INCLUDES ONE 3/8" BLADE
- APPROXIMATE SHIPPING WEIGHT: 210 LBS.

New!

\$55
ANYWHERE IN
LOWER 48 STATES

G0555

ONLY \$375⁰⁰



17" HEAVY-DUTY BANDSAW

- MOTOR: TEFC CAPACITOR START INDUCTION, 2 HP, SINGLE-PHASE, 60 Hz, 110V/220V
- PRECISION GROUND CAST IRON TABLE: 17" x 17" x 1 1/2" THICK
- CUTTING CAPACITY HEIGHT: 12"
- CUTTING CAPACITY LEFT OF BLADE: 16 1/4"
- WHEELS ARE FULLY-BALANCED CAST ALUMINUM WITH RUBBER TIRES
- DELUXE EXTRUDED ALUMINUM RIP FENCE
- BLADE GUIDES: EURO-STYLE ROLLER DISC
- BLADE SIZE: 132" x 1/8" - 1" (STANDARD 1/2")
- 2 SPEEDS: 1600, 3300 FPM
- 4" DUST PORT X 2
- TABLE TILT 10° LEFT, 45° RIGHT
- QUICK CHANGE BLADE RELEASE/TENSIONING WITH BLADE TENSIONER INDICATOR
- HEIGHT FROM FLOOR TO TABLE: 37 1/2"
- APPROXIMATE SHIPPING WEIGHT: 321 LBS.

New!

\$75
ANYWHERE IN
LOWER 48 STATES

G0513

ONLY \$750⁰⁰



19" HEAVY-DUTY BANDSAW

- MOTOR: 2 HP, SINGLE-PHASE, 60 Hz, 110V/220V TEFC CAPACITOR START INDUCTION
- PRECISION GROUND CAST IRON TABLE: 19" x 19" x 1 1/2" THICK
- CUTTING CAPACITY LEFT OF BLADE: 18 1/4"
- CUTTING CAPACITY HEIGHT: 12"
- 2 SPEEDS: 1700, 3600 FPM
- BLADE SIZE: 143" x 1/8" - 1"
- QUICK CHANGE BLADE RELEASE/TENSIONING
- WHEELS ARE FULLY-BALANCED CAST ALUMINUM WITH POLYURETHANE TIRES
- DELUXE EXTRUDED ALUMINUM RIP FENCE
- BLADE GUIDES: ROLLER DISC
- BLADE TENSION INDICATOR
- MICRO ADJUSTING GEAR TABLE
- 4" DUST PORT X 2
- TABLE TILT 10° LEFT, 45° RIGHT
- APPROXIMATE SHIPPING WEIGHT: 383 LBS.

New!

\$75
ANYWHERE IN
LOWER 48 STATES

G0514

ONLY \$950⁰⁰



MEDIA CODE
AD1616

LEASE FINANCING AVAILABLE
Call For Details

1-800-523-4777

FULL YEAR WARRANTY
GRIZZLY
Power Tools & Machinery

CUSTOMER SERVICE: 570-546-9663 • CSR@GRIZZLY.COM • FAX: 1-800-438-5901

3 INCREDIBLE SHOWROOMS: MUNCY, PA • BELLINGHAM, WA • SPRINGFIELD, MO

- 2 OVERSEAS QUALITY CONTROL OFFICES STAFFED WITH QUALIFIED GRIZZLY ENGINEERS
- HUGE PARTS FACILITY WITH OVER 1 MILLION PARTS IN STOCK
- 830,000 SQ. FT. PACKED TO THE RAFTERS WITH TOOLS & MACHINES

- TRAINED SERVICE TECHNICIANS AT ALL LOCATIONS
- MOST ORDERS SHIPPED THE SAME DAY
- FRIENDLY & KNOWLEDGEABLE CUSTOMER SERVICE
- FULL 1 YEAR WARRANTY ON ALL GRIZZLY MACHINES

NO DEALERS, NO MIDDLEMEN – BUY DIRECT & SAVE!

12 1/2" PORTABLE PLANER



- 2 HP, SINGLE-PHASE, 110V MOTOR, 15 AMPS
- MAX. CUTTING WIDTH: 12 1/2"
- MAX. CUTTING DEPTH: 1/16"
- 2 HSS KNIVES
- FEED RATE: 25 FPM
- ON/OFF TOGGLE SWITCH
- MAX. CUTTING HEIGHT: 6"
- MIN. BOARD THICKNESS: 3/16"
- CUTTERHEAD RPM: 8,540
- 57 CUTS PER INCH
- APPROX. SHIPPING WEIGHT: 85 LBS.

FREE 700 LB. CAPACITY STAND
W/ PURCHASE OF G8794 PLANER

\$35 ANYWHERE IN LOWER 48 STATES

G8794 WITH STAND
ONLY \$299⁹⁵

15" PLANER



- 2 HP, 220V, SINGLE-PHASE MOTOR
- PRECISION GROUND CAST IRON BED
- CUTTERHEAD SPEED: 5000 RPM
- RATE OF FEED: 16 FPM & 20 FPM
- MAX. CUTTING WIDTH: 14 1/4"
- MAX. CUTTING HEIGHT: 6 1/2"
- MAX. CUTTING DEPTH: 1/8"
- NUMBER OF KNIVES: 3 HSS
- ALL BALL BEARING CONSTRUCTION
- APPROX. SHIPPING WEIGHT: 440 LBS.

INCLUDES STAND!

\$75 ANYWHERE IN LOWER 48 STATES

G1021
ONLY \$795⁰⁰

20" PLANER



- 3 HP, 220V, SINGLE-PHASE MOTOR
- 25 1/4" x 20" PRECISION GROUND CAST IRON TABLE
- CUTTERHEAD SPEED: 4833 RPM
- RATE OF FEED: 16 FPM & 20 FPM
- MAX. CUTTING WIDTH: 20"
- MAX. CUTTING HEIGHT: 8 1/2"
- MAX. CUTTING DEPTH: 1/4"

4 BLADE CUTTERHEAD!

- NUMBER OF KNIVES: 4 HSS
- DUST EXHAUST HOOD HAS 5" DUST PORT
- APPROX. SHIPPING WEIGHT: 785 LBS.

\$150 ANYWHERE IN LOWER 48 STATES

G1033
ONLY \$1295⁰⁰

15" WIDE-BELT SANDER (OPEN END)

- SANDING BELT MOTOR: 5 HP
- BELT FEED MOTOR: 1/4 HP
- REQUIRES SINGLE-PHASE, 220V ELECTRICAL AND 50-70 PSI AIR.
- CONVEYOR SPEED 13 & 16.4 FPM
- INCLUDES EXTENDED SUPPORT BAR FOR WIDE BOARDS.
- OVERALL DIMENSIONS: 61 3/4" H x 32 1/2" D x 35" W
- APPROX. SHIPPING WEIGHT: 922 LBS.



\$150 ANYWHERE IN LOWER 48 STATES

G9983
ONLY \$2795⁰⁰

1 1/2 HP SHAPER

- MOTOR: HEAVY-DUTY 1 1/2 HP, 110/220V
- 2 INTERCHANGEABLE SPINDLES: 1/2" AND 3/4"
- TWO SPINDLE SPEEDS: 7,000 AND 10,000 RPM
- TABLE SIZE: 20 1/4" x 18"
- SPINDLE TRAVEL: 3"
- SPINDLE OPENINGS: 1 1/4", 3 1/2", AND 5"
- FLOOR-TO-TABLE HEIGHT: 33 1/2"
- MAXIMUM CUTTER DIAMETER: 5"
- APPROX. SHIPPING WEIGHT: 220 LBS.



\$55 ANYWHERE IN LOWER 48 STATES

G1035
ONLY \$425⁰⁰

(SHOWN WITH OPTIONAL WING)

3HP SHAPER

- HEAVY-DUTY 3 HP, SINGLE-PHASE, 220V MOTOR W/REVERSING SWITCH
- 3 INTERCHANGEABLE SPINDLES: 1/2", 3/4" AND 1"
- TWO SPINDLE SPEEDS: 7,000 AND 10,000 RPM
- 3" SPINDLE TRAVEL
- SPINDLE OPENINGS: 1 1/4", 2 1/4", 4", AND 5 1/2"
- PRECISION GROUND CAST IRON TABLE
- TABLE SIZE WITH STANDARD WING ATTACHED: 30 1/2" x 28 1/4"
- FLOOR-TO-TABLE HEIGHT: 34"
- APPROX. SHIPPING WEIGHT: 353 LBS.



\$75 ANYWHERE IN LOWER 48 STATES

G1026
ONLY \$825⁰⁰

6" X 47" JOINTER WITH HANDWHEELS

- 1 HP, 110/220V, SINGLE-PHASE MOTOR
- 6" x 47" PRECISION GROUND CAST IRON TABLE
- RABBETING CAPACITY: 1/2"
- MAX. DEPTH OF CUT: 1/2"
- 3-KNIFE BALL BEARING CUTTERHEAD
- SUPER HEAVY-DUTY, CENTER MOUNTED FENCE IS 4" x 29 1/4"
- INFEEED & OUTFEED TABLES HAVE HANDWHEELS FOR CONVENIENT TABLE HEIGHT ADJUSTMENT
- POWDER COATED PAINT
- STEEL STAND HAS BUILT-IN CHIP CHUTE
- APPROX. SHIPPING WEIGHT: 215 LBS.

TOOL BUYING GUIDE
Let's face it...



\$55 ANYWHERE IN LOWER 48 STATES

G1182HW
ONLY \$325⁰⁰

FREE PAIR OF SAFETY PUSH BLOCKS

8" X 65" SUPER HEAVY-DUTY JOINTER WITH HANDWHEELS

- 1 1/2 HP, 220V, SINGLE-PHASE MOTOR
- SUPER HEAVY-DUTY PRECISION GROUND CAST IRON BED
- 3-KNIFE CUTTERHEAD IS 3" IN DIA. AND RUNS IN SHIELDED, PRE-LUBRICATED BALL BEARINGS
- MAX. DEPTH OF CUT: 1/2"
- INFEEED TABLE HAS RABBETING LEDGE
- HEAVY-DUTY CENTER-MOUNTED FENCE
- APPROX. SHIPPING WEIGHT: 450 LBS.

FREE PAIR OF SAFETY PUSH BLOCKS



\$75 ANYWHERE IN LOWER 48 STATES

G1018HW
ONLY \$695⁰⁰

8" X 75" JOINTER WITH 4 BLADE CUTTERHEAD

New!

- 2 HP, 110V/220V, SINGLE-PHASE MOTOR
- 8" x 75" PRECISION GROUND CAST IRON TABLE
- MAXIMUM DEPTH OF CUT: 1/2"
- 3" DIAMETER CUTTERHEAD RUNS IN SHIELDED, PRE-LUBRICATED BALL BEARINGS
- 4-HSS CUTTERHEAD KNIVES ARE 8" x 1/8" x 1"
- CUTTERHEAD RPM: 5,500
- CUTS PER MINUTE: 22,000
- MAGNETIC SWITCH WITH THERMAL OVERLOAD PROTECTOR
- APPROXIMATE SHIPPING WEIGHT: 461 LBS.



\$75 ANYWHERE IN LOWER 48 STATES

G0500
ONLY \$795⁰⁰

RECEIVE A **FREE GIFT**
WITH EVERY **ONLINE ORDER!**
(LIMITED TIME OFFER)

grizzly.com


OVER 12,000 PRODUCTS ONLINE!



2003 GRIZZLY CATALOG!

500 FULL-COLOR PAGES OF
HIGH QUALITY WOODWORKING
& METALWORKING
TOOLS & ACCESSORIES!
CALL TODAY FOR YOUR
FREE COPY!






FASTEST GROWING MACHINERY LINE IN THE U.S.A.

INNOVATIVE PRODUCTS

DESIGNED FOR PRACTICAL USE



5 HP 20" PLANER

W1683

**4 BLADE
CUTTERHEAD!**

SHOP FOX® 5 HP 20" PLANER

Prepare yourself for the heavyweight champion of planers! This workhorse has all the features you need plus a few extra for ease of use. The specially designed cutterhead with a redefined blade angle leaves smoother finishes on any type of wood. With a large 20" capacity and rugged cast iron construction, this is the last planer you should ever need.

- Powerful 5 HP, single-phase, TEFC motor
- 2 Chromed upper rollers
- Rubber outfeed roller
- Anti-kickback design
- Precision ground cast iron table
- Magnetic safety switch
- Powder coated paint
- Approx. shipping weight: 840 lbs.

**IN STOCK
NOW!**

**2
YEAR
WARRANTY**

SHOP FOX®
is a registered
trademark of
Woodstock
International, Inc.

CALL FOR THE LOCATION OF A DEALER NEAR YOU!

1-800-840-8420

VISIT OUR WEBSITE FOR MORE SHOP FOX® PRODUCTS

SHOPFOX.BIZ

sales@woodstockinternational.com

Ask ANY FINE WOODWORKER
AND HE WILL TELL YOU THIS:

QUALITY MACHINES

PRODUCE QUALITY RESULTS.

THAT IS WHY WE DESIGN OUR MACHINES
TO THE MOST STRINGENT STANDARDS,
TRIPLE CHECK EACH ONE
FOR QUALITY ASSURANCE
AND BACK EVERY MACHINE WITH
A FULL TWO-YEAR WARRANTY!


**SEE OUR EVER EXPANDING
LINE OF MACHINERY
AT A QUALITY DEALER NEAR YOU.**

SHOP FOX® 6" JOINTER

This outstanding machine combines innovative features with time-tested favorites to give the discriminating craftsman the quality, convenience and performance standards he demands. Here are just a few of the features that put our 6" Jointer in a class of its own:

- 1 HP, 110V motor
- Precision ground cast iron tables
- Extra large cast iron fence
- Simple fence adjustment
- Post mounted control switch
- Silky-smooth handwheel table adjustment
- Powder coated paint
- Approx. shipping weight: 300 lbs.

W1679





SHOP FOX® 8" JOINTER

Built like a tank, yet refined and precise, our 8" Jointer is designed to handle your extra large boards with accuracy and ease.

Never before has the woodworking world seen such a blend of design and style.

- 2 HP, 220V, single-phase, TEFC motor
- Extra long 70" precision ground cast iron table!
- Center mounted tilting fence
- Oversized welded steel stand
- Post mounted magnetic control switch w/thermal overload
- Silky-smooth handwheel table adjustment
- Powder coated paint
- Approx. shipping weight: 495 lbs.

W1684



Contents

#100, May 2003

Shop-Made Drum Sander 40

Sand faster with this surprisingly simple and low-cost machine.

Walnut Wall Shelves 46

Build this stylish home for your favorite books and personal treasures.

Central Dust Collection 54

Banish dust with an easy-to-build system tailored for the small shop.


Country-Style Grandfather Clock 64

Complete step-by-step instructions for this charming heirloom timepiece.

TOOL TEST

Benchtop Planers 77

We chose the best of today's advanced machines.



page 54



page 46



page 64



page 77

Cover photo by Bill Zuehlke



The easy way to protect beautiful wood from life's bumps and spills.



Now, beautifying and protecting wood is as easy as brushing on Minwax® Polycrylic® Protective Finish. Polycrylic dries fast and cleans up with soap and water, allowing you to complete projects in less time. And its remarkable clarity and smooth, durable finish let wood's natural beauty shine through. Polycrylic, the easy way to keep wood beautiful.



Makes And Keeps Wood Beautiful®
minwax.com

Contents


DEPARTMENTS

- 10** Question & Answer
- 18** Workshop Tips
- 29** Small Shop Tips
- 34** The Well-Equipped Shop
- 98** Great Wood!
Curly Soft Maple
- 100** Sources
- 102** *Oops!*

page 29



page 18



page 10



Subscriptions:

American Woodworker Subscriber Service Dept., PO Box 8148, Red Oak, IA 51591-1148, (800) 666-3111
e-mail: AWWcustserv@cdsfulfillment.com

Article Index: A complete index is available online at www.americanwoodworker.com

Copies of Past Articles: Photocopies are available for \$3 each. Write or call: American Woodworker Reprint Center, PO Box 83695, Stillwater, MN 55083-0695, (715) 246-4344, 8 AM to 5 PM CST, Mon. through Fri. Visa, MasterCard and Discover accepted.

Back Issues: Some are available for \$5 each. Order from the Reprint Center at the address above.

Comments & Suggestions: Write to us at: American Woodworker, 2915 Commers Dr., Suite 700, Eagan, MN 55121
Phone: (651) 454-9200 Fax: (651) 994-2250 e-mail: aweditor@readersdigest.com



F-SERIES SUPER DUTY
WITH THE NEW POWER STROKE® DIESEL



The *only* diesel on
Ward's 10 Best list.


**325 BEST-IN-CLASS DIESEL HORSEPOWER* - 560 LBS.-FT. BEST-IN-CLASS TORQUE
AVAILABLE TORQSHIFT™ 5-SPEED AUTOMATIC TRANSMISSION
F-SERIES IS THE BEST-SELLING TRUCK 26" YEARS RUNNING**



*Available 32V 6.0L Power Stroke® diesel **Based on 2002 calendar year sales by division

www.fordvehicles.com

Veritas® Fore Plane



Our newest and largest bench plane, the #6 fore plane is ideal for smoothing and flattening large surfaces, such as panels, tabletops and workbench tops. The 18" long sole will not follow the bumps and valleys that a shorter plane would. Also excellent for a final pass by hand before edge glue-up. Same advanced design as our other bench planes with easy adjustment mechanisms and a frog that extends to the sole, eliminating blade chatter. The cast ductile iron body and frog, hardwood handles, and 2 3/8" wide, 1/8" thick A2 tool steel blade make this plane a workhorse that will last for generations. Patent pending.

05P28.01 Veritas® #6 Bench Plane \$195.00 Shipping and N.Y. sales tax extra.

Lee Valley & veritas® 1-800-683-8170
Lee Valley Tools Ltd., 814 Proctor Ave., Ogdensburg, N.Y. 13669 www.leevalley.com


The Cutting Edge

Finally, a saw you can depend on with a name you can trust. Our new MM series bandsaws feature huge resaw capacities, loads of cast iron, and perhaps most importantly... a company that will stand behind it! Call one of our customer representatives today and discover how our cutting edge bandsaws can improve your woodworking.

Mini Max USA

2012 Centimeter Circle Austin, TX 78758

866-WRK-WOOD
(toll free 866-975-9663)
www.minimax-usa.com



Video
Now
Available!

AMERICAN WOODWORKER

Subscription Questions? See page 5

EDITOR Ken Collier

SENIOR EDITOR Tom Caspar

ASSOCIATE EDITORS Randy Johnson, Tim Johnson, Dave Munkittrick

CONTRIBUTING EDITOR George Vondriska

ART DIRECTORS Patrick Hunter, Vern Johnson

COPY EDITOR Mary Flanagan

FACT CHECKING SPECIALIST Nina Childs Johnson

PRODUCTION MANAGER Judy Rodriguez

VICE PRESIDENT AND GENERAL MANAGER,

U.S. MAGAZINE GROUP Bonnie Bachar

PUBLISHER Jim Schiekofe

ASSOCIATE PUBLISHER Rick Straface

BUSINESS MANAGER Mike Frantino

PROMOTION MANAGER Andrea Vecchio

PROMOTION COORDINATOR Joanne Noé

MARKETING COORDINATOR Derrick Phillip

ADVERTISING COORDINATOR Susan Bordonaro

ADVERTISING SALES

260 Madison Ave., New York, NY 10016; 212-850-7226

CHICAGO Carl Benson (312) 540-4802,

Jim Ford (312) 540-4804, Tom Vorel (312) 540-4805

Sherry Mallit (sales assistant) (312) 540-4824

WEST COAST Bonnie Oda (206) 282-4002

NEW YORK David Clutter (212) 850-7124,

John O'Donnell (212) 850-7011,

Tuck Sifers (212) 850-7197, Ed Silhan (212) 850-7041

CLASSIFIED ADVERTISING The McNeill Group, Inc.

Classified Manager, Jason Mailliard,

(215) 321-9662, ext. 21

PUBLISHED BY HOME SERVICE PUBLICATIONS, INC., a subsidiary of the Reader's Digest Association, Inc.

EDITOR IN CHIEF Ken Collier

OFFICE ADMINISTRATIVE MANAGER Alice Garrett

TECHNICAL MANAGER Shannon Hooge

PRODUCTION ARTIST Lisa Pahl Knecht

READER SERVICE SPECIALIST Roxie Filipkowski

ADMINISTRATIVE ASSISTANTS Lori Callister,

Shelly Jacobsen

CHAIRMAN, CHIEF EXECUTIVE OFFICER

Thomas O. Ryder

WORLDWIDE CIRCULATION DIRECTOR

John Klingel

VICE PRESIDENT, EXECUTIVE PUBLISHER

Dom Rossi

VICE PRESIDENT/FINANCIAL OFFICER,

U.S. MAGAZINES Stephen Simon

DIRECTOR, U.S. ADVERTISING RESEARCH

Britta Ware

VICE PRESIDENT AND CIRCULATION DIRECTOR

U.S. MAGAZINE GROUP Dawn Zier

VICE PRESIDENT, CIRCULATION/OPERATIONS

Renee Jordan

DIRECTOR OF OPERATIONS Garry Hansen

CIRCULATION MARKETING DIRECTOR Lou Sassano

Issue #100, American Woodworker®, ISSN 1074-9152, USPS 738-710 Published bimonthly, except monthly October and November by Home Service Publications, Inc., 260 Madison Avenue, 5th Floor, New York, NY 10016. Periodicals postage paid at New York, NY and additional mailing offices. Postmaster: Send change of address notice to American Woodworker®, PO Box 8148, Red Oak, IA 51591-1148. Subscription rates: U.S. one-year, \$24.98. Single-copy, \$4.99. Canada one-year, \$29.98 (U.S. Funds).

GST # R122988611. Foreign surface one-year, \$29.98 (U.S. Funds). U.S. newsstand distribution by Hearst Distribution Group, New York, NY 10019. In Canada: Postage paid at Gateway, Mississauga, Ontario; CPM# 1447866. Send returns and address changes to American Woodworker®, PO Box 8148, Red Oak, IA, USA 51591-1148. Printed in USA. © 2003 Home Service Publications, Inc. All rights reserved.

Reader's Digest may share information about you with reputable companies in order for them to offer you products and services of interest to you. If you would rather we not share information, please write to us at: Reader's Digest Association, American Woodworker, Customer Service Department, PO Box 8148, Red Oak, IA 51591. Please include a copy of your address label.

Swim At Home™




Swim or exercise against a smooth current adjustable to any speed or ability. Ideal for swimming, water aerobics, rehabilitation and fun. The 8' x 15' Endless Pool™ is simple to maintain, economical to run, and easy to install inside or outdoors.

FOR FREE VIDEO CALL
(800) 233-0741, Ext. 2521

Visit www.endlesspools.com
or write Endless Pools, Inc.
200 E Dutton Mill Rd, Dept. 2521
Aston, PA 19014



Your hands. Your tools. Your family's comfort.



Most affordable "Do it yourself" Radiant Floor Heating system on the market!

You can put it all together with a Radiant Floor Company underfloor heating system.

We give you all the information and our technicians work **WITH** you to design a system to suit your needs.

Our installation manual is packed with dozens of labor saving tips.

For use with a domestic water heater or boiler. Call for a free quote.

We take the mystery out of Radiant Heat.

Visit our website and see how simple and affordable it can be.

www.radiantcompany.com
Toll Free 1-866-WARM-TOES
1-866-927-6863 • 1-802-525-1132

RADIANT
Floor Company

GAS, PROPANE, SOLAR, OIL, WOOD, ELECTRIC, GEOTHERMAL

Toll free customer assistance • Free Design Service • Free Brochure • Low Prices

Let's face it:
most dovetail jigs
are a pain...

except one:

**The Keller
Dovetail System...**

**The only dovetail system
that is simple, fast
and accurate.**

Fast setup. No test cuts. Precision joinery. Unlimited widths. Classic and variable spacing. Compound, acute and obtuse angles. Curved dovetails. Box joints. Made in USA since 1976. 20-yr. warranty. 30-day money-back guarantee.

VIDEO: \$8.95 + \$2 P/H

To find out more, contact your Dealer or

KELLER & CO. Dept. R43
1327 I Street, Petaluma, CA 94952
(800) 995-2456 (707) 763-9336

**The Keller
Dovetail System**
Simply the best.



Tough Outdoor Clean-Up?



The Amazing Cyclone Rake® Does the Job for You.

Turn back-breaking outdoor cleanup into a "ride in the park" with the incredible Cyclone Rake. Powerful engine-driven vacuum mulcher works like a 5 man crew! You can easily pick-up and pulverize tons of leaves, mow acres of heavy grass, clear pine straw, sticks and lawn debris—as you drive. Hitches to almost any riding mower and gives you 10 times the lifting power and 5 times the capacity—lets you handle huge areas without stopping! And when you're done it folds up flat for compact storage—no need for a barn or spare garage. Call for your **FREE INFORMATION KIT** and **LIVE-ACTION** video today.



Call Toll-Free TODAY!
1-800-942-1666
www.CycloneRake.com

FREE Video &
Information Kit

Woodland Power Products, Inc., Dept. AW403, 72 Acton St., West Haven, CT 06516

Question & Answer

How Do I Get Rust Off My Saw?

Q. By accident, I left a pressure-treated 2x4 on my spotless tablesaw for a couple of days. Big mistake! What can I do to remove the rust it left behind?

A. Here is a fast and simple technique for removing light rust. Pull out your random-orbit sander and cut a square about the size of your disc from a non-woven abrasive pad. A green or dark-red 1/4-in.-thick Scotch-Brite pad is the right coarseness. The dark-red pads will last longer than the green ones.

If your sander uses hook-and-loop discs, remove the sandpaper and press right down on the pad. If your sander has a smooth bottom for pressure-sensitive paper, put on a piece of coarse (60 to 80 grit) sandpaper first.

Before you begin sanding, *unplug your saw* and apply a lubricant to the rusty area with a paper towel. Mineral spirits or WD-40 work well, but put on no more than a very light coat.

Now, put on some eye protection. Turn on the sander and exert just enough pressure to keep the pad in place. The rust should be gone in a matter of seconds.

If this doesn't do the trick, you've got two more options. First, try a light-duty rust remover as an alternative lubricant (see Sources, page 100). If that doesn't work, switch to a more abrasive pad or a sandpaper disc (220 grit or higher). Again, apply a thin coat of lubricant. Take it easy with sandpaper, because you will be removing a small amount of metal along with the rust.

When the rust is gone, apply a coat of furniture paste wax to your saw right away to prevent it from rusting.



NON-WOVEN
ABRASIVE PAD

CRAFTSMAN HELPED BUILD THE ST. LOUIS ARCH. SO THAT CURVE IN YOUR TABLE LEG SHOULD BE NO PROBLEM.

In 1947, the city of St. Louis hosted an unusual design competition. Its citizens wanted to commemorate the westward expansion of the United States with a memorial. The architect, Eero Saarinen, won with a design for a 630-foot-tall

structure, the Gateway Arch.

Saarinen envisioned that the Arch, like its neighbor, the Eads Bridge, be built with tubular steel. He also required something even more innovative: the entire surface was to be clad in stainless steel. It should come as no

Take our 3-D Sander as an example. It combines three independent, pivoting heads with the known reliability of circular sanding, giving it the ability to hug curved surfaces

The 3-D Sander uses the Hook and Loop sanding pad, so changing sandpaper is quick.



like a racecar. Of course, you may not face a project of the Arch's stature. But no matter what sanding project faces you, the 3-D Sander's lightweight design really lessens the workload. And changing sandpaper on the 3-D Sander is effortless, too.

surprise, then, that when construction started in 1963, many of the workers who built this monument

SEARS
Where else?SM

relied on Craftsman[®] tools. Since its inception,

Craftsman has combined innovations to build better tools. And to this day, Craftsman has not stopped.

Just unhook, change paper, rehook and go. Craftsman—available at Sears, Sears Hardware Stores and online at craftsman.com. Since 1927, we've been providing Americans with the right tools for the job. Whether they're restoring a Queen Anne table—or building a gateway to the West.


CRAFTSMAN[®]
MAKES ANYTHING POSSIBLE[®]

Question & Answer

Which is the Right Air Fitting?

Q. I bought a new coupler for my air hose, but it doesn't fit my tools. All the couplers looked the same. Aren't these things standardized?

A. No, there are actually five different styles in the 1/4-in. size. But you can easily solve your problem by buying a "universal" quick connect for your hose. At around



INDUSTRIAL
STYLE

AUTOMOTIVE
STYLE

ARO
STYLE



\$5.50, it is a bit more expensive than a regular coupler (see Sources, page 100), but it fits the three most popular styles of fittings: industrial, automotive and ARO. Most woodworking tools use the industrial style.

There are no functional differences among the styles. Years ago, each manufacturer devised their own special shape. Every store that carries fittings will have the industrial and automotive styles. Some stores will have all five.

If you don't buy the universal coupler, be sure to take the fitting you are trying to match with you to the store, and try the fitting in a coupler before you buy it.

JDS AIR-TECH and Dust-Force

When only the **Best** will Do!



\$289.⁰⁰

Model 750-ER

JDS, the leader in quality air filtration products, introduces the ultimate air cleaner for your shop (**Model 750-ER**). This remote controlled unit will clean the air in a 30'x30'x8' shop once every ten minutes. For larger areas the models 8-12, 10-16, and 2400 are available. To remove odors, fumes and smoke, order our optional charcoal filter.

Model 750-ER

When only the **Best** will Do!

- LCD Remote Control with speed and timer function
- Highest Maximum Air Flow in its Class 1,050 CFM (750 CFM Filtered Air)
- 95% ASHREA Tested main filter (91% Efficiency at 1 micron - 99% at 5 microns)
- Washable Electrostatic Pre Filter
- With ten year manufacturer's warranty

To place an order or for the dealer nearest you call us toll free.

Put the force to work in your shop...

Our new 1.5 HP **Dust-Force** is the perfect addition to our award winning line of air filtration units. Powerful, portable, and ready to work for you, the **Dust-Force** will make your shop a cleaner, healthier, more productive environment.

\$299.⁰⁰

Specifications

Motor.....	1.5 HP
Max CFM.....	1250
Fan.....	11"
Inlet Dia.....	1-5"/2-4"
Bag Capacity.....	42 gallons
Decibels.....	67-77
Electrical.....	110/220
↳ Switch Prewired for 110V	



Another quality product from




1-800-480-7269

www.thejdscompany.com

OUTPERFORMS SAWS TWICE ITS PRICE.

A MODEST
CLAIM
BACKED BY
CARBIDE-TIPPED
TEETH.




BT3100 10" Table Saw
SKU# 348-281

Incredibly, for under \$300, the Ryobi BT3100 gives you the 15-amp power to cut 4x4s in one pass. The big-job capacity to rip 30" to the right and 31" to the left of the blade. The surgical precision of a sliding miter table and triple-axis, self-aligning rip fence. The solid support of an all-metal work stand. And the confidence of a 30-day, no-risk satisfaction guarantee. There's no saw like it at anywhere near the price. And it's waiting at The Home Depot® right near you.

Ryobi Technologies, Inc. 1428 Pearman Dairy Road, Anderson, SC 29625 USA 1-800-525-2579
Prices Subject to Change Without Notice. All pricing in US dollars. OTC: TTNDY



Pro Features.
Affordable Prices.™
www.ryobitools.com



Outfeed Table: Melamine or Laminate?

Q. I'm building an outfeed table for my tablesaw. Should I use melamine or plastic laminate?

A. Plastic laminate is more durable than melamine, but it will cost you more time and money to install.

Laminate provides more abrasion and impact resistance than melamine. You're less likely to wear through the top layer or dent and scar it. A top with laminate on *both* sides will sag far less than a melamine top. Thermofused melamine, the kind most commonly found at lumberyards and home centers, has a single layer of paper adhered to the front and back of a particleboard substrate, heat-fused with melamine resins. Laminate is much thicker. On top is a sim-

ilar layer of paper, but under that is a decor sheet (which carries the color or pattern) and three to five layers of kraft paper fused to the first two layers with tough phenolic resins.


Before choosing laminate, however, consider cost and labor. A 4x8 sheet of thermofused melamine costs about \$25. Cut it to the size you need, and you're ready to go. For the sake of comparison, a 4x8 sheet of laminate costs about \$55. Add to that the cost of the particleboard or medium-density fiberboard (MDF) substrate (\$20 to \$25), and the contact cement. You have to apply laminate to a substrate yourself and trim it with a router. You can wear out and replace several melamine outfeed tables for the same cost as one laminate table.



www.amazon.com/dewalt

See over 1,100 DEWALT tools online.

Get an extra set of knives and dusthood with the DW733 DEWALT planer, an \$84.99 value.



#DW733
12-1/2" Portable Thickness Planer

★★★★★
This is the first portable planer I have used and it rivals the big stationary shop planers. I would recommend the DeWalt to anyone looking for such a tool, great machine!
—An Amazon.com customer from Lufkin, TX

- Four-column head lock secures cutterhead to eliminate snipe
- Extra long infeed and outfeed tables provide 33 inches of material support with eight lock-in positions
- 15 amp motor rotates the cutterhead at 10,000 rpm, making 64 cuts per inch



*We will match our competitors price plus beat it by 10% of the difference. Find out more at www.amazon.com/price-match.

Call for your FREE Tool Crib catalog
1-800-635-5140


amazon.com
tools & hardware

NEW!

The Leigh FMT Mortise and Tenon Jig

Create mortises and tenons in one quick, easy setup!

Unique patented guide system • Joints from a tiny 1/16" x 3/32" to 1/2" x 5" in stock up to 3" x 5 1/2" • Easy fingertip adjustment of joint tightness, recordable and repeatable • Make angled and compound angled joints • Rout perfectly aligned double, triple and quadruple joints • Use virtually any plunge router • Uses 1/2" shank cutters • Cam-action speed-clamps • Integral dust port for vacuum



Call For Your Free Leigh FMT Brochure Today! 1-800-663-8932
Leigh Industries Ltd., PO Box 357, Port Coquitlam, BC, Canada V3C 4K6
Tel. 604 464-2700 Fax 604 464-7404 Web www.leighjigs.com

LEIGH
Joining Tradition With Today

10 40 24
(254mm)

5/8" (16mm)

MYK2

DEWALT®

START HERE



FOR A GREAT FINISH.

INTRODUCING NEW WOODWORKING SAW BLADES FROM DEWALT®

You put a lot into your work. After all, it takes countless hours to complete the perfect project. And when you have the right tools and the right wood, you need the right saw blade. One that's precision balanced for highly accurate cuts. With large, micro-grain carbide teeth for exceptionally smooth finishes. Ultra-sharp cutting edges to reduce splintering. And one that comes in a variety of tooth counts and configurations. DeWALT® Woodworking Blades. We put more into them, so you can get more out of them.

For more information, call **1-800-4-DEWALT** or visit our web site at **www.DEWALT.com**

©2002 DEWALT. The following are trademarks for one or more DeWALT Power Tools and Accessories: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.




C4-carbide teeth are precision ground for an exceptionally smooth finish



Ultra-sharp cutting edges dramatically reduce splintering and tear-out



Heavy-gauge plates are laser cut and precision balanced for accurate cuts and tight joints



Available in several sizes for any woodworking application

DEWALT®

Question & Answer

Must I Release the Tension?

Q. Do I really have to take the tension off my bandsaw, or can I leave it tightened all the time?

A. If you want the longest life out of your saw and sawblades, release the tension when your saw will sit idle for more than a few days. You don't have to take off *all* the tension. Just rotate the tensioning crank two or three complete turns.

Leaving the blade tensioned can create several problems. First, it can result in your blade breaking prematurely. The next time a blade breaks, examine it carefully. If it didn't snap at the weld, the break is likely the result of leaving the tension on.

Second, your tires will have a shorter life. Leaving the tension on will prematurely flatten their crowns and harden the rubber, eventually causing tracking problems. Two new tires for a 14-in. saw cost about \$40, and they're no fun to replace.


Third, you could prematurely compress the tension spring.

AW

If you have a question you'd like answered, send it to us at: **Question & Answer, American Woodworker, 2915 Commers Drive, Suite 700, Eagan, MN 55121 or e-mail to qanda@readersdigest.com.** Sorry, but the volume of mail prevents us from answering each question individually.



The Easy Rout.




The Leigh Dovetail Jig has it all. Hobbyist or professional, the Leigh D4 Dovetail Jig will ensure you create your best work. Versatility, precision and superb value make the Leigh Dovetail Jig better than the rest. Rout through and half-blind dovetails up to 24" wide in boards up to 1 1/2" thick, with infinitely variable spacing of pins and tails — all on one jig. Plus, rout sliding and angled dovetails easily with the D4. And create decorative Isoloc joints, finger joints, and multiple mortise & tenons effortlessly with Leigh attachments and our exceptional user guides! Make routing easier with Leigh. Call toll free now!

Call For Your FREE Leigh Catalog Today! 1-800-663-8932

LEIGH
Joining Tradition With Today

Leigh Industries Ltd., PO Box 357
Port Coquitlam, BC Canada V3C 4K6
Toll free 1-800-663-8932 Tel. 604 464-2700
Fax 604 464-7404 Web www.leighjigs.com

WE MADE A DISCOVERY. People Drop Things.



46 feet

Amazing, But True.

Plates of food, overfilled grocery bags, footballs at crucial moments, and power tools at work. We kept that in mind while designing our new line of cordless power tools. The collar of our Brute Tough™ drill is reinforced with steel. Its Body Armor™ is so durable, you could drop it forty-six feet. Not that you would. But we did. And despite taking a mean bounce off unforgiving concrete, it came up working. We dropped it again. Another forty-six feet, put in the drill bit, and bore a good two inches into concrete as payback. Downtime? Not hardly.



See it at boschtools.com

Attorney Alert: Do not try this test at home. Or at work.

Workshop Tips

Anti-Slip Dust-Collection Table

Here's a pair of sanding helpers that work great together. The rug pad provides a soft anti-slip surface. The Peg-Board, combined with the holes in the rug pad, allows dust to be sucked down through the table. My shop vacuum provides plenty of airflow.

I bought the wood for my sanding table at the local home center for about \$20. I found the anti-slip rug pad at the same store in the carpet department for \$6. The pad was bigger than my table, but was easily cut to size with a scissors.

Wayne Horne





2003 DODGE RAM HEAVY DUTY. Get a parade ready for Dodge Ram Heavy Duty. It's available with a 5.7 liter HEMI® Magnum® V-8 or the Cummins High-Output Turbo Diesel engine,* so it's part of the most powerful line of trucks. It deserves a big award—and a big celebration. For information, visit dodge.com or call 800-4ADODGE.

GRAB LIFE BY THE HORNS



***MOTOR TREND*® TRUCK OF THE YEAR. THIS CALLS FOR A 21 NAIL GUN SALUTE.**



*Not available in Calif., Maine, and Mass.

Workshop Breakthrough!

You've GOT to see this!



Tools not included.

Interchangeable workstation design lets you customize your shop for the type of work you'll be doing.

- Tools mount onto quick-change inserts. When you're ready to work, set the tool in place and lock it down. Changing tools takes just seconds!
- Save space. Store multiple benchtop tools in the Tool Rack.
- Tool accessories are within easy reach with blade and bit holders, built-in drawers, shelves and more.
- Rock-solid 18-gauge steel construction with 1-1/4" thick wood tops – designed to withstand hard use.
- Pick and choose the units that work best for your needs, and add on units as your workshop grows.




A real space-saver!



“I wish I'd had the Tool Dock system a long time ago. It's really organized my shop AND my thinking ... so it's much easier to do what I need to do.”

John Bowles
Tool Dock owner
Clifton Springs, NY




The Modular Workshop

For complete details and an outlet near you:

www.tooldock.com Or call toll-free: **1-866-866-5362**

Workshop Tips



Rigid Routing Sled

A routing sled is a great help when coping the ends of rails and stiles. But I had a problem when I built my first sled. The pressure from the toggle clamp caused the 1/4-in.-thick sled base to deflect, which messed up the alignment of the rail-and-stile joints. I solved the problem by adding a board to the front of the sled, plus two top boards that bridge over my workpiece. This setup keeps the 1/4-in. base from bending when the toggle clamp is clamped down.

Sources See page 100 Fred Adams



Cool Tip

Changing the sanding sleeves on a spindle sander can be as tough as removing an old rusty bolt. Next time, try this trick: Put the drum in your freezer for 15 minutes. The cold will shrink the rubber drum and the sanding sleeve will almost fall off.

Alex K. Madler

FASTER

30 Second Set Time

No Clamping or Bracing

Improves Productivity


HIPURFORMER™
ADVANCED BONDING SYSTEM



1-800-347-4583
www.titebond.com

Titebond®
Glues & Adhesives

WHERE WOODWORKERS GET THEIR EDGE.



ACCURACY

- Micro-fine depth adjustments in 1/64" increments
- Precision machined motors and bases
- Concentricity gauge



POWER

- 2-1/4 maximum HP/12 Amp EVS with full feedback control and soft-start motor
- 1-3/4 maximum HP/11 Amp motor



VERSATILITY

- Interchangeable motors and bases
- Quick release motor latches
- Tool-free, adjustable motor cam lock



EASE OF USE

- Detachable cordset
- Through-the-column dust collection on plunge base
- Rubber, overmolded handles


INTRODUCING THE NEW ROUTER SYSTEM FROM DEWALT.

Accuracy. Power. Versatility. It's what the new DEWALT® router system delivers. The new DEWALT router system consists of two motor packs, a 2-1/4 maximum HP EVS or 1-3/4 maximum HP motor and three interchangeable router bases: fixed, plunge and D-Handle. The fixed base and D-Handle provide superior accuracy through a micro-fine depth adjustment ring and concentricity gauge to ensure bit concentricity. The plunge base offers through-the-column dust collection and the smoothest plunge stroke for accuracy and control. The ergonomic D-Handle base features a detachable cordset that plugs into both motor packs directly from the handle. The new DEWALT router system: where woodworkers get their edge.

For more information, call **1-800-4-DEWALT** or visit our web site at www.DEWALT.com.

©2002 DEWALT. The following are trademarks for one or more DEWALT Power Tools and Accessories: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

DEWALT



Pivoting Outfeed Support

I recently saw an outfeed stand that had a pivoting top. The pivoting action prevents a workpiece from catching the front edge of the outfeed top. Instead, the top just pivots up level as the workpiece passes over it. I figured I could make something similar that would work just as well.

For the base I used a sawhorse with a concrete block for extra stability. I screwed a couple of stop blocks to the top of the horse to keep the outfeed top from pivoting too far forward or backward. The top is a 3/4-in.-thick by 12-in.-wide by 36-in.-long melamine shelf that I bought at a home center for \$6. The 1x4 end brackets are set toward the back of the braces by 1 in. to make the outfeed top tip toward the tablesaw. The brackets are attached to the horse with a screw at each end. When the outfeed top is level, there is a 3/4-in. gap between it and the stop blocks. I trimmed the horse's legs so the outfeed top is level with my tablesaw.

David Dimiek

If you have an original Workshop Tip, send it to us with a sketch or photo. If we print it, you'll get \$100! Send to: **Workshop Tips, American Woodworker, 2915 Commers Drive, Suite 700, Eagan, MN 55121** or e-mail to workshoptips@readersdigest.com. Submissions can't be returned and become our property upon acceptance and payment. We may edit submissions, and use them in all print and electronic media.

STRONGER

Superior Strength

Eliminates Nails & Staples

Permanent Bond

HIPURFORMER™
ADVANCED BONDING SYSTEM



1-800-347-4583
www.titebond.com

Titebond®
Glues & Adhesives



“Benjamin Moore
calls it
Putnam Ivory.

I call it
new and
improved.”

When I want great looking protection for
our home, I turn to a name I can trust —
Benjamin Moore & Co.
Their *premium exterior paints*
go on smoother, with excellent coverage and superior
adhesion for *long-lasting protection.*

I've always had confidence in Benjamin Moore®
product quality, and my Benjamin Moore® retailer's
knowledge and expertise
helped me get it right the first time.
That's my kind of home improvement.



We make it simple to protect your home.


1-800-6-PAINT-6
www.benjaminmoore.com

©2003 Benjamin Moore & Co. Benjamin Moore is a registered trademark of Benjamin Moore & Co.
The triangle M symbol and MoorGard are trademarks of Benjamin Moore & Co.


Perfectly Parallel Fence

Here's a quick and easy way to align your tablesaw fence with your miter slot. Plane down a board until it fits into your miter slot without play. Now slide the fence up to the board and use a feeler gauge to determine your fence alignment. It's that easy.

Dave Munkittrick



Tablesaw Tapering Jig



I recently built a pair of garden benches that required several identical parts that were tapered on both sides. To make the job easier, I built this jig that worked for both angles. The two screws make setting the angles quick and precise. On the first cut, the edge of the board rests against the first screw head with the end of

the board resting on the second screw. For the second cut, I just flip over the board and move it to the second screw (as shown in the photo), and rest the end of the board against the wood stop block. The toggle clamp holds the board in place during sawing. Once the screws are set you can cut perfect angles all day long.

Fred Adams

Sources See page 100

BETTER

Bonds Most Anything

20 Minute Cordless Use

100% Waterproof


HIPURFORMER™
ADVANCED BONDING SYSTEM



1-800-347-4583
www.titebond.com

Titebond®
Glues & Adhesives

THE WORLD'S FIRST *TWINLASER* Miter Saw.



For precision and speed, nothing can touch our new TwinLaser™ Compound Miter Saw. Because the TwinLaser™ system shows the exact line of cut on either side of the blade kerf, at any angle, with or without the blade in motion. It's even bright enough for outdoor use.

For a free catalogue or the Delta dealer nearest you, call 800-348-2486 (US), 800-463-3582 (Canada) or visit www.deltamachinery.com

DELTA
INDUSTRIAL

Your achievement. Our tools.

The Toughest Glue On Planet Earth


Gorilla Brand Premium Glue is the all purpose, interior/exterior glue ideal for most repair and bonding needs. It's great for indoor/outdoor furniture repair, woodworking projects, as well as general repairs around the house. Bonds wood, stone, metal, ceramic and more! Incredibly strong and 100% waterproof.



for retailers near you:
www.gorillaglu.com
1-800-966-3458

Workshop Tips

Laminate Flooring for Zero-Clearance Inserts




Rather than mess with gluing up plastic laminate, I use a piece of laminate flooring when making zero-clearance inserts. Laminate flooring is great because it's stiff, with a nice slick surface. It's between 1/4-in. and 3/8-in. thick, which is just right for inserts. It also saws and routs nicely.

I bought a couple of sample pieces of laminate flooring for \$6 per 8-in. by 48-in. piece. You can find it at home centers and flooring stores. Each plank makes four inserts.

To make my inserts I followed the directions in "Zero-Clearance Inserts," AW #95, September 2002, page 50. The only change I made was to use #10-24 by 3/8-in.-long socket-head setscrews for the leveling screws rather than flat-head screws. I prefer setscrews because I don't have to drill a countersink. Some saws require a 1/2-in. long setscrew because the support flanges that the insert rests on are lower. To determine the screw's size, measure from the top of your saw table down to the support flange. Buy setscrews that are about 1/16-in. to 1/8-in. shorter than this measurement. You can buy socket setscrews at most hardware stores for about 25 cents each.

Jack Martin
AW



You must be very proud.

Is this the first time you've hand-cut dovetails?

Cradle courtesy of Norm Abram.

Your woodwork gets undivided attention. Inspired creations usually do. And Delta is proud to help by making the best tools for the job. Any job. So get a tool known for innovative design and reliability. Get a Delta. For a full-line catalog call 800-438-2486 (US), 800-463-3582 (Canada), or visit deltamachinery.com.




DELTA

Your achievement. Our tools.



**FIRST WE RAISED THE BAR.
THEN WE LOWERED THE PRICE.**



*Due to heavy demand,
quantities are limited.
Check with your distributor
for availability.*

Introducing the innovative JET 10" SuperSaw.

It's the attention to detail that sets this saw apart, so let's cut to the chase. Compared to the competition, the JET 10" SuperSaw features two solid cast-iron wings instead of stamped steel giving it twice the cast-iron work surface of other saws. Its optional sliding table boasts a miter gauge with T-slot and a handy

angle reference guide. It has a brand-new fence with magnified cursor, micro adjustment and 4 T-slots for jigs. And it's heavier than the competition, with a fully enclosed cabinet, larger dust port, and wider stance that makes it far more stable. The SuperSaw is also the only saw on the planet that includes an on/off switch that can

be positioned anywhere along the fence rail, plus thoughtful details like a reset button and power indicator light.

So to review, the JET 10" SuperSaw has better specs, more features, and a warranty that's twice as long. Oh, and did we mention it costs less? Visit your JET distributor for more details.



For a free 23-minute video
showing everything the SuperSaw can do,
call 1-800-274-6848 or visit jettools.com.

JET

Powermatic, Performax and JET. A Family of Brands.

Small Shop Tips



Double-Duty Roller Tables

I like getting double duty out of my tools whenever possible. So, when I decided to build outfeed tables for my miter saw and table-saw, I worked up this dual-use design. The roller tables are simple to switch between machines and take up very little space when I store them against the wall.

I made the roller frames from 2x2s, a 1x4 and eight rollers. I just clamp the rollers to a pair of sawhorses when I use them with my tablesaw. I adjusted the height of my sawhorses so the tops of the rollers sit about 1/8-in. below the top of my tablesaw. When I use them with my miter saw I add a couple of spacer boards to make the rollers level with the miter saw's table. It cost me about \$100 to build the roller frames, not including the sawhorses.

Jim Norby

ROLLER

SPACER
BOARDS

2X2


If you have an original Small Shop Tip, send it to us with a sketch or photo. If we print it, you'll get \$100! Send your tip to: **Small Shop Tips, American Woodworker, 2915 Commers Drive, Suite 700, Eagan, MN 55121** or e-mail to smallshoptips@readersdigest.com. Submissions can't be returned and become our property upon acceptance and payment. We may edit submissions, and use them in all print and electronic media.

Small Shop Tips

Suspended Outlet

This is one of my favorite shop upgrades. By adding this suspended outlet over my work area I always have electricity close at hand. It sure beats running an extension cord across the floor and getting my feet tangled

in it. This suspended outlet is not difficult to install, but be sure to follow local building codes and use a ground fault circuit interrupter (GFCI), if required.



If you have any doubts, hire a licensed electrician.

The components include:

- a metal electrical box
- a box cover with a center knock-out
- a strain-relief cord connector
- a section of stranded-wire electrical cord
- a cord receptacle.

All of these parts can be purchased at a home center or hardware store for about \$15. If you're hooking into a 20-amp circuit, use 12-3 stranded-wire electrical cord and a 20-amp-rated plug. If you're hooking into a 15-amp circuit, use 14-3 stranded-wire electrical cord and a 15-amp-rated plug. I installed my outlet so the plug end is about 6 ft. off the floor so I don't bump my head on it.

Doug Baillie



The **ARROW** X Machine ETFX50™



XTRA HEAVY DUTY
Professional

XCEPTIONAL COMFORT
Cushioned Grip

XPERT PERFORMANCE
Drives 6 Different Size
Staples + Nails

XTRAORDINARY POWER
14 Amps of Surge Power

XCITING DESIGN
New Ergonomic Styling



...It's what
you've come to
XPECT from Arrow!



Keeping America Strong

Available at home centers, lumberyards, and fine hardware stores wherever professional tools are sold!



Arrow Fastener Co., Inc., 271 Mayhill Street, Saddle Brook, New Jersey 07663
Canada: Jandel Distributors, Inc., 6505 Metropolitan Blvd. East, Montreal, Quebec H1P 1X9
Arrow Fastener (U.K.) Ltd., Unit 5 ZK Park, 23 Commerce Way, Croydon CR0 4ZS, Surrey, United Kingdom
www.arrowfastener.com

©2002 Arrow Fastener Co., Inc. Rev 702

INTRODUCING THE 100 SERIES THE MOST AFFORDABLE JOHN DEERE EVER

- NOTHING NICER THAN LOOKING OUT ON A FRESH CUT LAWN.
- NOTHING LIKE CATCHING ONE LAST GLIMPSE OF THAT NEW GREEN AND YELLOW TRACTOR.
- NOTHING BETTER THAN GETTING DONE AND GETTING ON WITH YOUR DAY.



■ NOTHING RUNS LIKE A DEERE.™

At a starting price of \$1499, the 100 Series offers more reliability, welded frames for durability, The Edge™ cutting system for a precise even cut, and the support of a nationwide network of John Deere dealers. For anyone who wants a tractor that's easy to run, easy to maintain, and easy to afford.

www.JohnDeere.com



JOHN DEERE

Small Shop Tips


Blade Caddy

Here's a handy tote for scrollsaw blades that I fashioned from a scrap of 2x6, a piece of plywood, and two Peg-Board multiple-tool holders. I cut the curved tips off the multiple-tool holders with a hacksaw so they would sit flat against the plywood.

I attached the holders to the caddy with cable staples. These small plastic tubes are perfect for holding scrollsaw blades. I wrapped some masking tape around each tube and wrote the blade size on it.

Richard Bombard

Sources See page 100



Just **ONE** Tool For All Your Rabbeting Needs!

INSERT SUPERABBET, JR.™ #RC-49355

- 4-sided replaceable carbide knives.
- 13 different depths with one tool using optional collars.
- Maintain exact tolerances.
- Choose from 4 different carbide grade knives for different applications:

AMA-12 (wood, plywood) HMA-12 (solid surface/SSV®/MDF)
SMA-12 (soft and hard wood) MFA-12 (all purpose)

Special Offer!

*BASIC TOOL
Only \$**74**⁷⁰

#RC-49355

INSERT SUPERABBET™ #RC-49360

- 2-sided replaceable carbide knives.
- 18 different depths with one tool using optional collars.
- Maintain exact tolerances.
- Choose from 3 different carbide grade knives for different applications:

RCK-30 (wood/plywood)
SRK-30 (soft and hard wood)
HRK-30 (solid surface/SSV®/MDF)

*BASIC TOOL (RC-49360, RC-49355) includes bit and one set of RCK-30 or AMA-12 knives. Refer to our new catalog AM-1-02 pages 46 & 47 for more details

#RC-49360

Special Offer!

*BASIC TOOL
Only \$**110**³³

SSV® is a registered trademark of
WILSONART
INTERNATIONAL



Amana Tool®

FOR OUR NEW CATALOG OR A DEALER
NEAREST YOU CALL 1-800-445-0077.

Visit our web site at www.amanatool.com


Tackle Box Storage

This is my all-time favorite way to store screws, small hardware and router bits. Fishing tackle boxes come in a variety of sizes and shapes but I picked this one because the inner utility boxes have lids to keep stuff from spilling and the adjustable dividers allow me to use the trays for both short and long items. This tackle box, including the three big lower utility boxes, cost \$25. The five small upper utility boxes are sold separately for \$2 each. I have over 70 different items stored in my tackle box!

Randy Johnson

AW


DRIVER-BIT STORAGE




Sources See page 100



#70491-6 \$24.99



#70540-0 \$24.99



#70587-1 \$24.99



#70569-9 \$24.99



#70534-3 \$24.99




#70551-7 \$24.99


Join WoodWorker's Book Club and CHOOSE 3 BOOKS **FREE**

with a 4th Book for just \$9.99
plus shipping and handling

Plus get
a **FREE** Gift
(80360-1)




#70531-9 \$26.99




#70429-6 \$24.99




#70555-8 \$24.99




#70431-2 \$21.99




#70547-5 \$24.99




#70354-6 \$22.99



#70500-4 \$24.99



#70493-2 \$24.99




#70427-0 \$24.99



#70520-2 \$24.99



#70466-8 \$22.99



#70472-6 \$22.99

HOW THE CLUB WORKS

- **FREE CLUB NEWS** Every 4 weeks (14 times per year), you'll receive the *NEWS* featuring a Main Selection and 100 or more of the newest and best woodworking books.
- **EASY ORDERING** Simply return your Selection Card or visit our website by the specified date, indicating whether or not you want the Main Selection and/or any other additional books. After this joining offer, if you prepay for your orders, shipping and handling is **FREE!** (If you don't have time to contact us, we'll send the Main Selection automatically.)
- **RETURN PRIVILEGE** You'll always have 10 days to decide and let us know your preferences. However, if late mail delivery ever causes you to receive a book you don't want, you may return it at Club expense.
- **NO-OBLIGATION MEMBERSHIP** You have no obligation to buy any more books — you're simply agreeing to a trial membership in the Club.
- **FREE SHIPPING AND HANDLING** After this joining offer, prepay for your orders, and we'll pay the shipping and handling!



#70521-0 \$24.99



#70459-3 \$22.99



#70533-5 \$26.99



#70492-4 \$24.99



#70522-8 \$27.99

**JOIN
TODAY!**

**WOODWORKER'S
BOOK CLUB**

PO Box 9274
Central Islip, NY
11722-9274

All books are softcover unless marked h.c.
Prices shown are publishers' list prices.

VISA/MC/AmEx orders call **1-800-448-0912**
Call TOLL FREE Mon.-Fri. 9 a.m. to 7 p.m., EST • Sat. 9 a.m. to 6 p.m., EST
www.WoodWorkersBookClub.com

The Well-Equip



Compact Compressor

For less than \$200, Senco is offering three nailer/compressor kits that include everything you need from fittings to a 25-ft. hose.

All three packages revolve around the PC1010 mini-compressor. It's hardly bigger than a shoebox, and weighs a mere 20 lb. Carrying it around the house is a breeze! You can haul this extremely portable and quiet tool anywhere; even set it right up on top of your workbench. Okay, it won't provide enough air for a framing nailer or spray gun, but it works great for brad nailers.

You can choose from three different 18-gauge guns; the FinishPro 15, the FinishPro 18 brad nailer, or the FinishPro 2N1 nailer/stapler combo. The FinishPro 18 shoots brads up to 2-in. long, which is great for face frames or other 3/4-in. material. The 15 and 2N1 guns shoot brads up to 1-1/4-in. long.

\$99 Plunge Router

Ryobi's new RE180PL plunge router packs variable speed, soft start, a 1/2-in. collet, and a 10-amp, 2-hp motor into a \$99 price tag. That's \$150 less than routers with similar features. Other inexpensive plunge routers are limited to a single speed, a 1/4-in. collet and lower horsepower.

You'll love the upgraded features. Soft start slowly brings the router up to speed, making it easier to hang onto the tool at start up. Variable speed makes using large-dia. bits much safer. You'll make more accurate mortises with 1/2-in.-dia. bits, which are less prone to chatter than 1/4-in.-dia. bits.

In addition, this router accepts template guide bushings. You can easily fine-tune the depth of cut with a micro-adjust dial below the stop rod.

While this router offers a lot for the money, it lacks dust collection and a multi-step turret, useful for cutting deep mortises in steps.



Dropped Shop

New Tools, Supplies and Materials


by George Vondriska

Pocket-Sized Plane

One of my favorite hand tools is an old block plane, long out of production. I've used it for everything from trimming miters to planing chamfers. When I'm done, it's small enough to tuck right back in my apron pocket. As much as I like my old pal, this new plane from Veritas is even better. And it has a great price (\$59).

It's a lightweight, low-angle block plane that fits your hand like a glove. Low-angle planes are superb at trimming the end grain of cabinet doors, but they can be prone to chatter. This plane fights chatter with a very thick blade and a large supporting bed. It's also fully adjustable. One knob sets both the angle of the blade to the mouth and the depth of cut, with minimal play. The only thing that's missing is an adjustable mouth.

The plane's body is ductile iron, which is far less likely to break when dropped than standard cast iron. You can upgrade the plane with a thicker and more durable A2 steel replacement blade for about \$18 or buy the plane with an upgraded A2 blade for \$67.



Faster Mortise-and-Tenon Joints

Leigh Industries has long been known for their well-engineered dovetail jig. Their new router jig, the Leigh FMT (\$800), cuts mortise-and-tenon joints with the same precision.

A price tag of \$800 is pretty steep for a joint that can be made a dozen ways with simpler tools, but once set up, this jig makes perfectly fitting tenons every time. It will handle both straight or angled joints. If you're thinking of building a set of chairs, this jig could save you lots of time.

The FMT produces both the mortise and the tenon in pieces as small as a matchstick or as large as 3 in. x 5 in. The jig comes with the router bit and joint guides required for a 5/16-in. mortise and tenon. Larger or smaller mortise and tenons require other bits and joint guides, at about \$42 per set. You provide the plunge router.



Sources for all products

See page 100


The Well-Equipped Shop

Dovetail Spline Jig


The Kehoe Jig kit (\$60) is an easy-to-use and inexpensive tool for reinforcing corner joints. The kit contains a router jig and a tablesaw jig to add super-strong, cool-looking dovetail splines to your projects. Normally, dovetail splines require a lot of trial and error to fit, but the beauty of the Kehoe system is that it makes tapered splines that lock up tight as you press them into the joint.

You can add dovetail splines to virtually any project with these two Kehoe jigs. They work with wood of any thickness, any width (just re-clamp the router jig) and any angle corner.


To use the router jig, you'll need a 5/8-in.-dia. template



Clamp the Kehoe router jig to a corner joint and follow the fingers with a template guide. This makes dovetail-shaped grooves that are tapered from front to back.



STAFF



Cut identical dovetail-shaped splines on the tablesaw with the Kehoe miter-gauge jig. The splines are also tapered from front to back. This jig is included in the \$60 kit.

STAFF

Two sizes are available from Kehoe for about \$10 each.

guide and a standard dovetail bit. If you don't have a template guide, you can use a special dovetail bit with a bearing above the cutter.

The Woodworker's Edge... BRIDGEWOOD®

Quality is more affordable than you think!



BW-15BS 15" Bandsaw
don't let its low price fool you, this amazing bandsaw is designed and built to provide trouble free operation cut after cut.

FEATURES: Heavily ribbed cast iron frame. 3/4 hp motor is mounted directly to cast iron frame for smooth operation. Two blade speeds: 2000 or 2600 SFM. Cast aluminum wheels with rubber tires. Non-rocking steel stand. Miter gauge.

TSC-10CL 10" Table Saw
the perfect table saw for contractors or smaller shops.

FEATURES: Left-tilting arbor reduces chance of kickback. 1-1/2 hp motor with quick release connection plug. 10" dia. blade capacity. Miter gauge with T-slot. Large cast iron table with a solid extension wing. Beveled front table edge for smooth miter gauge operation. 4" dust collection hookup.



shown with standard Align-a-Rip 30" capacity rip fence.

BW-6R 6" Jointer
Acclaimed a "best buy" among 6" jointers by a professional woodworking publication

FEATURES: 1 hp motor. 3 knife cutterhead. Jackscrew knife adjustment. Enclosed base with 4" chip collection hookup. Precision ground 6" x 45" cast iron tables. Rabbeting table and ledge. Cast iron fence tilts in both directions to 45° with positive stops at 45° and 90°. Cast iron handwheels.

BW-15P 15" Planer
economically priced yet built like larger professional planers.

FEATURES: 3 hp, 3 knife cutterhead. Jackscrew knife adjustment. Enclosed base with wheels for mobility. 15" x 6" planing capacity. Table moves up and down—cutterhead stationary for smoother cuts. Three stock support rollers front and back. 2 speed feed rate. Magnetic switch.



New!
enclosed base with wheels

BW-002A Dust Collector
portable, compact unit can solve your dust collection problems at a very low cost


FEATURES: 2 hp motor. 1059 CFM. 1 Micron filter bag. 43.5 gallon collection bag. Bags attached with quick release metal straps. Metal impeller (not plastic).



QUALITY MACHINERY • PARTS • SERVICE • GREAT LEASE PLANS

WILKE
MACHINERY COMPANY
MACHINERY POWER TOOLS

For information and a **FREE** catalog contact us by toll free phone:
1-800-235-2100
visit our web page:
www.wilkemach.com
write or visit our showroom:
3230 N Susquehanna Trail, York, PA 17402-9716



STAFF

Glue in the splines. They start out loose because they're tapered, making assembly very easy. As you push, they tighten up and lock solidly in place, creating a perfect joint. After the glue dries, cut the excess and sand flush.

Sources

See page 100

Do-It-Yourself Stained-Glass Doors

Wouldn't it be cool to make your own stained- or beveled-glass panels for cabinet doors? Delphi has good news for you. They've made an introductory video, and it's free to AW readers. It illustrates, step-by-step, how to make a simple panel, from cutting the glass to soldering.

If you really get into it, you can check out their new book; *300 Stained Glass Cabinet Door Designs*, \$19. The book contains line drawings, installation and design tips, and pictures featuring prairie, Victorian, contemporary, art nouveau, southwest, and nature themes.

Making stained- or beveled-glass panels for cabinet doors requires some basic glass-specific tools. A starter kit is available from Delphi for \$190. Once you have the tools, the cost of materials for a 14-in. x 24-in. beveled-glass panel averages \$35.



American Woodworker MAY 2003

37



**YOU PLANT.
NURTURE.
GROW.**

**LET US DRAIN.
SHARPEN.
FILL.**

Leave the dirty work to us. The John Deere Maintenance Plan Plus program. Enjoy two annual maintenance services with Genuine John Deere Parts, plus a third year of extended protection. Add to that, Online Service Scheduling and John Deere Ready-To-Mow mobile service and you can maintain your tractor without even walking out of your front yard.




JOHN DEERE
MAINTENANCE PLAN+

The Well-Equipped Shop

Bifocal Safety Glasses

Safety glasses are must-have shop equipment. Wizard Industries' Shop Specs (\$20) protect your eyes *and* provide magnification for up-close layout and measuring work.



Dust-Free Sanding

Eliminate hazardous dust
BEFORE it becomes airborne

Airborne dust is now being recognized as a major health hazard. Imagine sanding in a dust-free environment, where 98% of the dust created by sanding is contained.



How It Works

Dust produced by sanding is immediately sucked away through holes located in the sandpaper, the bottom of the sanding pad, AND around the outside edge of the pad (a FEIN exclusive). The extracted dust is contained by a powerful vacuum.

Unbeatable Finishes

When you sand with normal sanders, your sander ends up riding on a bed of dust and broken abrasive. With the FEIN Sanding System, this "bed" of dust doesn't exist. Your paper cuts faster, cleaner, and lasts up to 10 times longer.

Automatic Vacuum

When you turn your FEIN sander on, the vacuum starts. When you switch your sander off, the vacuum stops....automatically. The FEIN Turbo II Vacuum is built to handle large amounts of super-fine dust.



For more information and a dealer near you, call 1-800-441-9878 or visit us on the web at www.feinus.com

Shop Specs have all the important safety features, such as impact-resistant lenses and side shields. But the best feature of Shop Specs is the magnification lens set into the lower half of the glasses. With Shop Specs, you can see small details *and* have full eye protection.

Shop Specs come in the same correction range as standard reading glasses, from +1.0 to +3.0 diopters in .5 increments. If you don't need reading glasses, order a +1 diopter. Shop Specs will not replace standard prescription glasses.

The temples on the Shop Specs can be adjusted to fit your head, and the lenses can be inclined to a position that's comfortable for you.

Comparable safety glasses with adjustable temples and inclined lenses, but lacking magnification, cost about \$7 less. **AW**

Sources See page 100

ACCUSQUARE

www.mulecab.com


ACCUSQUARE commercial quality Rip Fence fits Powermatic, Jet, Sears, Grizzly, and most other saws. Put life and ACCURACY back into your saw!

FACTORY DIRECT LIFETIME WARRANTY

Quality CNC machined steel
Accurate Aluminum extrusions
Simplicity of design

Gives the ACCUSQUARE the STRENGTH to stand up to rugged everyday use & provide the ACCURACY you need!

RELIABILITY - ACCURACY - GUARANTEED



Dual Hairline cursor - Extra Wide Tapes - Pick your Target

www.mulecab.com

Email: accusquare@rogers.com

TOLL FREE
1-877-684-7366




Adams Wood ProductsTM
LTD., L.P.

STOCK ITEMS
NO MINIMUM ORDERS
-OR-

WE WILL MAKE PRODUCTION RUNS OF YOUR PART

Made in
Tennessee
By American Craftsmen



P.O. Box 728, Dept. AW36
Morristown, TN 37815-0728
Phone 423-587-2942 • Fax 423-586-2188
www.adamswoodproducts.com

FREE
COLOR
CATALOG




When the Sawdust Settles...

Premium Quality ZAR[®] Rises Above the Rest!

Whether you're creating your own masterpiece or want to give new life to a treasured family heirloom only the best wood stain will do. ZAR Wood Stain is formulated using only the finest ingredients. ZAR Wood Stain's controlled penetration formula allows you to work at your own pace. ZAR wipes on easily and penetrates evenly for uniform color tone without streaks, lapmarks or blotches. ZAR Wood Stain's extra rich formula makes it ideal for all types of wood; from Oak to Aspen to Poplar to Pine with beautiful results every time. So whether you're a professional or just want professional looking results - use ZAR Wood Stains and Clear Finishes.

CONTROLLED PENETRATION
YOU CONTROL THE STAIN IT DOESN'T CONTROL YOU!



ZAR
Wipes on
Evenly!

Other Brands
Leave Uneven,
Blotchy Color
Tone.

Match Color Tone on
Different Kinds of Woods.

ZAR

The Best Thing That
Ever Happened to Wood!

For a free brochure and the
name of your nearest dealer call
1-800-272-3235, or visit us at
www.ugl.com.

Woodworkers • Do-It-Yourselfers • Homeowners
Do-It-Yourself Woodworking is
FUN, EASY and ACCURATE
with Shopsmith's

COMPLETE HOME SHOP

"The Better Alternative to a shop full of tools!"



The Shopsmith 5-Tool Shop
only takes the space of a bicycle!


For a FREE Brochure CALL TOLL FREE

1-800-543-7586

OR VISIT US ONLINE AT:

www.shopsmithmarkv.com

Sand faster
than ever
and leave
a clean
shop



by George Vondriska

Shop-Made Drum Sander

If you've ever dreamed of owning an expensive drum sander, here's an economical alternative. This simple hand-fed machine costs only \$270 for parts and materials. If you scrounge a free motor, switch and plywood you can cut the cost down to as little as \$115.

How It Works

This machine is very simple. A plywood box holds a spinning drum that's wrapped with a long roll of hook-and-loop sandpaper. Unlike a self-feeding commercial drum sander, you manually push the wood against the rotation of the drum. The drum is belt-driven by a small motor mounted to a hinged board. The motor's weight tensions the belt, just like a contractor's saw. That's it.

The whole sander weighs only 37 lbs., so it's very portable. It's compact enough to slide right under a bench.


The critical parts of this machine come in a kit (Photo 1, page 42). When we first saw the ad for this build-it-yourself sander we honestly didn't think it would work. In the spirit of adventure, we ordered the hardware.

When we built the machine, we were amazed at how quickly and easily it took off saw marks and planing marks, just like a commercial drum sander. It's very quiet, too, and virtually dust-free when hooked up to any dust collector.

What It Can and Can't Do

This sander will make a smooth, flat surface faster than a random-orbit sander and is less likely to gouge than a belt sander. It works best on short, individual pieces of wood.

It's unlikely that this machine will completely replace the random-orbit or belt sanders in your shop, however. Pieces larger than 12 in. x 24 in. are hard to handle, so you're better off sanding them with a portable sander. Obviously, this machine can't thickness boards the way commercial drum sanders do. It's not a jointer either, and can't be used to straighten edges or flatten faces.





Sand surfaces flat and smooth in no time. The sanding drum is 18-in. wide, but this machine works best with boards that are less than 12-in. wide and 24-in. long. It's very effective for drawers and boxes, too.



Changing sanding grits is easy. Just open the hinged lid, peel off a roll of reusable hook-and-loop paper and wrap a new grit.

Fig. A
Exploded View



1 Order this hardware kit before you begin building (see Sources, page 100). It costs \$115 and contains all the major parts of the sander, excluding the switch, motor and handles.

What You'll Need

As with any woodworking project, order the hardware before cutting wood (Photo 1). If you use a new motor and a top-notch safety switch that's easy to wire, the entire project will cost about \$270. Additional sandpaper costs about \$6 a roll. You get four pieces from one roll. (See Sources, page 100, for the hardware kit, motor, switch and extra sandpaper.)

The easiest way to save money on this project is to substitute a used motor. (A new motor costs about \$100.) The motor must be at least 1/3 hp, rotate at 1,750 rpm and have a 1/2-in.-dia. shaft. The sander's case is designed to hold a motor that's less than 7-in. tall and 10-in. long, including the shaft. If your motor is larger, you'll have to modify the case's dimensions to hold it.

The case takes less than one-half of a sheet of 3/4-in. plywood. Almost any kind will do, as long as it's reasonably flat. We used birch plywood. You'll also need a small amount of 1-1/8-in.-thick hardwood.

Fig. B
Motor Alignment




Fig. C
Location of Cleats Under the Top







Fig. D
Underside of Top Battens






2 Assemble a hardwood frame to hold the sanding drum. Screw and glue together the corners. Make sure the frame is square.



3 Locate the bearings for the sanding drum on the center of the frame. Mark and drill 1/4-in.-dia. bolt holes. The holes in the bearing are elongated so you can fine-tune the drum's position later.



4 Screw and glue the plywood sides to the frame to begin building the case. Then add the ends. The entire box is held together with simple butt joints.


Build the Sander

The Sanding-Drum Frame


1. Assemble the sanding drum, bearings and pulley according to the kit's instructions.
2. Cut the hardwood parts of the sanding drum frame (A and B) to size. Glue and screw together the frame (Photo 2). Measure the diagonals to check it for square.
3. Center the sanding drum on the frame (Photo 3). Mark and drill holes for 1/4-in.-dia. carriage bolts.
4. Recess the heads of the carriage bolts on the pulley end of the frame by enlarging the holes with a 3/4-in. bit (Fig. B).

The Case


1. Cut the plywood for the case components (C through J). Cut the motor opening into the case sides (C) with a jigsaw or handsaw (Fig. A).
2. Screw and glue the case sides to the frame rails (B, Photo 4).
3. Drill or cut a 2-1/4-in. hole in one end (D) for a vacuum hose.
4. Screw and glue the case ends to the case sides and drum frame.
5. Bolt the sanding drum to its frame.
6. Screw and glue the dust ledge (E) to the case sides and the end of the frame. Screw and glue the compartment wall (F) to the case sides. Screw and glue the bottom (G) to the case.




5 Recess the undersides of the battens that span the top to make room for the sanding drum. You'll have to go about 1/8-in. deep.



6 Align the motor pulley so it's directly underneath the drum pulley. Lock the motor in place by fastening the hinges attached to the motor's plywood base plate.



7 Position the top to align with the sides. The sanding drum should be parallel to the opening in the top. If it isn't, loosen the bolts that hold the bearings and reposition the drum. Attach a continuous hinge to connect the top to the base.



8 Check the height of the table. With 80-grit paper wrapped around the drum, the table should be lower than the drum by the thickness of one playing card. Check all the way across.



9 Fine-tune the height of the table by turning adjustment screws. You only need to make this adjustment once, not every time you change grits. You'll automatically take off less wood with finer paper.

The Top

1. Create a recess in the bottom of the battens (L, M) with a belt sander or a drill-press sanding drum (Photo 5 and Fig. D). Sand to a depth of 1/8 in.
2. Cut both beds (K) with a 45-degree angle on one edge of each piece (Fig. A). Slightly round over the beveled edges with sandpaper.
3. Screw and glue the battens to the beds (Fig. A). Keep the ends of the battens flush with the edges of the beds to provide the correct spacing between the 45-degree bevels.
4. Cut fillers (N) to fit in the beveled openings at the ends of the top (Fig. A). Glue the fillers.
5. Glue the lid cleats (P) to the underside of the beds (Fig. C), completing the top.

The Motor

1. Wire a 10-in. cord (with plug) onto the motor. The rotation of the motor must be counterclockwise when you're facing the shaft.
2. Bolt the motor to the plywood base (H). Screw two hinges to the bottom of the base (Fig. B).
3. Align the motor and sanding-head pulleys by eye (Photo 6). When they're aligned, screw the hinges to the case bottom (G).


Final Assembly and Alignment

1. Screw and glue the pulley guards (J) to the case end (D).
2. Align the top on the case (Photo 7). Screw the continuous hinge to the top and the case.
3. Predrill and screw in the table-height-adjustment screws. Set the table height (Photos 8 and 9).
4. Screw a hook into the bottom of the top and a screw eye into the case side (Fig. B). Use this to latch the top.
5. Mount the switch to the case (Photo 10) and plug the motor into the switch.
6. Sand and seal all the surfaces. We finished our sander with Danish oil.

CUTTING LIST

Overall Dimensions: 12-1/2" H, 27" L, 14-1/4" D

Part	Name	Qty.	Material	Dimensions in inches
A	Frame end	2	Hardwood	1-1/8 x 1-1/4 x 10-1/4
B	Frame rail	2	Hardwood	1-1/8 x 1-1/4 x 21-1/4
C	Case side	2	Plywood	3/4 x 10-1/4 x 23-1/2
D	Case end	2	Plywood	3/4 x 10-1/4 x 11-3/4
E	Dust ledge	1	Plywood	1/4 x 11-3/4 x 10
F	Wall	1	Plywood	3/4 x 11-3/4 x 7-3/4
G	Case bottom	1	Plywood	3/4 x 11-3/4 x 27
H	Motor base	1	Plywood	3/4 x 7 x 7
J	Pulley guard	2	Plywood	3/4 x 2-1/4 x 10-1/4
K	Bed	2	Plywood	3/4 x 6-1/2 x 25
L	Right batten	1	Plywood	3/4 x 5-1/2 x 14-1/4
M	Left batten	1	Plywood	3/4 x 2-1/2 x 14-1/4
N	Filler	2	Plywood	3/4 x 3/4 x 2-1/2
P	Cleat	2	Plywood	3/4 x 2 x 18



10 Install a switch with a horsepower rating at least as big as the motor. The switch above (\$37, see Sources, page 100) doesn't need to be wired and is easy to turn off.

Oops!

My golf game is pretty good, but I still make a divot once in a while! I managed to make one with this sander by going too slow and pushing down too hard. Here's the right technique: *Keep your board moving at a slow but steady pace.* If you do make a "divot" like the one shown, you can remove it by sanding at an angle to the drum. **AW**



American Woodworker MAY 2003

45

Turn Your Hobby into Your New Career.



Learn furniture and cabinet making with at-home training.

Education Direct can train you how to do what you love even better and you can begin earning good money in as little as nine months.

You'll learn advanced woodworking techniques used in furniture and cabinet making. But you'll also learn how to turn your new skills into a successful career, whether you want to work for an established woodworking business or start one on your own.

At-home training with Education Direct is:

Easy — We'll ship you self-paced, step-by-step lessons that make learning simple. You'll also receive professional-quality tools and practical projects so you can learn by doing. If you need help with your lessons just e-mail or call our instructors.

Convenient — Train for your new career, without taking time off from work or missing important family or social events. "Class" starts and ends when you choose, and you take exams only when you know you're ready.

Accredited — Your career training program is accredited by the Accrediting Commission of the Distance Education and Training Council (DETC), which is listed by the U.S. Department of Education as a nationally recognized accrediting agency.



For FREE information, call toll free
1-800-572-1685 ext. 3225

Visit our website at
www.EduDirect-usa.com
Online enter ID# A2PS43S

To respond by mail, simply complete and return the attached coupon.

THOMSON
★
EDUCATION DIRECT

Dept. A2PS43S
925 Oak Street
Scranton, PA 18515-0700

YES! Please send me information on how I can train at home for a new career or to start my own business. I understand there is no obligation.
PLEASE CHECK ONLY ONE PROGRAM.

☐ **384 FURNITURE AND CABINET MAKER**

Career Diploma Programs

- ☐ 015 Home Inspector
☐ 006 Electrician
☐ 104 Carpenter
☐ 007 High School
☐ 058 Private

Investigator

- ☐ 031 Professional Locksmithing
☐ 004 Auto Repair Technician
☐ 027 PC Repair
☐ 151 Plumber
☐ 054 AutoCAD*

☐ 025 Gunsmith

- ☐ 083 Web Page Designer
☐ 158 Auto Body Repair Technician
☐ 033 Motorcycle Repair Technician
☐ 085 Drafting

Name _____ Age _____

Street _____ Apt. # _____

City/State _____ Zip _____

Phone () _____ E-mail _____



EDITOR: RANDY JOHNSON • ART DIRECTION: PATRICK HUNTER
PHOTOGRAPHY: MIKE HABERMANN • ILLUSTRATION: FRANK ROHRBACH


Walnut Wall Shelves

Versatile go-anywhere shelves to hold

books



discs



kitchenware



or anything you want!

Never enough shelf space where you want it? This little shelf is a great way to add extra storage in just about any room.

It's compact—only 22-3/4-in. wide by 31-1/4-in. tall by 9-1/4-in. deep. Yet it's tall enough to accommodate three shelves of paperbacks. Hang it in your bedroom, bathroom or kitchen. This cabinet will add a touch of comfortable elegance in any room.

Details Made Easy

We've packed a ton of great details into this cabinet, and some great techniques into this story. We'll show you how to cut cove molding on your tablesaw and how a special beading bit makes quick work of the shiplapped back. Your router and router table can handle all the other moldings.

All the parts for this cabinet are made from 3/4-in.-thick lumber, which keeps the materials list simple. An intermediate-level woodworker can plan on two or three weekends to complete this cabinet. And when you're done, a hidden cleat easily and invisibly secures the case to the wall.

Small Changes Make a Big Difference

In a small case, changing dimensions by even a fraction can make a world of difference in the final appearance. The top of this case is 11/16-in. thick and overhangs the side by 1/4-in. more at the sides than the front. The bottom is 9/16-in. thick, the shelves are 5/8-in. thick and the face frames are 1/2-in. thick. These carefully chosen dimensions give this cabinet a comfortable and balanced look.

By Jon Stumbras



Walnut Wall Shelves

Traditional Design, Modern Tools

You'll need a surface planer, jointer, router, router table, tablesaw, dado blade and biscuit joiner for the construction. To make the moldings, seven router bits are needed, three round-over bits, a beading bit, a chamfer bit, an ogee bit and a rabbeting bit. You may have several of these already, but if you buy all the bits new, the cost will be approximately \$170 (see Sources, page 101). We used 25 bd. ft. of 4/4 rough walnut for our cabinet at a cost of \$125 (see Sources, page 101).

Build the Cabinet in Stages

1. Begin by selecting the wood for each part (the sides require the widest boards). Straight-grained wood looks best for face frames. Match the face-frame stiles to the case sides and they'll look like one piece when assembled.
2. Cut all the parts to rough size by adding 1/2 in. to the final length and width (see Cutting List, page 53) and plane the parts to their final thickness (Photo 1).
3. Next, rabbet the case sides (C1) with a dado blade in your tablesaw (Photo 2).

Two passes are needed to make the 1-in.-wide by 3/8-in.-deep dado on the back inside edge of each side.

4. Now cut the case sides, the top and the bottom (C2) to final width and length.

5. Drill the shelf-pin holes next (Photo 3) using a drilling template (Fig. A) and a 5mm self-centering drill bit (see Sources, page 101). It's a lot easier to do this now because there's not a lot of room inside the finished cabinet.


*A decorative top
and bottom give
this cabinet a clean,
finished look from
any angle.*

6. You can now join the top and bottom to the case sides. Two #20-size biscuits will fit neatly in the panels (Fig. B). Glue up the case, carefully checking the diagonal measurements to guarantee squareness. Note that the case bottom is set 1/2-in. up from the bottom ends of the case sides (Fig. B).


This way the case bottom and the bottom face-frame rail will be flush on the inside of the cabinet.

7. Make the face frame next. It's difficult to cut accurate biscuit joints in 1/2-in.-thick material (see Oops!, page 50), so we built a simple clamping jig with toggle clamps (see Sources, page 101) for better results (Photo 4). This jig makes it easy to cut the partial biscuit joint (Detail 1) for the bottom face-frame rail (F3), which is only 1-1/4-in. wide. To cut the biscuit slots in the stiles (F1), modify your first jig, or make a second jig to hold the stiles parallel rather than perpendicular to your biscuit joiner.


Glue up the face frame, making sure it is square. When dry, trim the protruding biscuits at the bottom and glue the face frame to the case (Photo 5). The total width for the face frames is 1/16-in. wider than the overall case dimension. This allows for some wiggle room when gluing the face frame to the case in the event the face frame or case are not perfectly square. The face frame is easily cleaned up with a hand plane, hand scraper, or a flush-trim bit in a router.



Plane your parts to final thickness after you've rough cut them to width and length. It doesn't take long because there are only about two dozen parts.




Cut rabbets along the inside edge of the cabinet sides with a dado blade. The cabinet back fits into this rabbet.



Drill shelf-pin holes before assembling the case, using a template and 5mm self-centering drill bit. The template guarantees evenly spaced holes and the self-centering bit has a built-in stop to keep you from drilling through the side.

Fig. A Drilling Template for Shelf Pin Holes

Make this template out of 1/2-in. material.



**Detail 1
Offset Biscuit Joint**

Because the bottom face-frame rail is only 1-1/4-in. wide, the biscuit joint must be offset. The biscuit will protrude, but can be cut flush after glue-up.





Fig. B Exploded View





Walnut Wall Shelves

8. Next, rout the stopped chamfer along the edge of the face frame (Fig. B).

Add the Decorative Top and Bottom

The top and bottom bullnose moldings (T1, T2, B1 and B2) are made using two round-over router bits (Photo 6). For the top bullnose moldings, use a 5/16-in. round-over bit. For the bottom moldings, use a 1/4-in. round-over bit. The

bullnoses will have a slightly flat spot in the center but a little sanding makes them perfect. Cut the 1/4-in. groove (Figs. C and G) in the bullnose parts with a dado blade in your tablesaw. Finally, miter these parts and cut to final length; then biscuit and glue them together (Photo 7). A stepped clamping block is used to clamp this molding together to make a three-sided frame. The frame is then screwed to the case top (Fig. A). The screw

heads are hidden with wood plugs (see Sources, page 101).

Next, make the top and bottom panels (T3 and B3) that fit into the grooves of the bullnose trim. To create the 1/4-in.-thick by 3/8-in.-wide tongue on three sides of these parts (Fig. A), use a rabbeting router bit or your dado blade. The panels are 1/16-in. undersized in length to make them easy to slide in. Gluing just the front edge allows the solid-wood panels to move in their frames with seasonal humidity changes (Photo 8).


Make the Moldings

Make the cove molding on your tablesaw using the techniques described in AW #95, *Coved Doors on the Tablesaw*, September 2002, page 34. For this cove molding (M1 and M2), set the auxiliary fence at 30 degrees to the blade (Photo 9). A bit of practice is in order here, so start with a scrap 4-in.-wide board for a test run. The wider blank will keep your fingers away from the blade and is less likely to tip toward the blade. Raise the blade in

Oops!

This project taught me how difficult it can be to make biscuit joints in thin wood such as this 1/2-in.-thick face frame. Thin wood just doesn't provide much bearing surface for the biscuit joiner to rest on. As a result, the biscuit joiner can easily rock or tip, resulting in a poorly aligned joint.


My solution was to build a clamping jig to hold the parts (Photo 4). This also made the process safer and quicker.



Cut biscuit joints in the face frames. Using this simple jig allows you to safely and quickly cut accurate slots in the thin, narrow parts. The bottom face-frame rail is too narrow to hold a whole biscuit so the slot is offset. The biscuit will protrude but can be trimmed after the gluing and will be hidden by the bullnose cabinet bottom.



Clamp and glue the face frame to the case. The face frame is 1/16-in. wider than the case to allow some wiggle room during glue up in the event that the case or face frame are a little out of square.



Rout a bullnose profile for the decorative top and bottom moldings with a round-over bit. First rout one side, flip the wood over and rout again. Presto, a bullnose!

Fig. C Bullnose Molding for Decorative Top (parts T1 and T2)



Fig. D Cove Molding (parts M1 and M2)



Fig. E Bead Molding (parts M5 and M6)




Fig. F Ogee Molding (parts M3 and M4)





Fig. G Bullnose Molding for Decorative Bottom (parts B1 and B2)



Fig. H Back Panels (parts P2) Get Routed as Shown Here

Right panel (part P1) has a rabbet and bead on one edge only. Left panel (part P3) has a rabbet on one edge only.



Glue and clamp the bullnose frames one corner at a time. The stepped clamping blocks shown here help pull the miters tight. Make the blocks the same thickness as your parts. First clamp the bullnose frames and clamping blocks to your bench. Then add clamps to the steps on the clamping blocks to pull the joint tight.



Insert the top panel into the bullnose frame. Glue only the leading edge so the panel can expand and contract with changes in humidity. Wood plugs hide the screws that attach the bullnose frame to the case.



Cut the cove molding with several passes on your table saw using an auxiliary fence set at 30 degrees. The auxiliary fence covers half of the blade, producing only the half arc needed for this cove.




Walnut Wall Shelves

small increments for each cut until you reach the desired depth. When you've mastered a practice piece you're ready for the real thing. After forming the cove, cut the molding to final width (Fig. D). Hand sand or use a curved scraper to remove the saw marks from the inside of the cove.

The ogee molding (M3 and M4) is next. Rout the profile with the ogee bit on both sides of a 2-1/2-in. board (Fig. F), then rip the board on the tablesaw to create two separate moldings (Photo 10). One 25-in.-long board will yield moldings for all three sides.

The bead molding (Fig. E, M5 and M6) is made with two passes of a 3/16-in. round-over bit in your router table. Also, just like the ogee, rout both sides of a wider board for safety and ease of routing.

Using a pneumatic pin nailer makes quick work of applying molding (Photo 11). If you hand nail, it's a good idea to drill small pilot holes to prevent the wood from splitting. These small holes are easily filled and hidden with a little putty or a wax pencil (see Sources, page 101).



Rip the cove, ogee and beaded moldings to final width on your tablesaw. The cove molding gets ripped once to remove the waste portion while the boards for the ogee and beaded moldings get ripped twice.

Custom Fit the Shelves

Mark the shelf notches directly from the case (Photo 12). In theory, this notch should be 3/4-in. long by 1/4-in. wide, but if your face frame was glued slightly to one side, there will be minor differences in the sizes of the notches from one side of the shelves to the other. Measuring directly from the case will give a custom fit and avoid errors that can occur when making inside measurements with a tape measure or from assuming both sides are the same.

Traditional Shiplapped Back

Rout the beaded shiplapped back panels (Figs. B and H) for your cabinet with a beading bit (Photo 13). The interlocking rabbets allow for expansion and the screws at the top and bottom of each section hold the panels securely in place (Fig. B). Back panels P1 and P3 fit into the rabbets along the case sides. Gluing along these case sides and just around the corners provides additional strength and stability to the case (Photo 14).




Attach the cove molding with pin nails or small brads. For additional strength, the molding is glued to the case and at the miters.

Simple and Classic Finish

To make finishing easier, remove the three center back panels (P2) that are just attached with screws. We sanded our cabinet to 220 grit and applied a walnut stain (see Sources, page 101) to even out minor color variations in the walnut. Then we applied a wiping oil finish (see Sources, page 101) to give the case a soft glow. An oil finish does not provide much protection against moisture, so if you plan to use your cabinet in the kitchen or bathroom, use a varnish instead.

Hang the Case on the Wall

Attach the case cleat (H1) to the back of the cabinet with screws (Fig. B). Make sure the screws go into the case top (C2). Mount the complementary cleat (H2) to your wall using screws and wall anchors and then hang the case (Photo 15). The beveled cleats interlock and hide neatly within the back side of the case, making them invisible from the outside.



Mark each shelf for a notch before installing the back. Marking right off the cabinet is more accurate than taking a measurement. The notch permits the shelf to slightly overlap the face frame, creating a small, decorative detail.



ATTENZIONE
PRIMA ACCENDERE LA
MOTORE ACCENDERE LA
LA TEMPERATURA DELLA LAMA

CAUTION
BEFORE STARTING
MACHINE, CHECK
THE TEMPERATURE OF THE BLADE

LAGUNA TOOLS

*What woodworking is
coming to...*

1.800.234.1976

17101 Murphy Ave. Irvine, CA 92614

www.lagunatools.com



LAGUNA TOOLS

Meet our latest award-winning machine, the LT 14 band saw. Packed with outstanding features for powerful performance.


1.7 HP motor - 13 1/4" throat - 1/16" to 1" blade - 8" resaw capacity - Cast-iron table/trunion - Solid cast-iron wheels

The NX multi-task machine has a lineage second to none. This third-generation combination machine is a best seller, with updated fences and increased cutting capacity.

Five machines-in-one - 12" jointer and planer - 12" table saw - European-style sliding table system - Separate jointer and rip fence - Three 3 HP motors - 3/4" and 1 1/4" reversible shaper - 3 HP slot mortiser

The industrial-strength machine is ideal for wood turning.

Belt tensioning handle - 18" turning capacity - 1.5 HP motor - speed option



CL 1200 lathe is user-friendly for all skill levels.

4-speed pulley - 836 lbs. - Quick-belt change mechanism - Copy attachment - Variable

The new Laguna TS table saw is setting a new high standard by which all others will be measured. With all the features of a traditional cabinet saw, the TS also comes with its own line of bonus 'Laguna' features. Call today for your free video.

5/8" arbor - 4" dust port - 10" or 12" blade capacity - 2-piece polished cast-iron table - Standard 3/8" x 3/4" miter slot - 52" rip capacity - Cast-iron throat plate

We are setting industry standards with our award-winning LT 16 HD Bandsaw. More resaw capacity and superior features make the LT16 HD in a class all its own!

13" resaw capacity - Laguna guides - 3 HP motor - 1/16" to 1 3/8" blade capacity - Foot brake with micro switch - Rack and pinion trunion - Adjustable high-low fence

Twenty years ago Laguna Tools was conceived as a company to introduce European woodworking machines to the North American woodworker. Today we are a leader for others to follow.

We provide machines that inspire you to create works of art. Machines that are a joy to operate and work on. Machines that encourage your performance.

I cut, shape and create on our bandsaws, lathes, table saws and combination machines. Through my practical experience, I work hard to make our machines better.

I started Laguna Tools as a woodworker. I still am one.


www.lagunatools.com


Torben Helshoj

Tal Hess

President

LAGUNA TOOLS
Innovation, Imagination and Invention at work






13 **FRONT RABBET**
BACK RABBET
BEADING BIT
 Rout the beaded profile for the back. A specialty beading bit makes quick work of this traditional molding. Opposite rabbets on each piece create the overlapping shiplapped joinery for the back panels.



14 **GLUE AROUND CORNER**
 Screw the back panels in place. Gluing the outer two panels along the case sides and 1 in. around the corner adds rigidity to the case. The center three panels, attached with screws, are free to move with seasonal changes in humidity.



15 **WALL CLEAT** **CASE CLEAT**
 Hang the cabinet on the wall using a two-part beveled cleat. One part is screwed to the case and one part is screwed to the wall. Attach the wall cleat to at least one stud and add a couple of wall anchors for extra strength. The cabinet hangs flush against the wall with both cleats hidden from view. **AW**

CUTTING LIST

Overall Dimensions: 31-1/4"H x 22-3/4"W x 9-1/4"D

Part	Name	Qty.	Dimensions
CASE			
C1	Sides	2	3/4" x 7-1/2" x 30"
C2	Top & Bottom	2	3/4" x 6-1/2" x 18"
FACE FRAME			
F1	Stiles	2	1/2" x 1-1/2" x 30"
F2	Top rail	1	1/2" x 2-1/4" x 16-9/16"
F3	Bottom rail	1	1/2" x 1-1/4" x 16-9/16"
TOP			
T1	Bullnose front	1	11/16" x 2-3/4" x 22-3/4"
T2	Bullnose sides	2	11/16" x 2-3/4" x 9-1/4"
T3	Panel	1	11/16" x 6-7/8" x 17-15/16" Include 3/8" wide tongue on three sides
BOTTOM			
B1	Bullnose front	1	9/16" x 2-3/4" x 21-1/2"
B2	Bullnose sides	2	9/16" x 2-3/4" x 9"
B3	Panel	1	9/16" x 6-5/8" x 16-11/16" include 3/8" wide tongue on three sides
MOLDINGS			
Cove Molding			
M1	Front	1	3/4" x 1-1/4" x 21"
M2	Sides	2	3/4" x 1-1/4" x 8-3/4"
Ogee Molding			
M3	Front	1	3/4" x 5/8" x 20-3/4"
M4	Sides	2	3/4" x 5/8" x 8-5/8"

Part	Name	Qty.	Dimensions
Bead Molding			
M5	Front	1	3/8" x 3/8" x 20-1/4"
M6	Sides	2	3/8" x 3/8" x 8-3/8"
SHELVES			
S	Shelves	2	5/8" x 6-5/8" x 17-7/8" 1/4" x 3/4" notch on each front end
PANEL BACK			
P1	Right panel	1	1/2" x 4-1/4" x 30" rabbet and bead on one edge only
P2	Center panels	3	1/2" x 4" x 30"
P3	Left panel	1	1/2" x 4-1/4" x 30" rabbet on one edge only, no bead
HANGING CLEAT			
H1	Case cleat	1	1/2" x 1-1/2" x 18-3/4" 45-degree angle on bottom edge
H2	Wall cleat	1	1/2" x 3" x 18-1/2" 45-degree angle on top edge
HARDWARE			
	Shelf pins	8	5mm shelf pins
	Wood screws	23	#8 x 1-1/4" steel wood screws
	Biscuits	12	#20 biscuits
	Biscuits	4	#0 biscuits
	Wall anchors		appropriate to wall type
	Wall screws		appropriate to wall type

Sources See page 101

Central Dust Collection

Five Simple Rules for a Dust-Free Shop

Small, one-person shops don't need complicated dust-collection systems. We'll show you how to get powerful collection at the lowest possible price without ever having to use a calculator. Even if your shop is shoehorned into a corner of your basement or garage, you can still enjoy the benefits of central dust collection. We turned to the experts at Oneida Air Systems (see Sources, page 101) for both the design and materials for our fully featured, small-shop dust-collection system. Our shop fits in one stall of a two-car garage, where the machines have to be moved against the walls to accommodate a car (rats!) (photo below, right).


Cost

The total cost for our system (excluding the dust collector) was about \$800. Expect to spend about a day putting in the system. I know what you're thinking, "Wow, I can't afford that!" But, don't forget, we built a deluxe system with floor sweeps and ductwork running to each machine (Fig. A, page 58). You could cut the cost of our system in half simply by doing what I do in my shop at home: sharing. It takes about five seconds to pull the flex hose off one machine and hook it up to another. For example, the 4-in. flex hose to the table saw (Fig. A) could easily be shared with the bandsaw and the lathe. That would eliminate the run to the bandsaw, plus a bunch of expensive flex-hose, blast gates and fittings. In addition, we could have stopped the wall run at the chop saw instead of going all the way to the workbench.

Small Shop Systems Are Simpler Than You Think


Designing a central dust-collection system for a small shop is really straightforward. Complex calculations involving cubic feet per minute, air velocity and static pressure are important for large industrial systems with long runs to big machines all running at the same time. A small, one-person

shop is much simpler. The runs are short (our longest run was about 25 ft.) and only one machine runs at a time. The amount of air needed for good dust collection is relatively small. A system needs to pull about 500 cubic feet per minute (cfm) at the farthest machine to offer effective dust collection. A typical 1-1/2- or 2-hp dust collector with a 5- or 6-in. inlet and a 12-in. impeller is capable of delivering enough air in a small system to collect from tools like a 10-in. table saw, a 15-in. planer, a 16-in. bandsaw or an 8-in. jointer.



You can have a central dust-collection system! Just because your shop is small it doesn't mean a central system isn't practical. We built our system in a single stall of a double garage. The ductwork goes along the wall and ceiling and all the tools are on mobile bases.

By Dave Munkittrick




Five Design Rules

A well-designed central dust-collection system is built like a freeway. The road has to be wide enough to handle a large volume of traffic (5-in. ductwork to all machines). Turns need to be gentle so traffic can move at a high speed without crashing (large-radius elbows). Intersections should use entrance ramps that allow traffic to gently merge (45-degree wyes for drops and branches).

Too often people build their dust-collection systems like back-country roads with narrow lanes and abrupt, 90-degree turns. They accept inferior results because they've never known what their dust collector is capable of delivering with a well-designed system.

Rule #1 Use 5-in. pipe

UNDERSIZED
DUCTWORK



PROPERLY SIZED
DUCTWORK

Using undersized ducts and fittings is the number one mistake people make. For a dust collector, it's like trying to drink a malt with a cocktail straw. Undersized ductwork restricts the cfm performance of your dust collector. Stick with 5-in. ductwork for small systems. Running 5-in. ductwork to all the machines maximizes the cfm performance of even a small central system.

Rule #2 Keep it straight




Minimize the number of bends. Each 90-degree turn creates as much resistance to airflow as 9 ft. of 5-in. straight pipe.


Rule #3

Use fittings designed for dust collection

Heating and air conditioning



Dust collection



Dust-collection fittings are designed to efficiently carry dust-laden air at about 40 mph. Just like a car, air moving at high speed can't take sharp turns without running into trouble. The large-radius elbow is more than three times as efficient as the sharp turn found on the HVAC elbow. Which turn would you rather make at 40 mph? HVAC fittings are designed to carry air at a slow speed. Their sharp turns and 90-degree intersections create a ton of drag in a dust-collection system.

Rule #4

Change the dust fittings on your tools



Manufacturers sometimes put a dust port where it fits best, not where it works best. More often than not, the ports are undersized as well. A few simple alterations can make a huge difference in how much dust gets left behind on hard-to-collect-from tools such as bandsaws. Use 4-in. ports wherever possible; 5 in. is even better.

Rule #5

You don't need a big dust collector

People agonize over this selection but it's really not that tough. For your basic shop under 1,000 sq. ft., where only one machine will be on at a time, a 1-1/2- to 2-hp collector with a 5-in. or 6-in. inlet and a 12-in. fanwheel will do the job. Check out our Tool Test on Dust Collectors (AW #80, June 2000, page 80). You can't go wrong with our Editors' Choice, the Oneida 1-1/2- or 2-hp cyclone collector.

Installation

A central dust-collection system is built like a freeway with wide lanes, entrance ramps and gentle turns.




Fig. A Anatomy of a Central Dust-Collection System for a Small Shop

Because there are as many shops as there are woodworkers, each system will be unique. At the same time, all small-shop systems have certain elements in common.

Our system starts out with 6-in. duct running from the dust-collector inlet. At the second branch, the line steps down to 5 in. for the rest of the system. 45-degree wyes are used for the line branches to each tool. Large-radius elbows create direction changes. Blast gates turn the suction on and off at

each machine. Flex hose allows mobile machines to be moved without having to disconnect from the system. Reducers are used to step down the 5-in. duct to fit 4-in. ports at the machines. We included a floor sweep for all those wood shavings from the lathe, but we don't recommend using a floor sweep with single-stage collectors. Ingested metal can damage the impeller blades.

Even if you've never dealt with ductwork before, you won't have any trouble putting up your system. Be sure to wear leather gloves when handling sheet-metal parts. The metal edges can be razor sharp.

Specialty Tools and Hardware

There are a couple of specialized tools you'll want for this job (Photo 1).

The only power tools you'll need are a drill for fastening the sections and a jigsaw for cutting the pipe to length. If you don't own a jigsaw, a reciprocating saw or a pair of tin snips will do the trick.

Start at the Collector

Most 1-1/2- to 2-hp collectors have 5-in. inlets. It's best to run 5-in.-dia. pipe all the way to the tool, and use a reducer to step down to a 4-in. port, if necessary.

If your collector has a 6-in. inlet, start with a 6-in. line. After the first branch, step down to 5 in. and stick with that diameter until you get to the machines. A common mistake is to run 6 in. everywhere. Just because a 1-1/2- or 2-hp collector has a 6-in. inlet, doesn't mean it has the power to run a central system made entirely with 6-in. pipe. Also, most small shop tools have 4-in. ports. When the airflow from a 4-in. port hits the 6-in. duct, the air speed is almost cut in half. The slow air speed can result in dust settling out in your duct.

If your shop is larger than 500 sq. ft. or you have a large machine like an 18-in. planer or a 24-in. drum sander, play it safe and buy a 2-hp collector with a 6-in. or larger inlet. Big tools like an 18-in. planer or a 24-in. drum sander will max out a small system. Locate big-draw tools as close to the dust collector as possible and run 6-in. duct right to the tool.

Assemble and Hang the Ductwork

The straight pipe we used has to be assembled, but it's no big deal. It takes a matter of seconds to snap together a section of pipe (Photo 2). Run the pipe with the crimped end pointing downstream toward the collector. We recommend mounting blocks and metal hanger strap to secure the duct to the wall (Photo 3).

1




A few specialized tools and hardware are needed for installing metal ductwork. A hand crimper is a must-have. It'll set you back about \$30, but when you need one, nothing else will do.

#8-1/2-in., self-tapping hex-head sheet metal screws and a nut-driver make attaching the pipe sections a breeze.

Metal hanger strap is the least-expensive way to hang duct from your walls or ceiling.

See Sources, page 101 for buying information.

2



A little downward pressure is the key to snapping together straight pipe. Start at the crimped end and slip the male edge into the female edge. Apply downward pressure on the seam as you move along the length of the pipe. Don't worry if the seam doesn't lock at first, somewhere beyond the halfway point the whole pipe will "snap" together.

Installation

Plastic or Metal?

We strongly recommend metal ductwork. It's clearly superior to PVC or plastic because:

1. Only metal pipe comes in 5-in. dia., the ideal size for small-shop systems.
2. Metal systems are much easier to disassemble and change as your shop evolves.
3. Static electric build-up in PVC and plastic ductwork can be a problem. We've all experienced the jolt a shop-vacuum hose can give. Imagine what a dust-collection system can do. Plus, all commercial codes require metal pipe for wood-dust collection.
4. The metal ductwork we used is only about 20-percent more expensive than PVC in sizes over 4 in.



This 26-gauge metal ductwork is designed specifically for dust collection.




PVC plastic is designed to carry water.


Install the pipe on the wall with metal hanger strap attached to a 2x4 mounting block. Space the blocks every 4 to 5 ft. The blocks keep the pipe out from the wall a bit so it's a lot easier to fit and hang each section. Secure the pipe to the blocks by driving a #8 x 1-1/2-in. screw through a loop of metal hanger strap.



Secure joints with #8-1/2 in. self-drilling, hex-head screws. A nut-driver and a cordless drill make quick work of fastening pipe sections without predrilling.



Suspend pipe from the ceiling with metal hanger strap. Cut the strap extra long, and have a helper hold the pipe level. Adjust the length of your loop and secure with a long screw into the rafters.



To join the pipe and fittings we found self-drilling sheet metal screws to be just the ticket (Photo 4). Don't worry about the screw ends protruding into the pipe, they're too small to matter. Use metal hanger strap every 3 to 4 ft. to suspend the ductwork from the ceiling (Photo 5).

45-Degree Wyes

Use 45-degree wyes to create drops to each machine and to start branch lines (Fig. A). These are the "entrance ramps" to your dust-collection freeway. They allow the air stream to change directions without abrupt turns.

Cutting the Pipe

Cutting pipe with a jigsaw makes one heck of a racket. Don't be surprised if the noise attracts curious neighbors and family members. (It's the perfect opportunity to ask for a little help putting up that ceiling run.) We found a jigsaw with a metal-cutting blade gave the best results with the least hassle (Photo 6).

Elbows


Use adjustable, large-radius elbows to make those gentle turns. They cost less than fixed elbows (\$10 vs. \$17) and because they're adjustable, there's no need to special order 45- or 30-degree elbows. The first time I tried to change a 90-degree into a 45-degree elbow, I ended up with a mess. The key is to turn each section 90 degrees and alternate the direction each section is turned to produce a smooth 45-degree elbow (Photo 7). To get a 30-degree sweep, turn each section 120 degrees instead of 90 degrees.

Tip: Loosen the joints by gently tapping the ends of the elbow on a flat surface.


Blast Gates and Flex Hose

At the point where a line branches off to serve a single machine (usually at a 45-degree wye) we added a blast gate, blast-gate adapter and flex hose (Photo 8). Attach the flex hose with adjustable hose clamps. Flex hose is expensive (\$5 per ft. for 5-in. dia.) so keep it as short as possible. If you know your machine isn't going anywhere, run rigid pipe right to the tool.

We recommend using flex hose with an




Cut pipe to length with a jigsaw and a metal-cutting blade. If you're using snap-lock pipe, do the cutting before the pipe is put together. Use a felt-tip pen to mark the pipe with a series of dashes. Cutting the pipe makes a racket, so be sure to wear hearing protection.



A few quick twists will turn a 90-degree elbow into a 45-degree elbow.

Mark each seam along the spine of the elbow. Turn the first section about 90 degrees while a helper holds the other sections still. Then, turn the first and second sections together, 90 degrees in the opposite direction. Continue until each section has been turned.



Blast gates act like an on/off switch to control the airflow to each machine.

Install your blast gate so the thumbscrew tightens the plate toward the dust collector. Blast-gate adapters add length to the stubby flange on the blast gate for easier attachment of the flex hose. Note: you must predrill through the cast-aluminum blast gate.

Installation

Use a hand crimper for the occasional situation where the pipe needs a crimped end. For example, to make your own blast-gate adapters (see Photo 8).




Seal all the joints with silicone caulk.

Adjustable elbows, blast gates and pipe joints all leak air. That many joints leaking a little air adds up to a big cfm loss in your line. Note: It is not necessary to seal the snap-lock seams along the length of the duct.



Some tools require custom-made dust ports. For our miter saw, for example, we built a simple plywood hood, with a large 5-in. port at the back. The powerful airflow from a well-designed central system makes this possible. Almost nothing escapes this dust trap.



imbedded metal coil and keeping the lengths under 5 ft. The metal coil and short length will keep electrostatic discharge to a minimum. To completely ground the system, just peel back the plastic to expose the wire at each end. Bend the exposed wire into a loop and screw it to the metal pipe on one end and the machine's dust port on the other.

Seal all the joints with silicone (Photo 10). If your pipe seems a bit oily, clean the joints with a little vinegar first.

Modifying the Dust Ports on Your Machines

You'll find most of the dust ports on your machines require some modification. For example, in our shop, we swapped out the 4-in. plastic port on our jointer with a 5-in. flange bolted to a piece of plywood. We also added a 4-in. dust port to the bandsaw and made a hood for the chop saw (Photo 11).

We split the 5-in. duct to the tablesaw with a 5 in. x 4 in. x 3 in. 45-degree wye joint and a 3- to 2-in. reducer. A 4-in. hose collects from the open area at the base of the saw while a 2-in. hose collects off of the overarm guard (Fig. A). The overarm guard makes a huge difference. It literally captures and whisks away all that stuff that gets thrown back at you from the saw blade.

Machines with a 4-in. dust port require a reducer fitting (Fig. A). Place a reducer as close to the machine as possible to ensure maximum cfm to the machine.

Once everything's attached, you'll be free at last from the tyranny of the broom and dust mask! No more dust tracked all over the house either. One last tip—get a remote control like the "Long Ranger" (\$60, see Sources, page 101) for the dust collector. With your new dust-collection system and a remote, woodworking's never been so good. **AW**


We'd like to thank Jeff Hill from Oneida Air Systems for consulting on the technical aspects of the story, as well as his help in designing and installing our system.


Sources See page 101

MLCS Pro Cabinetmaker Router Bit Set


Make raised panel doors and much more!

This professional quality set contains six carbide tipped bits needed for cabinet making, raised panel doors, table tops and drawer assembly. These 1/2" shank bits were carefully chosen for their ability to create fine furniture or custom cabinetry for a kitchen. Designed for up to 3/4" wood thickness.


 1. The Ogee Raised Panel bit (in the Standard Set) puts a classic ogee edge on the free floating central panel in your door. 2-3/4" large diameter.


 2. The Ogee Raised Panel with Undercutter (in the Undercutter Set) produces flush panels, reduces the exposed upper panel profile, or adds a radius to the back of the panel. 3-1/8" large diameter.

 3. Our Matched Rail and Stile set creates precisely mated rails and stiles that form an extremely durable, classic frame for your door. 1-5/8" large diameter.

 4. When the central panel needs to be wider than your stock, use the Glue Joint bit to mill two or more pieces of stock (up

to 1-1/4") with reverse cut edge joints to reach the required width. After gluing, your panel is ready to be raised. 1-3/4" large diameter.

 5. The Drawer Lock bit creates a strong, long lasting joint that fits precisely because one bit makes the cut in the drawer front and the side of the drawer, so both pieces fit perfectly. 1-3/4" large diameter.

 6. The Round Over & Ogee Door Lip bit finishes your door edge professionally in one pass. All bits are intended for use in a router table only.

Cabinetmaker Undercutter Set
\$135⁹⁵
ITEM #1453

Cabinetmaker Standard Set
\$114⁹⁵
ITEM #1452

2 Piece Raised Panel Door Sets!

These carbide tipped sets include cove raised panel router bit with ball bearing and ogee combo rail and stile bit.



1/4" Shank 2" LD Raised Panel Set
Item #1301**\$69.95**
1/2" Shank 3-1/2" LD Raised Panel Set
Item #1302**\$79.95**

WOOD STORAGE BOX INCLUDED

MLCS
ROUTER BITS AND PROFESSIONAL WOODWORKING PRODUCTS

30 Piece Router Bit Set

30 carbide tipped bits:

3 Cove (1/4", 3/8", 1/2")
2 Flush Trim (3/8", 1/2")
6 Round Over (1/8", 3/16", 1/4", 5/16", 3/8", 1/2")
5 Straight (1/4", 5/16", 3/8", 1/2", 3/4")
1 Chamfer (45°)
1 Slot Cutter (1/4")
1 Rabbeting (3/8")
1 V-Groove (1/2")
1 Bevel (25°)
1 Panel Pilot (3/8")
2 Roman Ogee (5/32", 1/4")
3 Round Nose (1/4", 3/8", 1/2")
3 Dovetail (14°-1/2", 5/8" & 9°-3/8")
1 Allen Wrench and 1 bearing to convert Round Over into a Beading bit.

WOOD STORAGE BOX INCLUDED



\$99⁹⁵
1/4" Shank • #1444
1/2" Shank • #1445

Router Table Power Switch

Allows safe on/off control of 120V AC routers or tools. Mounts quickly and prevents reaching under the table to turn off your router. Removable lock prevents unauthorized use. Max. 15 amps.


\$24⁹⁵
ITEM #1455



Router Collet Extension

Give your 1/2" shank router bits an additional 2-1/4" when you extend your router bit through the router table top with our router collet extension. Eliminate the dangerous temptation of withdrawing the shank from the collet in order to raise the bit. The router collet extension makes it possible to use all diameter of bits safely. Instructions included.

\$24⁹⁵
ITEM #1456




16 Piece Forstner Bit Set

NEW Hex shank set includes these sizes:

1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8".

\$43⁹⁵
ITEM #1454

WOOD STORAGE BOX INCLUDED



66 Piece Router Bit Set

An amazing price for 66 carbide tipped bits!



Includes the 30 Piece Set (left) plus these bits:

Straight (7/16", 5/8", 1", 1 Bevel (30°), 1 Groove Forming Classical (3/4"), 1 Keyhole (3/8"), Hinge Mortising (1/2", 5/8", 3/4"), Classical Bit (3/16" r), 3 Core Box (1/4", 3/8", 1/2"), 1 Dish Cutter (1"), V-Groove (3/8", 5/8"), Cove (1/8", 3/16", 5/16"), 1 Flat Bottom Sign Lettering (5/8" 60°), 1 Double Fillet & Cove (5/16" r), 1 Ogee Fillet (1-3/8"), 1 Double Cove & Bead, 2 Edge Beading (1/4", 3/8"), Dovetail (7.5°-1/4", 14°-3/4), Slot Cutter (3/8")
1 Point Cutting Round Over (1/2"), 1 Flat Bottom Round Over (1/4" r), 1 Multi Bead/Reed Bit (1/8" r), 1 Double Round Over (5/32" r), 1 Cove Sign Lettering (5/8" 60°), Chamfer (30°, 22.5°, 15°), 4 bearings & allen wrench

\$224⁹⁵
1/4" Shank • #1446
1/2" Shank • #1447

WOOD STORAGE BOX INCLUDED

ORDER TOLL FREE: 1-800-533-9298 • WEB STORE: MLCSWOODWORKING.COM • FREE SHIPPING!

SEND CORRESPONDENCE TO: MLCS LTD., P.O. BOX 4053AD, RYDAL PA. 19046



Country-Style Grandfather Clock

For many of us, a grandfather clock is the ultimate project. Traditional high-style clocks often involve such advanced skills as spiral turning, veneering and figure carving, to say nothing of the cost of the figured wood.

This country-style tall clock is much, much easier to build, while still being a grand, stately and impressive piece of furniture. The only tricky part is the top, with those curved moldings, but we've come up with some jigs and a building process that makes it almost goof-proof.

In essence, this clock is composed of three boxes that are connected with cove moldings. The ornate "hood" rests on top of the slender "waist," which is supported by the wide, footed base. The base and waist boxes are fairly easy to build, so we won't spend much time explaining their construction. We'll concentrate on the hood. Its arched top, door and moldings are the challenging part of this project. A prototype, a shop-made compass and a couple of shop-made jigs are the keys to success.


Behind the beautiful paper dial, this clock is designed to house either a traditional mechanical or modern quartz movement (see Sources, page 101). You'll need about 55 bd. ft. of lumber; we used cherry. Including the mechanical movement and paper dial, we spent about \$800 to make our clock. Choosing a quartz movement will knock off about \$250. A hand-painted dial is an authentic, but costly upgrade (see Sources, page 101).

This project takes a well-equipped shop. You'll need a tablesaw with an accurate miter gauge, a bandsaw, a router table and router, a drill press, a spindle sander (or sanding drum for your drill press), a jointer, a planer and a good selection of router bits (see Sources, page 101).

The Base and Waist

Assemble the face frames of the base and waist sections (B1-B3 and W1-W3, Fig. A) with splines (Photo 1). The slots for the base's face frame run full length on all the inside edges, to house the panel (B4). The waist's face frame doesn't house a panel. Here, the slots stop, so the splines don't show. You have to round one end of the splines to fit these slots.

When you rout the slots, orient the face sides of the pieces the same way, so the joint surfaces will be flush.



By Tim Johnson



Cut the cross-grain splines on a tablesaw equipped with a zero-clearance insert. The spline should slide into the slot easily, with just enough tolerance to keep it from binding.

Apply glue to both slots, slip the spline into the rail and assemble the joint. Don't put any glue on the spline. Clamp the face frames together, and check to make sure they're square. Using the patterns (Detail 1, page 75), saw out the feet on the base frame and sides.

Dadoes and Rabbets

The base and waist assemblies go together with dadoes and rabbets (Photo 2). Cut notches in the waist sides (W4) for the

backs (B8 and W11).


To keep the waist assembly square during glue-up, install a piece of scrap plywood as a substitute for the back.

It's important for the waist sides to extend exactly 4-5/8-in. above the top of the face-frame rail so the clock movement installs at the right height (Fig. B and Photo 6). If you use a different movement, you may have to adjust the dimensions.

Install the back (B8) and glue the three centering blocks (B7) on the base. They center the waist section and act as anchors for the screws that fasten the two assemblies together (Fig. A). Lower the waist assembly into position (Photo 3), drill pilot holes and screw the two sections together.



1 Slots and splines join all of the face frames. Cut the slots on your router table and the splines on your tablesaw. An oversized bearing limits the depth of the slots. For strength, the spline's grain must run across its width.



2 Rout rabbets for the sides on the edges of the face frames. Then, when you glue up the base and waist sections, the edges of the face frames virtually disappear, because they're so thin.




3 Place the waist on the base. Then fasten them together with screws into the centering blocks.


Tablesawn Cove Moldings

Make both cove moldings (W6 and W7, and Detail 2, page 75) from the same tablesaw setup (Photo 4). Use your miter gauge, set at 45 degrees, to position the fence. To create the cove, start with the blade only 1/16-in. above the table. Push the workpiece over the blade, while holding it firmly against the fence. Make successive passes, raising the blade about 1/16 in. each time, until it reaches its maximum height (1/2 in.). You'll have to sand the coves smooth after sawing.

Cut the back shoulders with the blade tilted away from the fence (Photo 5). The moldings are different sizes, so





4 Cut the cove moldings using this setup. First, unplug your saw. Raise the blade 1/2-in. above the table. Then mark the throat insert where the back tooth emerges. Clamp a fence 9/16-in. behind this mark, angled at 45 degrees.




5 Rip the back sides of the cove molding at 45 degrees. To support the molding for the second 45-degree cut, reattach the offcut from the first cut with double-faced tape.

FIG. A
Base and Waist Sections





6 Attach the upper moldings flush with the top of the front rail. The hood rests on top of this molding, so use clamped-on guides to make sure the moldings are level side-to-side and front-to-back.



7 Draw arcs for all the arched pieces with a shop-made compass. Centerlines drawn on each blank keep the arcs centered. When the arc's centerpoint lies below the blank, as shown here, house it on a separate extra-long piece. Mark the centerline of this piece as well.



8 Sand the arches true after rough-cutting them on the bandsaw. If you don't have a spindle sander, use a sanding drum on your drill press.

they require different fence settings. Make sure the back shoulders are square to one another. Complete the moldings by sawing the square front edges.

Make the half-round bead (W8) with a bullnose bit (see Sources, page 101). Rout both edges of a wide board and then saw off the thin moldings. Glue the beads onto the coves.

Miter the front molding pieces and glue them in place. Fit the miters on each side piece before cutting them to length. Glue the miter joint and the first 2 or 3 in. of the side molding. At the back, fasten each side piece with a screw from inside the case, to allow seasonal movement.

The upper cove moldings have to be installed precisely (Photo 6), so the dial, (which mounts with the clock movement on top of the waist) lines up with the door opening in the hood.

Lipped Door

The waist's door (W9) has rounded-over front edges and a 3/8-in. rabbet around the back. Install the door with off-the-shelf hardware (see Sources, page 101).

The Hood

The hood features the same construction as the base and waist sections: stopped slots, rounded splines, dadoes, rabbets and miters (Fig. C). The arches are the new challenge.

FIG. B
Hood Cross Section





FIG. C
The Hood



9 Installing the fill block completes the recess for the door and readies the hood for its arched cornice.



The hood's arched components are all derived from the shape of the metal dial plate (Fig. D). The opening in the dial frame (H4-H6) masks the outer edge of the dial. The fill block (H9) fills the cavity between the dial frame and the front cornice board (H10). These two parts define the upper arch of the door. The door (D1-D4) sits directly in front of the dial frame and its opening for the dial is the same size. The cornice boards (H10 and H11) are the bottom pieces of the built-up cornice moldings, which also include coves (H12 and H14) and ogees (H13 and H15).

Make a Prototype

The arched pieces require careful layout and execution. The relationship between these pieces can be downright confusing. Our best advice is to build a prototype of the hood so you can test your procedures, become familiar with the parts, and verify your results. A half sheet of MDF (\$20/full


sheet) is more than enough. If you make mistakes in MDF, who cares?

When you manufacture the hood's arched pieces, follow these guidelines:


- Always use centerlines for alignment. Mark them on all sides of every blank. When you sand or cut off a centerline, re-mark it.
- Make a dedicated compass so your arches are always consistent (Photo 7).
- Be aware of the location of the arch's centerpoint. Sometimes it's on the blank, sometimes it's below (noted on Cutting List, page 74).
- Be precise: Carefully sand each arch to the line (Photo 8).

Assemble the Hood Box


Build the hood's base frame (H1 and H2) and test its fit on the assembled waist. It should lay flat atop the upper




10 Make a pattern for the moldings right on the blank for the bottom-most of the three boards that'll make up the cornice. First, lay out the arches. Then establish the miters.



11 Rout the arched moldings before you cut the outer curves, so the blanks are big enough to handle safely. A start pin on your router table will give you additional control.



12 Build the cornice molding by gluing one routed piece on top of another. Leave a straight edge on the bottom piece to help you cut the miters later.




13 Mark the miters on the molding, using the layout lines from the pattern you created earlier (Photo 10).


moldings, kiss the waist sides and butt up to their fronts.

Cut rabbets in the sides (H3) for the door and dial frame. Then cut additional rabbets for the top (H7) and the back (W11). Finally, bandsaw notches for the fill block (H9).

Assemble and glue the dial frame (H4-H6) after marking, cutting and smoothing the inner arch on its upper rail. You'll need a thinner slot cutter for this frame, because of its 1/2-in. thickness (see Sources, page 101). Glue the hood together; the dial frame arch should sit dead-center. Next, center the hood on the base frame and screw them together. After sawing and sanding the arches, glue the dial frame crown (H8) and the fill block in place (Photo 9).




14 Miter the built-up arched molding using your miter gauge, the remaining straight edge of the blank, and the reference lines you've just drawn.




15 Glue on the straight shoulders, using a jig to keep everything in place. Waxed paper keeps the molding from sticking to the jig.

FIG. D The Arches

The metal dial plate (see Sources, page 101) determines the shape of the door, the top and all the moldings. The arches all originate from the centerpoint of the dial plate's arch.



RDP = 5"	Radius of dial plate (DP) arch
R1 = 4-3/4"	Inner radius of door rail (D2) Inner radius of dial frame rail (H5)
R2 = 6-1/2"	Outer radius of door rail (D2) Inner radius of front cornice board (H10) Inner radius of fill block (H9)
R3 = 8"	Inner radius of cove molding (H12) Outer radius of fill block (H9) Outer radius of dial frame crown (H8)
R4 = 9-3/4"	Inner radius of ogee molding (H13)
R5 = 10-1/2"	Outer radius of ogee molding (H13) Outer radius of cove molding (H12) Outer radius of front cornice board (H10)




16 Miter the assembled molding, using a sled with mitered edges. Cut the sled so it's exactly the length that the molding should be cut to. Center the molding on the sled and screw it in position, making sure it lies flat. Line up the sled's mitered edge with the saw blade and make the cuts.




Make the Arched Molding

The cornice moldings are built up in three pieces (Fig. C and Detail 3, page 75). You'll need to make arched and straight versions of each built-up molding.

Keep things simple by making the blanks for the arched front cornice board (H10), cove and ogee moldings (H12 and H13) the same size. This allows you to use the same layout tools and procedures throughout. Lay everything out on the front cornice board blank (Photo 10).



17 Fit the miters and fasten the side moldings. Use a couple of pin nails to hold the moldings in place while you apply the clamps.





18 Cut the door's outer arch after gluing the door together. Before cutting the arch, cut the door's straight shoulders.

Draw both the inside and outside arches on the cove and ogee molding blanks, but cut and smooth only the inner arches. Check the curves of these arches on your pattern before you rout the profiles (Photo 11). Next, cut and sand the ogee molding's outer curve and glue it to the coved blank (Photo 12).

Mark and cut the 28-degree angle miters on the built-up arched molding (Photos 13 and 14). Miter the straight shoulder moldings at the same angle.

FIG. E
Arched-Top Door



19 Install the door. Special offset hinges (see Sources, page 101) allow the door to open without binding. The mounting screw acts as the pivot pin.

Glue the straight shoulders to the arched molding, using a jig made by fastening a fence to a piece of MDF (Photo 15). Simply fasten the arched molding to the MDF while holding its mitered points against the fence. Apply glue and clamp the straight shoulders in place.

Install the Cornice Molding

Cut and sand the arch on the front cornice board (H10) so it matches the arch on the fill block. Rout the ogee profile on its bottom edge, taking care to leave a 3/8-in.-wide flat surface for the door's hinge pivot screw. Center the cornice board blank on the fill block, mark the corners and cut the miters. Glue on the front cornice board, then fit and fasten the sides (H11).


Measure the exact length of the installed front cornice so you can miter the built-up cornice molding. For the angled blade to cut all the way through the built-up moldings, your mitering sled can't be more than 1/2-in. thick (Photo 16).

With the hood on its back, glue the cornice molding in place, using the layout marks and centerline on the cornice front. Then install the side moldings (Photo 17).

Slide the hood into position on the case so you can locate and install the retainer blocks (W10). Then fit and install the waist back (W11). The adjacent edges of the waist and base back pieces are rabbeted, to keep out dust. Sand and finish the case.

Build the Door


Clamp the door's stile and rail blanks (D1-D3) together without glue, to form an oversized rectangular blank. Mark the door's shoulders and then draw both of the arches on the top rail. The outer arch runs onto the stiles before it meets the shoulder line.




20 Fasten the dial to the clock movement after fastening the movement to the seatboard (W5). Latches on the movement lock the posts on the false plate.

The Quartz Movement

Outfitting your grandfather clock with a quartz movement instead of the traditional mechanical mechanism may ruffle your feathers, but it's worth considering, for a number of reasons.



- It's a lot cheaper. You'll save about \$250—enough to buy a really good router.
- It's much easier to install. Forget all the careful measuring to line up the hood and the waist-mounted dial. Just fasten the dial to the back of the dial frame and fasten the quartz movement to the dial.
- It doesn't have to be regulated to keep accurate time.
- It never has to be wound.
- It offers different melody and chime combinations that sound surprisingly authentic.
- You can program the chimes to shut off at night.
- It never needs service. If new batteries aren't the answer, just replace the whole movement.



21 Slide the hood into position on top of the waist molding. Retaining blocks on the waist sides hold it in position. Fasten the hood to the back with brass hooks.



Cutting List

Overall Dimensions: 11-1/4"D x 20-1/4"W x 83-3/4"T

PART	QTY.	NAME	BLANK SIZE	DIMENSIONS
BASE				9-3/4" x 17" x 23"
B1	2	Front Stiles		3/4" x 3" x 23"
B2	1	Top Rail		3/4" x 2-1/2" x 11"
B3	1	Bottom Rail		3/4" x 5-1/4" x 11"
B4	1	Panel		1/2" x 11-5/8" x 15-7/8"
B5	2	Base Sides		3/4" x 9-1/2" x 23"
B6	1	Support Shelf		3/4" x 8-3/4" x 16"
B7	3	Centering Blocks		1-3/8" x 1-1/2" x 7" (front); x 3" (sides)
B8	1	Base Back (plywood)		1/2" x 16-1/4" x 23"
S1	14*	Splines		1/4" x 23/32" x cut to length
WAIST				7-5/8" x 12-3/4" x 42-1/8" (w/out back)
W1	2	Front Stiles		3/4" x 2-7/8" x 37-1/2"
W2	1	Top Rail		3/4" x 4-1/2" x 7"
W3	1	Bottom Rail		3/4" x 6-3/4" x 7"
W4	2	Waist Sides		3/4" x 7-3/8" x 42-1/8"
W5	1	Seatboard		3/4" x 4-1/2" x 13-1/4"
W6		Bottom Cove Molding	1-1/2" x 3-3/4" x 48"	2-1/4" x 2-1/4" x cut to length
W7		Top Cove Molding	1-1/2" x 3-3/4" x 48"	2" x 1-11/16" x cut to length
W8		Half-Round Beading	1/4" x 4" x 48"; rip to width after routing	1/4" x 3/8" x cut to length
W9	1	Door		3/4" x 7-1/2" x 26-3/4"
W10	2	Hood Retainer Blocks		5/8" x 1" x 3-1/2"
W11	1	Waist Back		1/2" x 12"W (for waist); 15"W (for hood) x 56-3/4"
HOOD				11-1/4" x 20-1/4" x 24-3/4"
H1	1	Base Front	3/4" x 2-1/2" x 18"	3/4" x 2-1/2" x 17-1/4"
H2	2	Base Sides	3/4" x 2-1/4" x 11"	3/4" x 2-1/4" x 9-7/8"
H3	2	Hood Sides		3/4" x 9" x 20"
H4	2	Dial Frame Stiles		1/2" x 1-3/4" x 20"
H5	1	Dial Frame Upper Rail**	1/2" x 7" x 11-1/2"	1/2" x 6-3/4" x 11-1/2"
H6	1	Dial Frame Lower Rail		1/2" x 1-3/4" x 11-1/2"
H7	1	Top		3/4" x 7-3/4" x 15"
H8	1	Dial Frame Crown	1/2" x 1-3/4" x 10"	1/2" x 1-1/2" x 9-3/8"
H9	1	Fill Block***	3/4" x 7" x 18"	3/4" x 6-1/2" x 15-3/4"
H10	1	Front Cornice Board***	3/4" x 9-1/2" x 18"	3/4" x 9" x 17-1/4"
H11	2	Side Cornice Boards		3/4" x 5" x 9-3/4"
H12		Arched Cornice Cove***	3/4" x 9-1/2" x 18"	3/4" x 2-1/2" x 13-13/16" (to bottom points of miters)
H13		Arched Cornice Ogee***	3/4" x 9-1/2" x 18"	3/4" x 3/4" x cut to length
H14		Straight Cornice Cove	3/4" x 2-1/2" x 36"	3/4" x 2-1/2" x cut to length for front shoulders**** and sides
H15		Straight Cornice Ogee	3/4" x 2-1/2" x 36"	3/4" x 3/4" x cut to length for front shoulders**** and sides
S2	4	Dial Frame Splines	3/16" x 23/32" x cut to length	
DOOR *****			3/4" x 15" x 20-1/4"	Cut blank to fit door opening in hood
D1	2	Stiles	3/4" x 1-3/4" x 20-1/4"	
D2	1	Top Rail**	3/4" x 7" x 11-1/2"	
D3	1	Bottom Rail	3/4" x 1-3/4" x 11-1/2"	
D4		Glass Retainers	3/16" x 3/16" x cut to length	

* Total for all 3/4" thick frames

** The arch centerpoint of this blank is 1/4" above its bottom edge


*** The arch centerpoint of this blank is 1-1/2" below its bottom edge

**** Blanks for front shoulders must be at least 4" long

***** Glass opening matches the opening in the dial frame



Detail 1

Pattern for Base Cutouts (1" Grid)




Detail 2

Pattern for Cove Moldings



Detail 3

Arched Cornice Molding Profiles



After disassembling the blank, cut and sand the upper rail's inner arch. Then glue the door blank together and cut the shoulders and the outer arch (Photo 18).

Rout the chamfer around the door's inside edge and square the corners with a chisel. Then rout a rabbet for the glass around the back inside edge (square these corners, too). Have the arched glass cut at a commercial glass company or stained glass studio (about \$20).

Trim the door to fit the opening in the hood (Photo 19). Leave 1/16-in. clearance (a dime's worth) on the sides, around the arch and at the shoulders. To keep the door's opening aligned with the opening in the dial frame, cut 3/32-in. off the bottom for the hinge and washer after you've fit all the other sides. The washer provides clearance so the hinge doesn't wear on the base frame.


Install the Mechanism

The metal dial plate and the clock movement are connected by a universal adapter called the "false plate" (see Sources, page 101). Epoxy the dial plate and false plate together after cleaning both surfaces. They have to be perfectly aligned, or the dial will be crooked when it's attached to the mechanism. Drill out the holes for the movement's winding posts and sand the burrs flat.

Adhere the adhesive-backed paper dial (it comes with mounting instructions, see Sources, page 101) to the dial plate. Then attach the dial plate to the movement (Photo 20).

With the seatboard/movement/dial assembly resting in place on top of the waist sides, carefully slide the hood into position. The dial frame should butt up against the dial. You'll likely have to adjust the seatboard to center the dial in the opening before you fasten it to the waist sides.

Lock the hood in place (Photo 21). Install the hands, weights and pendulum. Now, what time is it? Step back, it's time to enjoy what you've accomplished! **AW**





TWO GREAT BRANDS. ONE GREAT DEAL.

PROMOTION
EXTENDED

30 DAYS!

Now Ends
April 30, 2003



Buy the best-selling JET XACTA™ Saw
and get a **BOSCH** Router FREE.

Priced at just \$1,699, the 10" XACTA™ Saw, with a powerful 3HP motor, and packaged with the XACTA™ Lift with a deluxe router fence, is a great deal. And now it's even better! Because if you buy this XACTA™ Saw package now, we'll upgrade your purchase to include our new Premier MicroAdjust Fence...that's a \$100 value!

But that's not all. You'll also get a Bosch Router...**absolutely free**. Valued at \$239, the Bosch 2 1/4 HP electronic, variable-speed router is the top choice. For more details, visit your local dealer, www.jettools.com, www.bosch.com or call 1-800-274-6848.

JET
WMH TOOL GROUP

Offer valid October 1, 2002 through April 30, 2003.

Powermatic, Performax and JET. A Family of Brands.

Benchtop Planers

by Tom Caspar

There's a warm spot in my heart for a hard working planer. I'll shove in a rough board, hear the chips fly and watch a perfectly smooth surface slide out the other side. Considering all the money I've saved by using rough lumber rather than the pre-surfaced stuff, my planer has virtually paid for itself. It's an essential tool.

A lot has happened in the world of benchtop planers since we tested them three years ago. Many new machines give better results, are simpler to adjust and easier to keep sharp. However, that nasty overbite on the end of a board called snipe has yet to be vanquished. With all the new choices on the market, there hasn't been a better time to go shopping for this workhorse tool.

What a Planer Can and Cannot Do

A planer makes boards thinner. It cuts the top side of a board parallel to the bottom side. For example, you can easily reduce a 3/4-in.-thick board to 1/2-in. thick. The planer automatically feeds the board, taking off 1/32 to 1/16 in. per pass.

What a planer can't do is guarantee a *flat* board. If you plane a twisted or cupped board, it will come out in the same condition. Right thickness, yes, but flat, no. That's where a jointer comes in. A jointer is used to flatten one face of a board *before* using a planer. You'll want both machines in a well-equipped home shop, so it's a good thing benchtop planers are such great values.

Planer Options



Type of Planer
Price Range
Power
Motor
Typical Capacity
Weight

Benchtop

\$180-500

120 volts

Universal

6" x 12-13"

63-95 lbs.

Planer/Molder

\$550-1,200

120 or 240 volts

Induction

5-6" x 13"

130-275 lbs.

Stationary

\$700- up

240 volts

Induction

6-12" x 15-24"

300-2,000 lbs.

Before you delve into this tool test, ask this simple question: Is a benchtop planer the best fit for my shop? You've actually got three options.

Economical Benchtop Planers

Benchtop planers are perfect for the small home shop. Many have knives that are easy to set and change. They produce extremely smooth surfaces and plug into a household outlet. They don't have as much power as larger machines, so it takes more time to plane down a stack of lumber. They use universal motors with brushes, similar to the kind you'd find on a miter saw. Brushes should be regularly inspected for wear.

Benchtop planers fold up for transport or storage. They used to be called "portable" planers, but many new machines are so bulky and heavy that the term really isn't appropriate. You can lift them, but it can be a struggle.

Versatile Molder/Planers

A combination molder/planer is basically a stationary planer that can accept either straight or shaped knives. Molding knives cost from \$17 to more than \$100 per set. They range from small knives for furniture moldings to large ones for architectural moldings (such as cornice boards) which are impractical to make with a router.

The molding feature can save you a ton of money if you're doing lots of

trim carpentry. Commercial moldings can be quite expensive and come in a limited variety of wood species.

Workhorse Stationary Planers

Stationary planers are built to meet the needs of production shops. They can run continuously for hours on end, remove a big bite in one pass (up to 1/8 in.) and handle very wide glued-up panels.

Both molder/planers and stationary planers run on induction motors, similar to the kind you'd find on a stationary table saw. These motors generally have a long life and don't require regular servicing. They're more powerful than benchtop planer motors.

Why We Don't Rank Planers By Snipe



"How much does it snipe?"

That's the first question most woodworkers ask when they're going to buy a planer. Snipe is a deeper cut at the beginning and end of a board. It ranges in depth from next to nothing to about

OneWay Multi-Gauge; \$75, see Sources, page 101

Reducing Snipe

Snipe is an extra-deep cut on both ends of a board. It's a perennial problem with all benchtop planers. At best, it costs extra time sanding. At worst, you may have to entirely cut off the ends. No single model has the problem completely licked, but two features can make a big difference.

Headlocks


Boards are sniped when a planer's cutterhead assembly tilts ever so slightly. This tilt is minimized by a headlock, an essential feature found on many of today's planers (Photo 1). We highly recommend buying a planer with a headlock.

Here's how a headlock fights snipe. Every planer has two feed rollers: one in front of the cutterhead and one behind. When you feed a board into a planer, it's held down by the front roller. The cutterhead assembly tilts backward and temporarily cuts deeper until both rollers are engaged. The result is snipe on the leading end of the board. This snipe is consistently about 2- to 2-1/2-in. long, which is the distance from a roller to the cutterhead. As a board exits the planer, only the back roller is engaged. The cutterhead tilts forward and snipes once again on the trailing end of the board. Engaging the headlock reduces this back and forth tilt by clamping the cutterhead assembly to the corner posts.

Outfeed Tables

Long infeed and outfeed tables also help reduce snipe (see "Length of Bed" in Chart, page 87), but they're not perfect (Photo 2). When a table sags under the weight of a long or heavy board, the end of the board gets kicked up into the cutterhead and is sniped.

Most outfeed tables can't be flipped up for storage when you've got a dust-collection hose attached to the planer. You've got to leave the table down or remove the hose and unscrew the dust hood, a major pain in the neck with models that use fussy little screws. We preferred models that have large, tool-free fasteners.



Pro-Tech CS6005

A headlock mechanism minimizes snipe. When the headlock is engaged, the cutterhead assembly is clamped to four corner posts. On most machines, you must release the headlock to lower the cutterhead and then re-engage it.



Jet JWP12DX

All folding extension tables need additional support to minimize snipe on long and heavy boards. Long tables are best, as shown above, but no planer has tables that are rock solid.

.005 in. (about the thickness of a dollar bill).

To measure snipe, we ran dozens of boards through our machines. We tested different machines of the same brand, to see if we'd get the same amount of snipe. In addition, we talked to the engineers who design planers.

Our conclusion: there is so much


variation that a single measurement, even if it's an average, would be misleading.

First, there's too much variation within a single machine. Short and light boards snipe less than long and heavy ones.

Second, there's too much variation across machines of the same make and model. One machine can't repre-


sent all the machines that come off the assembly line. Some are better than average and some are worse.

You can't rank planers with bogus numbers. It would take an involved (and expensive) statistical test to rank planers by the amount of snipe. We believe you're better off picking a planer based on all of its features, rather than one suspect measurement.



Ryobi AP1300

A depth gauge speeds up the first pass. You don't have to measure the thickness of your board before planing. Just stick it under the depth gauge and lower the cutterhead until the indicator bounces up.



Delta 22-580

Measure your cut with the crank. We prefer a crank that lowers the cutterhead by exactly 1/16 in. with one complete revolution. Turn it halfway and you know you're taking exactly 1/32 in. off. Some cranks are metric, and lower the cutterhead by 2mm per revolution, which isn't as helpful.



Ridgid TP 1300 LS

Dial in a thickness with preset depth stops. You don't have to rely on a ruler or a planer's scale, which is often hard to read. This handy feature allows you to take boards down to the same exact thickness time after time.

The Next Wave: Direct-Read Planing

Three relatively new innovations in planer design have made planing boards to a precise thickness much easier, the same way direct-read rip fences revolutionized tablesaws. You don't have to constantly measure your boards with a ruler. Our top-choice machines have all three features.

A Depth Gauge Sets the First Cut

A depth gauge makes it easy to set up the first pass (Photo 3). You don't have to do any measuring or peering at a scale to get going. Simply stick your board under the gauge and lower the cutterhead until the indicator bounces up.

Measure the Next Cut With the Crank

Most planers have scales that are difficult to read accurately. Even worse, you have to bend way over to see them. It's far easier to measure each cut with the crank.

We prefer planers that use this easy system: one full revolution of the crank equals 1/16 in. of cut (Photo 4). You need to take a board down another 1/8 in.? No problem. That's simply two more full turns of the crank. Just follow the position of the handle as if it was a hand on a clock.

Some planers have cranks that lower the cutterhead by 2mm (about 5/64 in.) per revolution, which is less convenient when you're used to working with fractions.

A few planers have cranks that can be mounted on either side. If you're left-handed or stuck in an awkward space, this option could make your day!

Repeat a Thickness With Depth Stops

Have you ever had to plane some new boards to exactly the same thickness as an older stack? If this problem sounds familiar, look for a planer with depth stops (Photo 5).

There are two types. A preset stop allows you to dial in one of six or so standard board thicknesses. A full-range stop is adjustable to any thickness. It only remembers one thickness at a time, however. We think the full-range stop narrowly wins out because it can handle the odd sizes.

Parallel Adjustment

A planer is adjusted at the factory to cut equally deep across the width of a board. If it isn't set precisely enough, you may be able to fix the problem by rotating a gear underneath the machine. You can raise or lower one side of the cutterhead in .004-in. (or so) increments, depending on the machine.

We've noted models with these instructions in their manuals (see Chart, page 86). Other models must be adjusted by an authorized service center.

Clean your home for a month free on me. Then decide.

My new Oreck XL² with the Violet Blue Dirt Search.[®]
Cleans faster. Lasts longer. And still weighs only 8 lbs!

Hi, I'm David Oreck. To prove to you that my new, 8-lb. Oreck XL² is one of the best investments you can make in appliances today—Take the Oreck Challenge.[™] Try my Oreck XL² in your home for 30 days, without obligation and I'll give you my \$100 Oreck Cord Free Speed Iron[®] as a gift. Imagine ironing without a cord. You'll cut ironing time in half. Why do I give you a free iron? Because, it's a fact that 90% of the people who try an Oreck, buy an Oreck.

I never put my name on anything that isn't the best.

And my 40th Anniversary Oreck XL², with new 24-bar technology, is incredibly powerful with twice the motor life of my previous models. And my previous models have lasted 25 years! Odds are you'll go through three other vacuums in the time you own one Oreck XL².

But the best part is the beautiful job it does on carpets and bare floors. The Oreck XL² features high-speed roller brushes which whirl at 6,500 rpm to not only remove deeply embedded dirt, but restore the life and luster to your carpets. It literally glides from room to room, up and down stairs, under and around beds and furniture. Go from thick carpets to bare floors without manual adjustments. Pick up sand from bare floors. Plus, it's hypo-allergenic, trapping 99.7% of all particles as small as 1/100th the width of a human hair.

With Oreck, you get a complete system. I'll also give you my Super Compact Canister, with 8 attachments, absolutely free with purchase of an Oreck XL². It's the perfect above-the-floor vacuum.

Great for all those hard-to-reach places. From ceilings to blinds to sofas to lampshades.

It's a \$165 value.

So Take the Oreck Challenge[™] today.

It won't cost you a dime!

David Oreck
Chairman



Strong
Enough To
Pick Up
A 16-lb.
Bowling Ball[™]

Call 1-800-388-4065 ext. CBI99
or visit oreck.com

Or mail in this coupon today

CBI99

- ☐ Yes, please call me to arrange a free 30-day home trial of the new Oreck XL² and send me a \$100 Oreck Cord Free Speed Iron[®] just to Take the Oreck Challenge.[™] I understand I will receive the Super Compact Canister free with purchase of the Oreck XL².
- ☐ Send me a free information kit on the amazing 8-lb. Oreck XL².
- ☐ Include details of Oreck's 12-month Interest Free Payment Plan.

Name _____

Address _____

City _____ State _____ Zip _____

Tel () _____ e-mail _____

optional

ORECK


PBF4R

Nothing gets by an Oreck.[®]

Oreck Direct, LLC 100 Plantation Road, New Orleans, LA 70123

6

Indexed knives are easy to install. They have a slot, hole or tab that automatically aligns to the cutterhead. Non-indexed knives must be set with a gauge.



Quick-Change Knives

The best machines have knives that are fast and easy to install. When its knives are sharp, a benchtop planer makes an incredibly smooth surface that needs very little sanding. Almost all knives have two edges, but when both sides get dull you've got a lot more sanding to do. The easier it is to install knives, the sooner you can return to making those beautiful surfaces.

Indexed Knives Drop In Place

Knives for benchtop planers are undergoing a revolution. The best are indexed to the cutterhead (Photo 6). Essentially, they snap right in place, like safety-razor blades. It's just about foolproof.

Old-fashioned, non-indexed knives must be set with a gauge and clamped in place with an open-end wrench (Photo 7). It's not so bad once you get the procedure down, but it's tedious work.

Indexed knives are much easier to deal with. You use small magnets to hold them so you don't cut yourself. It's very easy to tighten the clamping bolts with a long wrench on most machines (Photo 8).

Resharpenable vs. Disposable Knives

Indexed knives can't be resharpened. When both sides get dull, you toss them. Resharpening would make them too narrow to project the right amount from the cutterhead.

Non-indexed knives *can* be resharpened. You can do it yourself, but it takes \$200 to \$500 worth of specialized equipment and a fair amount of time and patience to remove all the nicks and sharpen the knives absolutely straight. Most folks take or send their knives to a sharpening service.

Which type is cheaper to use? Sharpening a set of knives typically costs about \$25, including shipping. A set of disposable knives costs \$25 to \$40, about the same or a bit more than one resharpening. There is a small price to pay for the convenience of indexed knives, but we think it's worth it.


Offsetting Nicked Knives

When a blade gets nicked, it leaves long ridges on your wood that are a pain in the neck to sand out. To eliminate those ridges, all you have to do is loosen one knife and shift it over 1/32 in. or so. This offsets the nicks and results in a smooth surface once again. This neat trick extends the life of your edges and is very easy to do with most indexed knives.

Unfortunately, some indexed knives cannot be offset (see Chart, page 86). This is a big drawback to two otherwise excellent machines.


To be fair, non-indexed knives can be offset, too, but it's just not as easy. You must reset them with a gauge.

7




Non-indexed knives can be awkward to set. You must hold a height gauge on top of the knife while tightening small bolts with a short open-end wrench. Springs push the knife up against the gauge.

8



Most indexed knives are easy to tighten. On this machine, you simply slide the knives in place over two locating pins and tighten a clamping bar with a convenient long-handled Allen wrench.

Create Your Own Outdoor Room...In Just Seconds!



NEW! Motorized Model Now Available!

**LOW
Factory
Direct
Prices!**

Introducing The Revolutionary SunSetter® Retractable Awning!

If you're tired of having your outdoor enjoyment rained on...baked out...or just plain ruined by unpredictable weather.

At last there is a solution! One that lets you take control of the weather on your deck or patio! It's the incredible SunSetter® Retractable Awning! A simple... easy-to-use...& affordable way to outsmart the weather and start enjoying your deck or patio more...rain or shine!

The SunSetter® is like adding a whole extra outdoor room to your home... giving you instant protection from glaring sun...or sudden showers! Plus it's incredibly easy to use...opening & closing effortlessly in *less than 30 seconds!*


So, stop struggling with the weather... & start enjoying your deck or patio more!

**Call for a FREE Catalog & Video!
1-800-876-8060 Ext. 4088**

**Opens & Closes In
Less Than 30 Seconds!**



Just pull on the handy strap & your SunSetter® unrolls effortlessly!



You choose full sun, partial shade or total protection in just seconds!



**FREE!
Catalog
& Video**

**FREE Catalog & Video
Call Toll-Free: 1-800-876-8060** Ext. 4088

☒ **Yes!** Please send your FREE Catalog & Video...including Special Savings now in effect...TODAY!

Name _____

Address _____

City _____

State _____

Zip _____

E-Mail _____

(IMPORTANT: Be sure to give us your e-mail address to receive our best deals!)

SunSetter®
RETRACTABLE AWNINGS

184 Charles Street, Dept. 4088, Malden, MA 02148
Visit us today at www.sunsetter.com

As heard on Paul Harvey News...

©2003 SunSetter® Products

- 9** Craftsman has introduced two planers with built-in dust collectors. There's a fan inside that blows chips and dust into a garbage can nearby. While a few chips are left behind, the fan is a reasonable substitute for a 1-1/2-hp portable dust collector.



Craftsman 21743

New Ideas

Benchtop planers just keep getting better. Here are three groundbreaking features.

Built-In Dust Collection

Planers make a heck of a mess. Thank goodness most planers have optional dust hoods for hooking up a dust collector. We highly recommend using one, but it may cost extra. Two new Craftsman planers have eliminated the need for both the dust collector and the hood (Photo 9). They have a blower fan inside the machine.

The system works well, but it does leave some chips behind, particularly when planing thick stock. You get a cloth dust hood that can be attached to a garbage bag or a 30-gallon garbage can. We lined our can with a plastic bag to make disposal easier. The only problem with the setup is that the garbage can must stand right next to the planer. It's not in the way, but it takes up valuable space in a small shop. You can still hook up the planer to a central dust collection system if you want.

Smoother Boards

The Delta 22-580 is the first benchtop planer with an option that can further cut down on your sanding time. It's equipped with a switch that slows down the speed of a board passing through the planer (Photo 10). The result is significantly more cuts per inch (cpi) and a smoother surface. It's definitely a useful option, not just a gimmick.

We tested this new feature with a pile of nasty figured wood and average straight-grained boards. The standard feed rate of 60 cpi is about the same as on other benchtop planers. We left our machine at this setting for everything but the last pass, when we flipped the switch to 90 cpi. Figured wood came out much smoother, with less tear-out. Average straight-grained boards looked better, too, but the improvement wasn't as dramatic.

Automatic Headlock

The Makita 2012NB is the only planer with a headlock you can't possibly forget to engage. You don't have to fiddle with a lever to reduce snipe on this machine. All you have to do is feed in a board. The headlock automatically engages when the board hits the first feed roller. It's just as effective as a manual headlock in reducing snipe and is far more convenient.



Delta 22-580

Delta's speed selector saves sanding time. It changes the speed at which a board passes through the planer. The standard speed (Dimensioning) is about the same as other benchtop planers. The super-slow speed (Finishing) produces more cuts per inch (cpi), resulting in a smoother surface.

Are you anxious that you or a loved one is alone during an emergency?

If you've fallen or had an accident, Telemergency™ sends for help with just one press of a button.



Feel secure knowing that with just one press of a button help is moments away.

In the event of a crisis, do you know what to do? From children to senior citizens, when emergencies occur, Telemergency™ is there for you 24 hours a day. If you've ever been worried about yourself, someone in your family...a parent, spouse, a child or possibly even a babysitter watching your



Telemergency™ can call for help by simply pressing a button on the wireless pendant or directly from the base unit.

With just 1 press of a button, Telemergency™ can get you the help you need.

- Automatically dials 911 if you choose and up to 5 additional numbers of your choice.
- Sends an emergency alert message.
- Speakerphone mode allows all called party(s) to listen in and speak to caller.

NO MONTHLY FEES!

children or grandchildren, you know how valuable reliable help can be. With all the "what ifs" in the world, such as the ability to get to a phone in the event of an emergency, wouldn't it be ideal to have something that replaced panic with peace of mind? With the Telemergency™ Alert Device, you can reach help with one press of a button. Imagine assistance from doctors, family members, neighbors and the police, whenever you need it, all with no monthly fees!

Worrying is a thing of the past.

Ready to use, the Telemergency Alert Device can be activated from the unit or its wireless help pendant. With just one press of a button, 911 if desired and up to five additional telephone numbers of your choice can be called, sending a pre-recorded emergency alert message. Telemergency also is a speakerphone where each called party can listen in or speak to the caller. It also allows the called party(s) to acknowl-

edge to the user they are sending help with a press of a button on their phone. All you have to do is simply connect the unit to your telephone line, connect the AC adapter, move the power switch to ON and your Telemergency is ready to help you!

Telemergency has additional buttons for up to two other situations of your choice and allows you to personalize if

you wish, with your own message and telephone numbers. It comes with emergency medical, fire and burglary messages. For instance if there is a medical emergency, simply press the button on the pendant around your neck and your pre-recorded message might say something like "Help! This is a medical emergency! My name is Joe Smith and I live at 123 Willow Lane. I have severe asthma (heart condition, diabetes, etc.). Please come at once."

Try it risk-free. Just as every house should have a smoke alarm, having Telemergency helps you and your loved ones feel secure, and may save a life in the process. Telemergency has no installation fees or monthly charges and, with a 9-volt alkaline battery installed, will even continue to operate during power failures. This affordable unit is essential for every home—to anyone who's ever worried about a loved one. No more worrying, and no processing through a central station, which means there's no loss of precious, life-saving time.

The easy-to-use Telemergency Alert Device comes with TechnoScout's exclusive home trial. Try this product for 30 days and return it for the full purchase price if not satisfied, less shipping and handling.

Telemergency™ Alert Device

ZR-2335 \$129.95 + S&H

Please mention promotional code 24216.

For fastest service, call toll-free 24 hours a day

800-399-7858



To order by mail with check or money order, or by credit card, please call for total amount plus S&H. To charge it to your credit card, enclose your account number and expiration date.

Virginia residents only—please add 4.5% sales tax.

LATEST...GREATEST...NEATEST...COOLEST
You can see hundreds of high-tech products at
www.technoscout.com

TECHNOscout
1998 Ruffin Mill Road
Colonial Heights, VA 23834

All rights reserved. © 2003 TechnoBrands, Inc.

The Telemergency™ Advantage		
	Telemergency™	Leading Nat'l Service
Product Cost:	\$129.95	\$200.00
	(One-time Price)	(Best U.S. Price*)
Installation fee/annual service:	\$0	\$360
	(No Hidden Charges)	(\$30 per month*)
Total Year 1:	\$129.95	\$560
Total Year 3:	\$129.95	\$1,280

*2001 American Association of Retired Persons

Recommendations

Many Good Choices

Seven machines stand out from the rest with most or all of the most-important features: indexed and disposable knives, a headlock, a crank that measures the cut in 1/16-in. increments and a dust hood. In addition to our four top choices at right, there are three honorable mentions:

- Ridgid TP1300LS (\$400)**
- Shop-Fox W1675 (\$425)**
- Woodtek 115-946 (\$380)**

If you want a planer with knives that can be resharpened, our top choices are:

- Jet JWP12DX (\$400)**
- ProTech CS6005 (\$300)**

Where's DeWalt?

Three years ago we gave the DeWalt DW733 (\$350) an Editors' Choice. DeWalt is currently redesigning this machine, and it will be released later this year.



Ryobi AP 1300, \$270

This new planer has far and away more great features than any machine in its price class. However, one turn of the crank equals 2mm of cut, rather than the preferable 1/16 in.

			FEATURES								
Model/Price	Accessories Included	Dust Hood Included	Reducing Snipe	Direct-Read Measuring			Parallel Adjustment in Manual	Setting the Knives			Knife Type
			Headlock	One Crank Equals 1/16"	Depth of Cut Indicator	Depth Stops		Indexing	Easy Tightening	Knives Can Be Offset	
Central Machinery 41921 \$180	Spare brushes	NA	N	N	N	N	N	N	N	Y	Resharpenable
Central Machinery 41831 \$260	Spare brushes	NA	N	N	N	N	N	N	N	Y	Resharpenable
Craftsman 21722 \$300	Cloth dust hood	Y	N	Y	N	N	Y	Y	Y	Y	Disposable
Craftsman 21743 \$440	Cloth dust hood	Y	Y	Y	Y	Y	Y	Y	Y	Y	Disposable
Delta TP300 \$270		\$20*	N	N	N	N	N	N	N	Y	Resharpenable
Delta TP400LS \$330	Stand, second set of knives	Y	Y	N	N	N	N	Y	Y	Y	Disposable
Delta 22-580 \$420		\$25*	Y	Y	Y	Y	N	Y	Y	Y	Disposable
Enco 240-7163 \$300		NA	N	N	N	N	Y	N	N	Y	Resharpenable
Grizzly G0505 \$195		NA	N	N	N	N	N	N	N	Y	Resharpenable
Grizzly G8794 \$300	Stand	NA	N	N	N	N	N	N	N	Y	Resharpenable
Grizzly G1017 \$370	Stand	\$20*	N	N	N	N	Y	N	N	Y	Resharpenable
Jet JWP12DX \$400		\$40*	Y	N	Y	N	Y	N	N	Y	Resharpenable
Makita 2012NB \$500		\$30*	Y	N	Y	Y	N	Y	Y	Y	Disposable
Pro-Tech CS6005 \$300	Second set of knives	\$20*	Y	N	Y	Y	N	N	N	Y	Resharpenable
Ridgid TP1300LS \$400	Stand, second set of knives	Y	Y	Y	Y	Y	N	Y	N	Y	Disposable
Ryobi AP1300 \$270		Y	Y	N	Y	Y	N	Y	Y	Y	Disposable
Shop Fox W1675 \$425		Y	Y	Y	Y	Y	N	Y	Y	N	Disposable
Woodtek 115-946 \$380		Y	Y	Y	Y	Y	N	Y	Y	N	Disposable

NA = Not Available * Additional cost of accessory dust hood



Craftsman 21743, \$440

This new planer has every single one of the features we're looking for, plus a unique built-in dust collector.



Delta 22-580, \$420

Delta's best model has all the latest features. It's the only planer with an optional slow feed rate to fight tear-out and deliver an ultra-smooth finish.



Makita 2012NB, \$500

Compact, lightweight and relatively quiet, this planer is well-suited for the small shop. It's the only planer with an automatic headlock. But one turn of the crank equals 2mm, rather than the preferable 1/16 in.

	Cost of Knives	Specifications					Details	Contact
		Weight in lbs.	Amps	Max Width in inches	Max Depth in inches	Length of Bed in in.		
	\$20	86	7	10	5	22	Single-edge knives, about 1/8" per 1 turn of crank	(800) 423-2567 www.harborfreight.com
	\$25	95	7	12-1/2	6	22	Single-edge knives, 1/8" per 1 turn of crank	see above
	\$25	64	12	12	4-1/2	13	No extension tables, built-in dust collection	(800) 377-7414 www.sears.com
	\$27	87	15	13	6	35	Built-in dust collection, 6 preset stops at 1/8" to 1-1/4", left- or right-mounted crank	see above
	\$28	63	15	12	6	24	2mm per 1 turn of crank	(800) 438-2486 www.deltawoodworking.com
	\$32	65	15	12-1/2	6	28	0.1" (about 3/32") per 1 turn of crank, tool-free dust hood	see above
	\$39	87	15	13	6-1/2	35	Two feed rates, full-range depth stop, tool-free dust hood	see above
	NA	65	15	12-1/2	6	23	2mm per 1 turn of crank	(800) 873-3626 www.use-enco.com
	\$30	72	15	12-1/2	6	27	2mm per 1 turn of crank	(800) 523-4777 www.grizzly.com
	\$35	70	15	12-1/2	6	25	2mm per 1 turn of crank	see above
	\$40	75	16	12	6	21	Single-edge knives	see above
	\$40	71	15	12-1/2	6	35	2mm per 1 turn of crank	(800) 274-6848 www.jettools.com
	\$38	64	15	12	6-1/2	30	2mm per 1 turn of crank, full-range depth stop, tool-free dust hood	(800) 462-5482 www.makitatools.com
	\$30	76	15	13	6	33	2mm per 1 turn of crank, 7 preset stops at 1/4" to 1-3/4"	(800) 888-6603 www.protechpower.com
	\$30	87	15	13	6	34	8 stops at 1/8" to 1-3/4", tool-free dust hood	(800) 474-3443 www.ridgidwoodworking.com
	\$20	74	15	13	6	33	2mm per 1 turn of crank, 7 preset stops at 1/4" to 1-3/4"	(800) 525-2579 www.ryobi.com
	\$35	88	15	13	6	39	Full-range depth stop from 1/8" to 2"	(800) 840-8420 www.shopfox.biz
	\$40	78	15	13	6	37	6 preset stops at 1/8" to 1-1/4", left- or right-mounted crank	(800) 645-9292 www.woodworker.com

AW

AMERICAN WOODWORKER®

FREE PRODUCT INFORMATION

BITS, BLADES & CUTTING TOOLS

A. G. RUSSELL KNIVES

In Northwest Arkansas you'll find the oldest mail order knife company offering the finest quality knives and accessories worldwide. To order a catalog call 479-571-6161 (Code AW02SK) or shop online at www.agrussell.com. Circle 1.

AMANA TOOL

Amana Tool - Offers the broadest range of industrial grade carbide cutting tools in the industry. Immediate delivery of router bits, spiral/CNC bits, saw blades, panel saw blades, coring bits, shaper heads, etc. For more information, call 800-445-0077 or visit www.amanatool.com. Circle 2.

ANDREWS TOOL WORKS

Provider of cutting tools and accessories to DIY and professional woodworkers. With a corporate commitment to superior engineering and a dedication to affordable quality, the products provided by Andrews Toolworks are truly world class. For more information, call 800-821-8378 or visit www.routerbitsonline.com. Circle 3.

FREUD, INC.

Freud Router Bits - This 84-page, full-color catalog includes detailed information on Freud's extensive selection of high quality router bits and sets. For more information, call 800-334-4107 or visit www.freud-tools.com. Circle 4.

MICRO JIG, INC.

Manufacturer of GRR-Ripper System - a revolutionary precision pushing jig for table saw, router table, shaper and jointer. Feeds both sides of stock parallel to saw blade, eliminates burning and kick back. The safest pushing tool on the market - saw blade passes through "tunnel," and keeps ALL your fingers safely away from cutter. Best possible ripping outcome on stock width as narrow as 1/4". Allows infinite customizations for different cuts. Single pass on table saw for jointing, multiple uses on router table, and much more. For more information, visit www.microjig.com or call 407-696-6695. Circle 5.

MLCS

Huge selection of carbide-tipped router bits and boxed sets, raised panel door sets, shaper cutters, solid carbide bits, forstner bits, plus our unique line of clamps, tools & supplies. Free shipping, excellent quality guaranteed. For more information, call 800-533-9298 or visit www.mlcswoodworking.com. Circle 6.

OLDHAM MANUFACTURING

Oldham manufactures full lines of circular saw blades and premium carbide Viper router bits for DIY consumers, contractors and woodworkers. For more information, call 800-828-9000 or visit www.oldham-usa.com. Circle 7.

PRICE CUTTER

"The Woodworkers' Best Value." A large selection of router bits and woodworking accessories. If you're looking to cut costs without cutting quality, look no further. Many close-outs at unbelievable prices. For more information, call 888-288-2487 or visit www.PriceCutter.com. Circle 8.

TIMBER WOLF BANDS

Timber Wolf Saw Blades, Low Tension, Swedish Silicon Steel, Available 1/8" thru 2". For more information visit www.suffolkmachinery.com. Circle 9.

WOODLINE ARIZONA

Industrial carbide router bits and shaper cutters at the very best prices. 600 items in stock. Ask for our free catalog. For more information, call 800-472-6950 or visit www.woodbits.com. Circle 10.

CATALOGS

DELPHI ART GLASS

Add stained glass to your project - create cabinets, lamps, doors, panels, clocks and more. Serving craftsmen since 1972, 100% satisfaction guaranteed. Free giant catalog and Cabinet Project Plan. Call 800-248-2048 or visit www.delphiglass.com/diy. Circle 11.

GRIZZLY

468-page, free color catalog of over 11,000 woodworking and metal working machines, tools and accessories all at incredible prices! For more information, call 800-523-4777 or visit www.grizzly.com. Circle 12.

JET EQUIPMENT AND TOOLS

JET family brands Performax, Powermatic and JET machinery catalog provides complete information with available accessories. Circle 13.

PACKARD WOODWORKS

Specializes in products for Woodturners. Our 64-page catalog has penmaking supplies, tools, books, videos and much more. For more information call, 800-683-8876 or visit www.packardwoodworks.com. Circle 14.

SCREW PRODUCTS

Stainless steel and heat treated, hardened steel "Star Drive" wood screws for decks, docks, log homes, kitchen cabinets, roofing, boardwalks and more! Available in 1" to 14" long. Self countersinking, no stripping, and no end load. For more information call, 877-844-8880 and see our new Composite Deck screw at www.screw-products.com. Circle 15.

TOOL CRIB OF THE NORTH

Your free catalog featuring the most popular name-brand tools at the lowest prices, guaranteed. For more information, call 800-635-5140 or visit www.toolcrib.amazon.com. Circle 16.

DUST COLLECTION

JDS COMPANY - AIR FILTRATION

JDS offers quality air filtration units for all size shops. Our new, Model-ER, is equipped with an LCD remote control with speed and timer functions - for larger areas our Models 8-12, 10-16, and 2400 are available. "Put the Force to Work in Your Shop". Our new 1.5 H.P. dust collector is the perfect addition to our award winning line of filtration units - powerful (1250 CFM) portable and ready to work for you! For more information, call 800-480-7269 or visit www.thejdscompany.com. Circle 17.

ONEIDA AIR SYSTEMS

Provides cost effective, state-of-the-art dust collection technology to woodworking shops. We design and manufacture industrial grade dust collection systems, 1.5 hp to 20 hp and will provide an engineered ductwork diagram along with a complete parts list. For more information, visit www.oneida-air.com. Circle 18.

HAND TOOLS

COOKS SAW

Get Into Wood! Increase profits by cutting your own lumber with an Accu-Trac portable sawmill. Free catalog, demonstration video also available. For more information, call 800-473-4804 or visit www.cooksaw.com. Circle 19.

LEE VALLEY

The Lee Valley hardware catalog contains over 100 full-color pages displaying a wide selection of interesting

and unusual items in a variety of styles from classic to modern. For more information, call 800-871-8158 or visit www.leevalley.com. Circle 20.

LUMBER

GROFF & GROFF LUMBER

Supplier of premium grade domestic and imported lumbers. 4/4 through 16/4 thickness. Kiln dried. No orders too large or too small. Shipping anywhere. For more information call 800-342-0001 or email wood4u@epix.net. Circle 21.

SANDY POND HARDWOODS, INC.

Specializes in hand selecting Birdseye Maple, Curly Maple, Flame Birch, Curly Cherry, Quilted Western Maple and Quilted Mahogany for our customers. For more information, visit our web site www.figuredhardwoods.com. Circle 22.

MISCELLANEOUS

AMERICAN FURNITURE DESIGN COMPANY

125+ of the finest plans on the market. Award winning designs, 36 x 48 CAD format and comprehensive instructions. Morris Chairs, Beds, Roll Top Desks, Cradles, Clocks, Adirondack Chairs, Hardware, Finishing Supplies, Tools and Books. For more information call 760-743-6923 or visit our website www.americanfurnituredesign.com. Circle 23.

ARMOR CRAFTS

Hundred's of full size project plans and craft supplies. For more information, call 800-292-8296 or visit www.armorplans.com. Circle 24.

COUNTRY ACCENTS

Features handmade, affordable pierced metal panels for your woodworking projects in 14 types of metal and over 300 designs. Custom design & sizing a specialty. Blank metal, specialty tools and punches, patterns & do-it-yourself supplies. For more information, call 570-478-4127 or visit www.piercedtin.com. Circle 25.

CPFilms INC.

Sun Control Window Films - easy to apply, heat control, glare control, and privacy window films. Receive free information booklet and 3" x 4" samples. Reduce utility bills and improve comfort all year. Learn more by visiting our website at www.gilafilms.com. Circle 26.

TOOL DOCK

FREE 6-page brochure featuring Tool Dock - the modular, mobile, multi-functional workstations for the home or professional workshop. Contact us at 866-866-5362 or at www.tooldock.com. Circle 27.

POWER TOOLS

BLACK & DECKER

Log onto www.blackanddecker.com for more information on where to find our products. Circle 28.

BOSCH

Cordless woodworking tools include: Compact Tough 9.6, 12 and 14.4 volt drill/drivers with extra-durable ABS/Nylon housings 14.4, 18 and 24 volt vibration-free jigsaws with simple one-touch blade changing and exclusive 3" width 14.4 and 18 volt planes with Woodrazor™ BLADES. For more information call, 877-Bosch99 or visit www.boschttools.com. Circle 29.

FREE PRODUCT INFORMATION!

- Circle the numbers on the Reader Service Card which correspond to the information you wish to receive.
- Then affix postage and mail the attached Reader Service Card.
- You may also mail your requests to: American Woodworker, P.O. Box 5337, Pittsfield, MA 01203-5337.

GET YOUR FREE PRODUCT INFORMATION FASTER ON-LINE!
Visit www.americanwoodworker.com, and click on "Free Product Information."

CRAFTSMAN TOOLS

Available at Sears and Sears Hardware Stores; or call 800-377-7414 to order your free copy of the "Craftsman Power and Hand Tool" catalog. Visit us on the web at www.sears.com/craftsman. Circle 30.

DELTA MACHINERY

Manufactures the world's most complete line of woodworking machinery and accessories for use in home workshops and construction trades. For more information, call 800-438-2486 or visit www.deltamachinery.com. Circle 31.

DEWALT TOOLS

DeWALT's new router system features two powerful fixed-base routers, plunge base, D-handle base, and combination fixed-base/plungebase kit for the best in accuracy, power, and versatility. For more information, call 800-433-9258 or visit www.DeWALT.com. Circle 32.

FEIN POWER TOOLS

For over 130 years Fein has researched and developed better solutions to take the place of time consuming manual labor. Superior quality is in every tool we make. For more information, call 800-441-9878 or visit www.feinus.com. Circle 33.

LAGUNA TOOLS

Laguna Tools imports the finest woodworking machines into the USA. Machines include bandsaws, combination machines, tablesaws, boring machines and edge banders. For more information, call 800-234-1976 or visit www.lagunatools.com. Circle 34.

MINI MAX

Mini Max is a company dedicated to the design and manufacture of machines for small to medium-size professional workshops and home woodworking enthusiasts. Simple, compact, and competitive, these machines have been vigorously tested through the entire industrial process, and are the product of the years of experience our large industrial group has accumulated. Call us direct to experience the savings and service an established, world-class manufacturer can provide at 866-WRK-WOOD or visit our website www.minimax-usa.com. Circle 35.

NORWOOD INDUSTRIES INC.

Sawmill \$3,895. All new Super Lumbermate 2000, larger capacities, more options. Manufacturers of sawmills, edgers and skidders. Call 800-661-7746 ext. 348 or visit www.norwoodindustries.com. Circle 36.

PORTER-CABLE

Receive a free 128-page catalog featuring Porter-Cable's full offering of power tools, air nailers and staplers, compressors, and related accessories. For more information, call 800-465-TOOL or visit www.porter-cable.com. Circle 37.

RYOBI TOOLS

Ryobi's 18V Super Combo Kit comes with a drill, circular saw, reciprocating saw and flashlight...all for just \$199. For more information contact us at 1-800-525-2579. Circle 38.

SMITHY

Provider of high quality multipurpose metal and woodworking machinery. For more information, call 800-476-4849 or fax 800-431-8892. Circle 39.

WILKE MACHINERY

Exclusive home of Bridgewood and Yorkcraft. Source for General, Delta, Powermatic wood-working machinery and accessories. Machines test run before shipping, quality service and parts. For more information, call 800-235-2100 or visit www.wilkemach.com. Circle 40.

WOODMASTER TOOLS

See how you can quickly turn \$5 rough stock into \$75 worth of molding with a Woodmaster Molder/Planer/Sander/Saw. Free facts. For more information, call 800-821-6651 or visit www.woodmastertools.com. Circle 41.

WOODMASTER TOOLS

See why Woodmaster's 26", 38" & 50" Drum Sanders are rated #1 by independent experts. Free report. For more information, call 800-821-6651 or visit www.woodmastertools.com. Circle 42.

WOODSTOCK INTERNATIONAL, INC.

Shop Fox Woodworking Machines offer industrial level quality, proprietary features, and very affordable prices. Ask about them at your local woodworking supplier. For more information, call 800-840-8420 or visit www.shopfox.biz. Circle 43.

WOODWORKING SUPPLIES & ACCESSORIES

ADJUSTABLE CLAMP COMPANY

The Adjustable Clamp Company has been manufacturing quality hand tools and accessories for almost 100 years. Jorgensen, Pony and Adjustable products have been preferred worldwide by fine woodworkers, shop experts, professionals and do-it-yourselfers since 1903. For more information, visit our website www.adjustableclamp.com. Circle 44.

BENJAMIN MOORE

Please call 800-6PAINT6 for the Benjamin Moore dealer in your area or visit our website www.benjaminmoore.com. Circle 45.

BRAND NEW INDUSTRIES, INC.

Custom branding irons for all levels of woodworking. Gas or electrically heated. Incredibly detailed and long lasting images. Optional temperature controller and drill press attachment. For more information, call 805-964-8251 or visit www.brandnew.net. Circle 46.

DIAMOND MACHINING TECHNOLOGY

DMT manufactures diamond sharpening tools for use in sports, industrial, culinary, and woodworking. Made in the U.S.A., DMT diamond sharpeners are the finest knife and tool sharpeners available. For more information, call 508-481-5944 or visit www.dmtsharp.com. Circle 47.

FUJI INDUSTRIAL SPRAY

Leading manufacturer of HVLP (High Volume/ Low Pressure) Paint Spraying Equipment including the new Q-Series quiet turbines. For more information, call 800-650-0930 or visit www.fujispray.com. Circle 48.

GORILLA GLUE

The Toughest Glue on Planet Earth™. Gorilla Brand Premium Glue is the finest glue available for bonding wood, stone, metal ceramics, plastics, and more. Incredibly strong and 100% waterproof. For more information, call 800-966-3458 or visit www.gorillaglu.com. Circle 49.

HIPURFORMER ADVANCED BONDING SYSTEM

NEW! From the makers of TITEBOND wood glues and adhesives. The perfect solution for most bonding needs. Strong, permanent bonds, waterproof. Ideal for woodworkers, contractors and DIYers. Excellent for construction, remodeling and repair projects. Franklin International, Inc. Circle 50.

JDS COMPANY - ACCU-MITER

The Accu-Miter is the ultimate professional miter

gauge. Built to last through years of serious work, demanding craftsmen love the precision, accuracy and convenient features. Tapered shotpin mechanism assures dead-on accuracy. Adjustable bar provides perfect fit to your saw. Telescoping inner fence and micro adjusting flipstop makes cross cutting a breeze. For more information, call 800-480-7269 or visit www.thejdscompany.com. Circle 51.

KELLER & CO.

The Keller dovetail system gives you easy and accurate dovetails for custom or production woodworking. Quick setup, no test cuts, unlimited widths & lengths make dovetail joinery very enjoyable for you. For more information, call 800-995-2456 or visit www.kellerdovetail.com. Circle 52.

LEIGH INDUSTRIES

Leigh offers router joinery jigs, including the D4 Dovetail Jig, which cuts Through, Half-blind and Sliding dovetails up to 1" thick. They also make jigs for mortise & tenons, finger joints and Isoloc™ joints. For more information, call 800-663-8932 or visit www.leighjigs.com.

LIGNOMAT

Lignomat offers two lines of hardwood moisture meters, with and without pins. Ask about our free brochure to find out which instrument best suits your needs. For more information, call 800-227-2105. Circle 53.

MCFEELY'S

Square Drive Screws stocked in more sizes and styles than you can imagine! Plus clamps, saw blades, router bits and other woodworking essentials. For more information, call 800-443-7937 or visit www.mcfelys.com. Circle 54.

MINWAX EASY WEEKEND PROJECTS BOOKLET

This attractive 12-page guide contains easy wood finishing and home decorating projects you can do in a weekend. Also featured are helpful tips and techniques on wood maintenance and repair. Free. For more information, visit www.minwax.com. Circle 55.

OSBORNE WOOD PRODUCTS, INC.

Manufacturers of stock and custom wood parts such as table legs, tapered legs, balusters, newel posts made from alder, cherry, maple and oak. Free catalog. For more information, call 800-849-8876 or visit www.osbornewood.com. Circle 56.

ROCKLER

Rocker is the #1 resource for hinges, slides and other hard-to-find hardware. We feature an exclusive line of jigs, shop tables for band saws, drill presses, routers as well as exotic and domestic hardwoods. For more information, call 800-403-9736 or visit www.rockler.com. Circle 57.

TURBINAIRE

Turbinaire offers a complete line of Turbine and Compressor HVLP Spray Equipment. The unique built-in speed controller on Turbinaire variable speed turbines provides the versatility to control the air output based on the material being sprayed; reduce air for light bodied coatings and increase air for heavy bodied coatings. For more information, call 800-866-HVLP or visit www.Turbinaire.com. Circle 58.

WOODPECKERS, INC.

Manufacturers of precision router lifts, largest Inca dealer in the U.S. Makers of highend router tables and accessories. For more information, call 800-752-0725 or visit www.woodpeck.com. Circle 59.

Cabinetmakers: BOOST PROFITS 75%...OR MORE!

- **MAKE MONEY** – 90% FASTER than hand-sanding
- **SAVE MONEY** – 1/3 LESS COST than wide belt sanders
- **TOP EARNINGS** – Efficient, affordable, highest quality



AT LAST – a FAST, PRACTICAL & AFFORDABLE sanding solution for cabinetmakers & production shops! Slash hand-sanding to a minimum. Get wide-belt performance & quality at 1/3 the cost. **PAYS FOR ITSELF** in earnings & savings.

30-Day RISK-FREE TRIAL!

4 PRO-DUTY MODELS!



WOODMASTER® DRUM SANDERS

- 4 models: 26"– 50"
- Best Warranties
- Made in USA
- **FREE INFO & LIMITED-TIME SALE offer!**

WOODMASTER Drum Sander

"WOODMASTER [Drum Sander] Gets My Top Vote!" — *Fine Woodworking Magazine* review vs. Performax® & Grizzly®.

ENDORSED BY CABINETMAKERS!

"I called a cabinetmaker who'd owned since '91 with no problems. That sold me."

— Robert Prueher, Ramsey, MN

FINE WOODWORKING CONVINCED HIM

"The review of Woodmaster in *Fine Woodworking Magazine* and comments on internet woodworking forums were always good."

— Gary Newby, Boise, ID

Mail coupon or CALL TOLL FREE
1-800-821-6651

☐ **YES!** Rush my FREE WOODMASTER DRUM SANDER INFO & FREE VIDEO plus facts on new SALE & BONUS GIFT OFFER!

FREE SALE INFO!

Name _____
Address _____
City _____
State _____ Zip _____

WOODMASTER® DRUM SANDER

Woodmaster Tools Inc., Dept. DB78
P.O. Box 34312, Kansas City, MO 64120-9807



Meet the drawer needs of the most discriminating woodworker...

...with the **8400** full extension precision drawer slide



SAVE 25%
KV8400 Sale Prices

16" - \$7⁷⁴
18" - \$7⁹⁵
20" - \$8²⁸
22" - \$8⁵¹

Additional **10%** off on cases of 10
Offer ends 5/31/03

- Exceptionally smooth and quiet
- Steel ball bearings
- Non handed
- 100# class
- Anochrome finish



Check out our website
www.wwhardware.com



FREE 240 page full line catalog
Mention offer #372

Woodworker's Hardware


800-383-0130

Home of the largest selection of cabinet hardware in this industry.
PO Box 180 Sauk Rapids, MN 56379

SEIKO MINI INSERT CLOCKS



238S-RWhite



238S-RGold



238S-AWhite



238S-AGold

FEATURES:


- Glass crystal
- Metal case
- Stainless steel back
- 1-7/16" diameter – fits in 1-3/8" hole

SPECIAL OFFER!

5 for \$29.95 postpaid
Retail value \$12.95 each

NEW!

Stainless Steel Back with Rubber Battery Hatch
"The easiest way to change a battery in the industry."



Actual Size

We accept:



Credit cards only.



24120 Detroit Road, Westlake, OH 44145
Phone: 1-800-899-1314 • Fax: 1-440-835-9060

WOODWORKER'S MARKETPLACE

Look for the Reader Service Numbers on pages 88-89

STEVE WALL LUMBER CO.

Quality Hardwoods and Woodworking machinery For
The Craftsman and Educational Institutions

The trusted supplier from the Heart
of North Carolina Furniture County.


**HARDWOODS • EXOTICS • THIN
CRAFTWOOD • AROMATIC CEDAR
HARDWOOD PLYWOOD • CUSTOM PANEL
DOORS • HARDWOOD FLOORING**

See Our Catalog on the WEB: walllumber.com

**BOX 287 • MAYODAN, N.C. 27027
336-427-0637 • 1-800-633-4062
Email: wood@walllumber.com
SEND \$1.00 FOR CATALOG**

REMODELING?

40,000+ Decorative Building Products



Buy online • Free catalog

At The Lowest Prices!

Architectural Mouldings & Millwork •
Columns & Capitals • Balustrading •
Wrought Iron Components • Lighting •
Stamped Steel & Polymer Ceiling •
Tiles • Brass Tubing & Fittings •
Period & Contemporary Hardware •
Kitchen & Bathroom Accessories •
Cabinetry • Cabinet & Furniture
Components • Knobs & Pulls •
Surfacing Materials • Wainscoting •
Wall Coverings

*Architectural
Products*
by OUTWATER

www.ShopArchpro.com

Need a precise and
affordable tool for
routing furniture
joints?



Visit us...
we are the **WoodRat®** specialists!

www.chipsfly.com

TORX® "The Ultimate Wood Screw"



- Yellow Zinc 1" - 14"
- Stainless Steel 1-1/4" - 4"
- Ceramic Coated (Exterior) 1-1/4" - 4"
- Trim Head Stainless Steel 1-5/8" - 4"
- 2 1/2" - 12" Lag Screw
- Cabinet Screws
- Self Countersinking, no stripping of head, reduced
splitting and twist-off virtually eliminated.

RECEIVE PRE-PAID FREIGHT FOR ORDERS OVER \$50.00!

SCREW PRODUCTS INC. 1-877-844-8880
www.screw-products.com

QUARTERSAWN HARDWOODS & HIGHLY FIGURED LUMBER

Ash, Cherry, Hard Maple, Red Oak, White Oak,
Walnut, Sycamore, Mahogany, Hickory, and Birch.

Also, many Exotic Species in Stock.



We now have European Steamed
Beech and Burmese Teak.

WEST PENN HARDWOODS, INC.
(888) 636-WOOD (9663)
www.westpennhardwoods.com

The best
sawmill
value...ever.

\$3895

FREE INFORMATION - USA & CANADA
1-800-661-7746 ext 348

NORWOOD
INDUSTRIES, INC.

TOP-RATED SEA KAYAKS

Rugged, Ultra-Light,
Beautiful

Leader in Kayak Kits
Since 1986



PYGMY
BOATS INC. (360) 385-6143, P.O. Box 1529, Dept. 57
Port Townsend, WA 98368
www.pygmyboats.com

We Manufacture and Stock

Moulding Knives

in HSS and Carbide

Next Day Delivery

on Over 700 Patterns for Woodmaster, Belsaw,
Williams & Hussey and more.

Custom Knives a Specialty

Log on to www.moldingknives.com

Great Prices - Unsurpassed Quality

Fast Delivery

Toll Free: 1-866-499-8399 ext. 300



Advertise!

Get more Exposure for your company.

Advertise in American Woodworkers Marketplace section.

For more information call: 1-800-394-5157 x21

CNC Routers from Machine Tool Camp

Computer
Controlled
Router
CNC!

Get an
Edge
Above
the Rest!



Engineering Packages
From \$70

6 Sizes
OSHA E-Stop
G&M Code, 350"/min
CAD/CAM Ready
Hobby, Industry, School
Easy to Build with
Common Shop Tools

You Build It!
You Make \$\$
715-532-5308

www.MachineToolCamp.com

ARROWMONT

SCHOOL OF ARTS & CRAFTS

Summer 2003 ~ June 2- August 8

One- & Two-Week Workshops
in Woodworking & Woodturning
State-of-the-Art Woodshop
Internationally Known Instructors

556 Parkway • Gatlinburg, TN 37738

865-436-5860

www.arrowmont.org

The Burgess Edge

Pat. # 5,996,639



The Burgess Edge is a patented, matched pair of router bits that enable the user to edgeband plywood in a unique and superior edgebanding process.

The resulting edge resembles a jointed board in appearance and durability.

The evolution of edgebanding

Michael Burgess
www.burgessedge.com
E-Mail: mburgess@verizon.net
Phone 402 233-1485

WoodWrite Ltd. Precision Mini-Lathes

World Class "automatic" Model 363
Computer numerical Controlled Lathe, Model 462
Pen Turning Supplies Titanium Gold Pen Kits At
Regular Gold Prices Pre-cut and Drilled Pen Blanks

In 38 varieties of Rare and Exotic Woods
Turners Magic™, The Best in Friction Drying
Sealer and Polishes

Call 888-WOODWRITE (966-3974)
www.woodwriteltd.com

MISSION COFFEE TABLE

Introducing the finest plan on the market today! Pages of directions and 36 by 48 CAD generated plan. The tabletop has interlocking keys.



FREE
CATALOG

Plan
#234

AMERICAN FURNITURE DESIGN
P.O. BOX 300100 ESCONDIDO, CA 92030
ENTERTAINMENT CENTER PLAN \$16.95 +\$4.50 S&H
760 743-6923
www.americanfurnituredesign.com

WOODTURNERS

INCORPORATED

Huge Instock
Inventory

No Minimum
Quantities

The Kreg Jig



Call for a FREE Catalogue
1-877-603-9663 (Toll Free)

Visit our website
www.woodturners.net

Finest Quality Reproduction BRASS & IRON HARDWARE



Since 1933, Ball and Ball has been manufacturing the highest quality reproduction furniture hardware, builders hardware, lighting fixtures, and fire-place accessories available.

Call for our 108-page catalog available for \$7.00.
(catalog cost refunded on first order)

463 W. Lincoln Highway (Rt. 30)
Exton, PA 19341
610-363-7330 • Fax: 610-363-7639

1-800-257-3711

www.ballandball-us.com



Increase Profits & Cut Cost With An Accu-Trac Sawmill.

The Craftsmen's Choice For Converting
Logs Into Valuable Lumber!

Proud Distributor of

SIMONDS®

Red Streak Bandsaw Blades

MP32 Ready-to-Saw

Heavy Duty 3x6 Frame
4 Post Head Frame
19" Band Wheels
Cuts 32" Diameter Logs
2 Movable Log Clamps

\$4,995



Shown with optional
trailer package.

Free Sawmill E-Newsletter
Sign Up Today: www.cookssaw.com

For FREE Catalog
Mention Code # AMW12

800-473-4804

Cook's Saw MFG., LLC

SuperShop 10-n-1 Wood & Metal Shop

Own a Complete,
PRO-QUALITY WOOD SHOP
In Just 12 SQUARE FEET!

HIGH QUALITY, AFFORDABLE ALTERNATIVE
for TIGHT SPACE wood shops!

- Equal or BETTER QUALITY than one-function equipment...costs less, too!
- 10 most-used tool in 1: table saw, lathe, drill press, more!
- 2-1/2 times MORE MASSIVE than other combo machines.
- 30-Day Risk Free Trial & Industry leading Warranties.



Stand-Alone machines
take TOO MUCH ROOM

Call today

Code AW 1-800-476-4849

FREE!
Info Kit



Add that Distinctive
Look to your wood-
working projects.
Quality, handcrafted,
reasonably priced pan-
els. Many finishes &
designs. Do-it-yourself
materials & kits, too!
Colorful 100+ pg.
catalog \$5.00 or cata-
log with 14-pc. sample
set \$25.95 postpaid.

MasterCard, Visa, Discover
accepted.

Visit us on the web!
www.piercedtin.com

pierced tin

Country Accents®, 1723 Scaife Road, Dept. AW-03
Williamsport, PA 17701 • Ph. 570-478-4127 • M-F 8-5

Custom Branding Irons

As low as \$59.95!
Any logo, design, signature
Guaranteed. VISA/MC

BrandNew

800-964-8251 www.brandnew.net

To place an ad in the
American Woodworker
Marketplace

call Jason Mailliard Today at

215-321-9662 ext 21

WEST SYSTEM[®]

BOATBUILDERS SWEAR BY IT,
and so will you.

Strong, waterproof WEST SYSTEM[®] Brand epoxy is more than a 2-part adhesive. It's a complete system of resin, hardeners, fillers and additives from which you can easily create the perfect bonding, coating and sealing agents for your wood or composite project.

For a free copy of the 33-page WEST SYSTEM[®] User Manual & Product Guide, write:

Gougeon Brothers, Inc.

Dept. 42, P.O. Box 908 Bay City, MI 48707
or call 989-684-7286



Band Saw Blades

Swedish Silicon Steel • 1/16" Through 2"

TIMBER WOLF[™]

call: Suffolk Machinery 800-234-7297

Free Catalog • www.suffolkmachinery.com

Sawmill
Kiln
Hardwoods
Exotics



WILLARD BROTHERS WOODCUTTERS

300 Basin Road, Trenton, NJ 08619

CALL 1-800-320-6519 FOR PRICE LIST AND CATALOG
www.willardbrothers.net

HEARNE HARDWOODS


Specializing in

Pennsylvania Cherry

Plain & Figured Cherry from 4/4 to 16/4
Also: Premium Walnut, figured Maples &
a large variety of exceptionally fine
domestic & imported lumber including
free form slabs, turning blanks, burls,
& Instrument grade lumber.

200 Whiteside Drive, Oxford, PA 19363
Toll Free 888-814-0007 Fax 610-932-3130
www.hearnehardwoods.com

National & International Shipping



WWW.DOVETAILSPLINE.COM

Kehoe Jig

800 368 8245

INSTRUCTIONAL VIDEO

Make Fast, Accurate, Strong Dovetails
\$59.95

TIMBERKING MILL

Turns Timber Into Cash!

Call NOW for FREE FACTS!

1-800-942-4406

ask for ext. 5Y35

TIMBERKING, INC. Dept. 5Y35

1431 N. TOPPING AVENUE

KANSAS CITY, MO 64120



Professional Woodworkers Shop On Line

<http://www.magnate.net>



Router Bits, Shaper Cutters, Saw Blades...

Call 800-827-2316 or 909-468-5747

118
SIPHON GUN

AN ECONOMICAL WAY TO SPRAY:

STAINS LACQUERS
PAINTS ADHESIVES

Ideal for many
woodworking projects!

EASY TO OPERATE
EASY TO CLEAN
CONE SHAPED SPRAY
PATTERN



CRITTER
SPRAY PRODUCTS

Website: www.wwdc.com/critter Email: critterspray@wwdc.com

Available at:
Lee Valley Tools Ltd. 1 800 871-8158
Woodworker's Supply 1 800 645-9292
The Woodworkers' Store 1 800 279 4441
Woodcraft Supply Corp. 1 800 225 1153

FOUR SIDED PLANER MOLDER FROM SWEDEN

CALL 1-877-LOGOSOL
FOR FREE VIDEO

WWW.LOGOSOL.COM

 LOGOSOL

CUSTOM MILLED FLOORING

Any Width • Any Length • Any Specie

Choose from red or white oak, cherry, teak,
mahogany, walnut, wenge, cocobolo, gonzalo
alves, heart pine or dozens of others –
all milled to your specifications for floors,
feature strips, transitions, and matching or
contrasting paneling, stair parts and mouldings.



Call For
FREE
Catalog!

Call for a prompt
price quote.

M.L. GORDON
COMPANY, Inc.

240 Ferris Avenue, White Plains, NY 10603
Phone: (914) 946-4111 • Fax: (914) 946-3779

YOUR OWN WORKSHOP

WITH OUR OFFER BELOW YOU CAN
SAVE THOUSANDS NOW
ON A MIRACLE TRUSS BUILDING!
(Immediate – or deferred – delivery available)

NO MORE DUST IN THE HOUSE!



- Easy & fast do-it-yourself assembly—no skilled labor or heavy equipment required.
- Engineered to simplify insulation process, for increased energy efficiency.
- Strong steel frame construction is designed to last—and withstand extreme weather.
- Wide assortment of building styles, sizes and colors available to choose from.

SPECIAL OFFER

24' x 36' (a \$10,554 value)
NOW ONLY \$5,705

Includes steel frames & endwalls, galv. sheeting,
hardware, trim & complete assembly plans.

Other sizes available at great prices too!

MIRACLETRUSS[®]
1-800-663-0553
www.miracletruss.com

www.librawood.com

"The best prices
on the best tools"

"Forrest" Saw Blades

"Whiteside" Router Bits

"Jet" & "Powermatic" Tools

Visit our website at

www.librawood.com

Create A Classic Cradle

With Our
Full Size
Plan You
Can
Build
This
Swinging
Baby
Cradle.

Size
21x35x39

Call for a free
plan catalog



Plan #J62
\$14.95


VISA/MC 1-800-292-8296.
Ready made spindles
available, ask for info.

Armor Box 445 E. Northport NY 11731

mepla Salice Grass

www.cabinetparts.com

Rent-A-Shelf KV Accuride



The one stop source for all your cabinet needs

blum Wilsonart Laminates

WOOD MOISTURE METERS

- Universal
- Accurate - Handy

Pinpoints moisture problems from the surface to the core!

For heavy timbers to veneer, for rough, smooth or curved surfaces. For wet and dry wood.

- Lignomat USA
- PO Box 30145
- Portland, OR 97294



Lignomat :: 800-227-2105

Get FREE Shipping* on Ductwork

Oneida Air Systems

FREE Color Catalog 1.800.732.4065



* 48 States - \$50 Minimum - Some Restrictions Apply

On-Line Ordering www.oneida-air.com

Supergrit® SANDPAPER

HOOK & LOOP DISCS

2"	\$16/100	3"	\$20/100
4 1/2" or 5"	5 or 8 Hole	\$14.00/50	
6"	6, 8 or 16 Hole	\$17.50/50	
9"	\$1.50 ea	12"	\$2.50 ea

"Lapika" Micron 1/4 sheets
40-10 Micron (400-1500 grit)
Reg. \$39.95/50 Sale \$10.00/50

BELTS—A.O. RESIN		SHEETS—9" x 11", A.O.	
1 x 30	\$.75	4 x 24	\$1.10
1 x 42	\$.75	4 x 36	\$1.50
3 x 21	\$.85	6 x 48	\$3.50
3 x 24	\$.90	6 x 89	\$6.20

50D, 80D \$14/50
120C, 150C \$23/100
180A, 220A \$21/100

ABRASIVE ROLLS

RED HILL CORP. FREE 48 PAGE CATALOG & Incredible close-out sheets.
P.O. BOX 4234
GETTYSBURG, PA 17325 **800-822-4003**
WWW.SUPERGRIT.COM

RAZOR SAW

It cuts FASTER! EASIER! MORE ACCURATELY!



Order now, only \$24.95 post paid!

Craftsmen around the world Have discovered the secret of better quality work. The Razor Saw cuts by pulling, and will give a cleaner, more accurate cut in half the time.

Purchase a RAZOR SAW now and we will include our 72 page catalog of the world's finest woodworking tools. Or send \$3.00 for a two year subscription to our Catalog.

The Best handsaw for ALL woodworkers!
Dealer Inquiries Invited.
Dept D2

THE JAPAN WOODWORKER

1731 Clement Ave. • Alameda, CA 94501 • 1-800-537-7820

Quality German Workbenches

DIEFENBACH BENCHES™

Call 1-800-32Bench



33498 E. US Hwy 50
Pueblo, CO 81006

www.workbenches.com

DRY YOUR OWN LUMBER


Ebac's user friendly dry kilns 200BF - 40,000BF
Mix species in same load. Great 3 year warranty!
Over 7,000 systems worldwide!

Ebac Lumber Dryers
Call Today! 800-433-9011

Manufactured by craftsmen in Williamsburg, VA.

Personal Robotic Tools for Productivity & Flexibility

Affordable CNC under \$6,000



Automated 3D control

ShopBot®
The Workshop RoBot

(919) 680-4800
Durham, NC
Fax (919) 680-4900
888-680-4466

www.ShopBotTools.com

Enjoy the benefits of HVLP with a FUJI!



Introducing the new Q3™ and Q4™
Quiet models.
First ever in the mid-price range.
Noise reduced by over 50% for a more relaxed spraying environment.
Systems also include the new Fuji Hi-Flex™ Rubber Hose.

FUJI
INDUSTRIAL SPRAY EQUIPMENT LTD.

- High transfer efficiency
- Soft, easy to control spray
- Compact and portable

For brochure, please call 1-800-650-0930
Website: www.fujispray.com

FREE! Furniture Parts CATALOG




Table Legs
Bun Feet
Kitchen &
Bath Turnings
Table & Vanity
Base Kits
Ready to Finish

OVER
100!
Styles!

www.
tablelegs.com
BOX 329, ST. JOHNSBURY, VT 05819

Call for a
free color catalog
800.843.7405

CLASSIC DESIGNS
by MATTHEW BURAK

Moisture Meters

PINLESS & PIN-TYPE MODELS

Precision Microprocessor-Based Operation
Dual-Mode Pinless/Pin-Type Model CMT-908
Pinless Models With Remote Sensing
Digital, Analog, or LED Readout
Extensive Selection of Meters
Woodworking, Boat & Building Inspection
FREE INFORMATION 1-800-244-9908
www.electrophysics.on.ca



GROFF & GROFF LUMBER, INC.
OVER 70 DOMESTIC AND IMPORTED SPECIES
Custom-Made Flooring
Curly Cherry 4/4 to 16/4 • Birdseye & Tiger Maple
Mahogany 30" • Premium Walnut & Cherry
Matching flitches, 5/4 to 8/4 18"-40" wide
K.D. Lumber, Nationwide & International Shipping
No Order Too Large or Too Small
E-mail: wood4u@epix.net
(717) 284-0001 800-342-0001 FAX (717) 284-2400

Loc-Line Modular Vacuum Hose



Attach to shop vac
or central vac.
Move it where you
want it, it stays
where you put it.

www.modularhose.com
1-800-759-2839

If your ad was here...



Your phone would
already be ringing..

Don't waste another day!

Call Today!

215-321-9662 x 21

WOODWORKER'S CLASSIFIED

ACCESSORIES

GLASS SOURCE for WOODWORKERS. Glass and mirror custom cut, beveled, edged, etched, or grooved to your specifications. Shipped direct from our shop to yours. Call for free brochure, inquiries, or to place an order. Glass Source: 1-800-588-7435.

SPRAY-ON SUEDE. Line boxes easily. FREE brochure (sample included). DonJer, 13142 Murphy Road, Winnebago, IL 61088. 1-800-336-6537. www.donjer.com

BUNK BEDS

BUNK BEDS Clear \$300/day making Bunk beds. Start at home in your spare time. 800-382-3180, Ext. 1631

BUSINESS OPPORTUNITIES

BE YOUR OWN BOSS! Build bunk beds in your garage for profit! Starter kit: \$250.00 318-797-6818 www.woodcrafteronline.com

HELP WANTED

\$400 WEEKLY ASSEMBLING Electronic Circuit Boards/Products. SASE: Home Assembly - AW Box 216 New Britain, CT 06050-0216

FINISHING SUPPLIES

NEED ABRASIVES? Visit our online store @ www.industrialabrasives.com or call 800-428-2222 for our free catalog.

MUSICAL SUPPLIES

Build your own violin, guitar, or dulcimer! Free catalog featuring kits and all the tools, finishing supplies and instructions you need to build your own instrument. Stewart-MacDonald, Box 900-W, Athens, OH 45701. Call 800-848-2273, www.stewmac.com

KITS, Blueprints, and Supplies for harps, dulcimers, banjos, guitars and more. Contact **Musickmakers Kits** for a free catalog. 1-800-432-5487. www.musikit.com

TOOLS/EQUIPMENT

www.nailzone.com Fast shipping on Senco, Hitachi, Paslode, and other nailers, staplers and fasteners. Low Prices. 800-227-2044

WOOD/VENEER

www.walnutwoods.net Anything Walnut, Furniture boards, Crotch or Burl Veneer, Slabs, Turning Blanks. 559-277-8456

SAWMILL DIRECT 100 Species of Exotics, Turning, Lumber, Logs, Slabs, Musical Instruments Tropical Exotic Hardwoods L.L.C.: Toll Free (888) 434-3031 www.anexotichardwood.com

WOOD PARTS

www.bearwood.com Wood turnings, dowels, knobs, clock movements, plans and much more. Established 1987. Free Catalog. 800-565-5066

The Wagner Advantage

A Superior line of "Pin-Free" Moisture Meters



New Features Include. . .

- ★ Selectable Species Settings
- ★ Press/Hold Readings Function
- ★ No Manual Corrections Required
- ★ Easy to Read Digital Display
- ★ Extended Species Range for Exotic, Denser Hardwood Species

Proud Members of:



www.moisturemeters.com

Toll Free: 1-800-944-7078 Tel: (541) 582-0541 Fax: (541) 582-4138


© 2002 Wagner Electronic Products, Inc.



Superior Core Technology!



Wagner's Proven moisture meter technology is virtually unaffected by wood temperature or surface moisture.




Lumber for craftwork, furniture, cabinetry, and other hobby woodwork

**** Over 100 woods from around the world ****
No minimum order

Thin stock - turning blanks - veneers - craft packs

Current specials, prices, lumber products and secure online ordering.

www.woodworkerssource.com



Woodworkers Source
800-423-2450

wood@woodworkerssource.com

5402 S. 40th St. Phoenix, AZ 85040



POCKET HOLE SYSTEMS

Have you discovered the Pocket Hole Advantage?

Visit KREGTOOL.COM

today to learn how the speed, strength and simplicity of pocket hole joinery can greatly enhance your woodworking experience. Our "Virtual Trade Show" features a **FREE** video demonstration of our tools and techniques in action!




1



Drill pocket holes.

2



Drive screws.

Two simple steps for perfect joints.
Contact us today to learn more!



The **BLUE** Mark of Quality.

www.kregtool.com
800.447.8638

Digital Accuracy

Upgrade your existing Biesemeyer

Commercial T-square, Delta Unifence, or Powermatic Accu-Fence, to digital accuracy and repeatability with Digi-Kit.

For only \$249*


*52" Models (96" Models: \$299)

Accurate TECHNOLOGY INC.

www.digi-kit.com or call 800-233-0580

Mounting hardware and easy installation instructions are included. Digi-Kits operate on 2 AA batteries.

Square Drive Screws from the Source



- Square Drive Stops Driver Bit Slippage!
- Hardened Steel for Extra Strength
- Deep Thread for Superior Holding Power



- Available in Stainless Steel, Solid Brass, Plated Steel, Corrosion Resistant and More!
- Sizes from #4 x 3/8" to #14 x 6"


Write for FREE Catalog!

McFEELY'S
SQUARE DRIVE SCREWS

PO Box 11169 • Dept AWWCD • Lynchburg • VA • 24506
Toll Free 1-800-443-7937 or at www.mcfeelys.com

OSBORNE
Wood Products, Inc.

Table Legs & More




Osborne Wood Products, Inc. offers an extensive line of dining table legs in a variety of wood species. Custom turnings are also available.

Call today or visit our website and order on-line

www.osbornewood.com

New
Skirt Assemblies



Save Time!

Osborne now offers optional custom skirt assemblies on all its table legs, featuring mortise and tenon construction with pre-drilled sink holes -- shipped ready to assemble with corner brackets and hardware.

8116 Highway 123 North • Toccoa, GA 30577

Call for a catalog: 1-800-746-3233

Order line: 1-800-849-8876 • Español: 1-877-445-6034

PROFESSIONAL FINISHING MADE EASY!

MiniPro Plus Model 1235

Turbinaire HVLP Sprayer
Reduce Overspray By Up To 90%
No Compressor Required
Easy To Use And Maintain
Bleeder or Non-Bleeder Gun
Gun Accessory Kit Promo *



Unique Variable Speed Turbine

Offers versatility to adjust air output based on material being sprayed. Reduce air for light bodied coatings and increase air for heavy bodied coatings.



As used by
Scott Phillips of
"The American
Woodshop"
on public
television.

Compressor HVLP Guns

Reduce Overspray By Up To 90%
Reduces Air Pressure 10:1
Use With Any Compressor
Delivering 10-15 CFM @ 60-90 PSI
Complete Systems With Gun,
Hoses & Paint Tanks Up To 5 Gal



TURBINAIRE
HVLP Spray Equipment Since 1982

www.turbinaire.com • sales@turbinaire.com

See you at a woodworking show near you.

* Call today
1-800-866-HVLP (4857)
for distributor near you!

Collect the Dust!

...before your lungs do.

1.5hp to 15hp Systems

**FREE System and
Ductwork Catalog!**

Let us design your complete
dust collection system.

FREE Duct Design
with \$50 Order

**Oneida
Air Systems**

Buy Direct and Save!
1.800.732.4065

► **Order Online!**

www.oneida-air.com



1.5hp Component
Internal Filter

Oneida Air Systems, Inc. 1001 W. Fayette St. Syracuse, NY 13204

Great Wood!

Curly Soft Maple

Turn a piece of curly soft maple around in your hands and you'll see a tiger change its stripes. The light areas shift to dark and the dark to light. A simple oil finish brings this magical wood to life and yet it is one of the least-expensive figured woods on the market (\$4 to \$6 a bd. ft.).

Most of the curly maple sold today is soft maple. Hard curly maple is available, but expect to pay a 50-percent premium over the cost of curly soft maple. The sapwood in soft maple tends to have more of an off-white color when compared to the brighter, creamy-white sapwood of hard maple. The heartwood can be any combination of green, brown and pink. Most lumberyards offer you a choice between all white (all sapwood) and natural (sapwood with heartwood).

The word "soft" is a bit misleading. While this wood is 25-percent softer than hard maple, it's still about as hard as cherry. Unlike cherry, however, soft maple's white sapwood is the most prized part of the log.

Curly soft maple is a bit tricky to machine due to the wavy grain pattern. You can greatly reduce tear-out on the planer or jointer if you dampen the surface of the wood with water and feed it slowly and at a skewed angle.

Curly maple's wave-like grain pattern may be a curse when you're machining, but it's a blessing when it comes time to finish. The crest of each wave is end grain and absorbs the finish more readily than the trough of the wave that lies flat or parallel to the surface. This creates the light and dark areas that really accentuate the undulating patterns in the wood.

We got our curly soft maple from Steve Wall Lumber Co. (see Sources, page 101). The highly figured wood is sold as "mostly white" (\$6/ bd.ft.) or "with heartwood" (\$5 / bd.ft.). **AW**

Sources See page 101

Know of some Great Wood? We'd love to hear about it.
Write to us at greatwood@readersdigest.com.

Curly maple's striped pattern seems to move as light is reflected in different directions off the crests and troughs of each wave. Soft maple sold as "natural" will contain dark heartwood like the board shown here. All-white, or sapwood-only grades are also available, but they're more expensive.



CURLY MAPLE ARMOIRE BY DALE HELMS • PHOTO BY GREG BRUCE HUBBARD

PHOTO BY MIKE HABERMANN

ART DIRECTION: PATRICK HUNTER

4-WAY MONEY-MAKER!

● Molds ● Planes ● Sands ● Saws



Now, turn a \$5.00 rough board into \$75.00 worth of straight or curved molding in less than a minute! Make over 500 standard patterns, tongue & groove, picture frames, any custom design. QUICKLY CONVERTS from Planer/Molder to Drum Sander or Power-feed Multi-Blade Rip Saw! Made in U.S.A. 5-Year Warranty. Choose from 12", 18" or 25" models.

Variable Feed Makes the Difference!

Just a twist of the dial adjusts the Woodmaster from 70 to over 1,000 cuts per inch. Produces a glass-smooth finish on tricky grain patterns no other planer can handle.


Plenty of American-made "muscle" to handle money-saving, "straight-from-the-sawmill" lumber. Ideal for high-value curved molding.

Best Value - "After checking them all, Woodmaster was obviously the best deal for the money. Also I would like to acknowledge the polite and prompt service."

E. D. Holtz, North Carolina

Runaway Hobby - "Thanks to Woodmaster, what started as a hobby is now a full-time millwork business."

D. A. Probst, Pennsylvania




Woodmaster's Quick-Change Molding Head lets you create custom moldings from any stock. Choose from over 350 standard trim and picture frame patterns...or design your own!

New rip saw attachment lets you gang-rip with power feed in a fraction of the time it takes for separate hand-fed passes on an ordinary table saw.



Power-fed sanding speeds production and improves the quality of your work. No more waves or cross-grain scratches.



500+ PATTERNS!

**Call Today For
FREE FACTS & VIDEO!**

1-800-821-6651

Ask for Extension PY78

☐ **YES!** Rush my **FREE** Information Kit!
Woodmaster Tools, Dept. PY78
1431 N. Topping Avenue Kansas City, MO 64120

NAME _____

ADDRESS _____

CITY _____

STATE _____ ZIP _____

Sources Where to buy all the stuff we used.

Q&A page 10

How Do I Get Rust Off My Saw?

Woodcraft Supply, (800) 225-1153, www.woodcraft.com
Boeshield T-9, #03Q56; \$15 for 12 oz. aerosol
Rust Free, #03Q57; \$10 for 8 oz. liquid.

Which is the Right Air Fitting?

Porter-Cable, (888) 848-5175
www.porter-cable.com
1/4" Universal Quick Connect, #PAB251; \$5.50.

Workshop Tips page 18

Rigid Routing Sled

Good Hand, Inc. (800) 989-5244, ext. 233,
www.goodhandinc.com
Toggle clamp, #GH 201-B; \$7 ea.

Tablesaw Tapering Jig

Good Hand, Inc. (800) 989-5244, ext. 233,
www.goodhandinc.com
Toggle clamp, #GH 201-B; \$7 ea.

Small Shop Tips page 29

Double-Duty Roller Tables

Woodworker Supply, (800) 645-9292,
www.woodworker.com
13" steel rollers, #100023; \$8 ea.
Roller brackets, #95505; \$3.30 per pair.

Blade Caddy

Aubuchon Hardware (800) 282-4393, ext. 2000, www.aubuchonhardware.com, multiple-tool holder, #216011; \$2.20 ea.
1/2" Do-It Cable Staples, #503452; \$1.40 for 15.

Sloan's Woodshop, (888) 615-9663,
www.sloanswoodshop.com
Plastic tubes, #TUBE; \$4 pkg. of 12.

Tackle Box Storage

Bass Pro Shops, (800) 227-7776,
www.basspro-shops.com
Plano 1234 Guide Series Tackle Box (includes three lower utility boxes), #38-807-844-00; \$25
Plano 3500 small upper utility boxes, #38-807-815-00; \$2.50 ea.

Well-Equipped Shop page 34

Compact Compressor

Senco, (800) 543-4596, www.senco.com
Tool and Compressor Combo Kits; \$199 to \$219.

\$99 Plunge Router

Ryobi, (800) 525-2579, www.ryobi.com
#RE180PL; \$99.

Pocket-Sized Plane

Lee Valley, (800) 871-8158, www.leevalley.com
Apron plane with standard blade, #05P27.01; \$59

Apron plane with upgrade A2 steel blade, #05P27.02; \$67.

Faster Mortise-and-Tenon Joints

Leigh Industries, (800) 663-8932
www.leighjigs.com
Leigh FMT; \$800.

Dovetail Spline Jig

The Kehoe Jig, (800) 368-8245,
www.dovetailspline.com
Kehoe jig; \$60.
Top-bearing dovetail bits: 3/4", 14 degree; \$11
1/2", 14 degree; \$10.

Do-it-Yourself Stained-Glass Doors

Delphi, (800) 248-2048, www.delphiglass.com
Free How-To Video, Mention AMV1,
300 Stained Glass Door Designs, \$19.

Bifocal Safety Glasses

Wizard Industries, (888) 346-3826
www.shopspecs.com
Shop Specs; \$20.

Shop-Made Drum Sander page 40

Nick's Equipment Sales
(800) 387-2224, www.nicks.ca
Drum kit; \$115 + s and h
Additional hook-and-loop rolls,
\$6.25 per 5-yd. roll (4 wraps per roll)

KUFO KING OF UFO Powerful Dust Collectors



Our Powerful Team-work Includes:

- Dust Collectors
- Tilting Spindle Shaper
- Wide Belt Sanders
- Roller Feeders
- Drum Sanders
- Belt Sanders
- Saws



SK-20BS



SK-3000SD



SK-250TS-L




SK-5375DA



UFO-70F 1HP



UFO-101C 2HP



UFO-902C 2HP

www.emotorstore.com, (800) 922-1882
1/3-hp motor #H165; \$96 + s and h.

Woodcraft Supply
(800) 225-1153, www.woodcraft.com
Safety Power Switch, #141938; \$37.

Walnut Wall Shelves page 46

Rockler, (800) 279-4441, www.rockler.com
3/16" round-over, #91199; \$20 ea.
1/4" round-over, #91309; \$20 ea.
5/16" round-over, #91320; \$21 ea.
45-degree chamfer bit, #21102; \$21.50 ea.
1/8" beading bit, #91826; \$23 ea.
Rabbit bit set, #91595; \$30 ea.
Ogee bit, #91694; \$33 ea.
3/8" flat-top walnut wood plugs, #20875;
\$3.40 for 50.

Lee Valley (800) 871-8158, www.leevalley.com
5 mm Self-centering drill bit, # 04J05.05; \$7

Seven Corners Hardware, (800) 328-0457,
www.7cornershdwe.com
Toggle Clamps, #12050; \$9 ea.

Minwax Special Walnut Stain, #224; \$5 per
quart.

Minwax blend wax pencil; \$3 each. Available at
most hardware stores and home centers.

Woodcraft Supply, (800) 225-1153,
www.woodcraft.com

Watco Danish Oil, natural #123976; \$8 pt.

Country-Style Grandfather Clock page 64

Merritt's Clock Repair Supplies
(800) 345-4101, www.merritts.com
P-1322 metal dial plate; \$16
P-1344 false plate; \$22
P-1126C complete 8-day movement (includes
pendulum, weights, hands, etc); \$295
P-176 brass pivot hinges (pr); \$3
P-92A brass hooks (6-pak); \$2
P-1375 quartz chime movement; \$35.

TEC Specialties
(570) 323-0594 (9-5 eastern, M-F)
www.tecspecialties.com
121695 12" paper dial (face) for grandfather
clock; \$35.

Dial House II, (770) 943-5676
Hand-painted grandfather clock dials; \$350 to
\$500.

Jesada Tools
(800) 531-5559, www.jesada.com
Router bits (all 1/2" shank)
622-364 1/4" slot cutter; \$13
622-348 3/16" slot cutter; \$13
624-127 slot cutter arbor; \$6
791-014 oversize bearing for 3/8" depth cut; \$9
611-690 3/4" x 1" straight; \$13
654-503 3/8" bull nose; \$20
638-754 1/4" round-over; \$18
637-722 1/4" cove; \$20

636-920 45-degree chamfer; \$20
600-640 rabbeting bit and bearing set; \$40
690-504 cove raised panel; \$51
640-850 3/4" Roman ogee; \$23
640-770 1/2" Roman ogee; \$21.

Rockler Woodworking
(800) 279-4441, www.rockler.com
29272 round magnetic catches (4-pak); \$5
65836 3/8" inset magnetic catch; \$3
27003 3/8" overlay hinges (pr); \$3
35659 Pendant pull; \$4
67553 1/2" sash knob; \$3.

Central Dust Collection page 54

Oneida Air Systems, (800) 732-4065
www.oneida-air.com
26-gauge snap-lock fittings and pipe, spiral
duct and fittings, specialty hardware and tools,
free shop-design service.

Tool Test: Benchtop Planers page 77

Highland Hardware, (800) 241-6748,
www.highlandhardware.com
OneWay Multi-Gauge, #2289; \$75.

Great Wood! page 98

Steve Wall Lumber Co., (800) 633-4062
They carry mostly 4/4; top grade is mostly
white with high figure \$6 a bd. ft.; next comes
high figure with heartwood, \$5 a bd. ft.

AW 0304

PriceCutter.com
 "THE WOODWORKER'S BEST VALUE"
2003
Reasons
 to buy from us!
 WWW.PRICECUTTER.COM

REASON #421
ROUTER BIT SET
12-Piece
General Purpose
Router Bit Set
Budget Bits

Set includes: 3 straight bits, roundover, cove, ogee, round nose, flush trim, rabbeting, dovetail, V-groove, and chamfer. All bits 2 flute, carbide tipped with anti-kickback design.

1/4" Shank #P20-0006
1/2" Shank #P20-0009

Your Choice \$39.99 ea.

REASON #422
HALF PRICE
Square Corner Chisel

Turns rounded corners into square ones. Removable, Presharpened blade. Made of solid steel.

REG. \$14.99
\$7.49

Before After

#X40-3200

REASON #423
SAVE \$10
Router Sign-Making Template Set

Make professional looking signs. Includes: holding frame and 72 letters and numbers in 1 1/2" and 2 1/2" lengths.

#X45-2300
REG. \$34.99
\$24.99

REASON #424
MY NEW WEBSITE!
"Thousands of Woodworking Products, Hundreds of Deals"
• Easy Navigation • Catalog "Quick Order"

Next Issue: MORE REASONS

ORDER ONLINE **www.pricecutter.com** ORDER TOLL FREE **1-888-288-2487**

HIGH PERFORMANCE MOBILIZATION
SPECIALTY WHEELS*
** for closed shop racing applications only.*

READY TO CRUISE...
 The HTC-2000 adjustable mobile base is a universal fit. Easy foot action, 400 lb. capacity, expands from 12" x 12" to 36" x 36" or 20" x 52" rectangular... so go ahead, and start your engines!

Why mobilize? Machines move with ease

- Convenient shop clean-up • Put machines where you need them, when you need them

For your nearest dealer and FREE catalog, call toll-free 1-800-624-2027

MADE IN THE USA
GUARANTEED FOR LIFE

© HTC Products, Inc. 2002

Oops!



Boat-Building 101

My father teaches a high school shop class, and they decided to build a boat as a group project. As they planned, their dream vessel grew from a six-man rowboat into a Viking warship. Full of enthusiasm, the class went at it like, well, marauding Vikings. My father says it was a great experience; they learned a lot about woodworking, history and teamwork. But their most memorable lesson was a hard one to swallow. They'd forgotten to consider the size of the woodshop's door—their completed warship was marooned! Getting it out introduced these shipbuilders to the carpentry trade.

John P. Sellarole

Pale-Faced Cherry Credenza

My daughter asked me to help her put a finish on the credenza she had built as a 4-H project. It was made of cherry that my dad had cut 30 years ago, so it had beautiful color. I suggested we try waterborne polyurethane, even though I'd never used it, because of its environmentally friendly chemistry and easy cleanup.

The waterborne poly darkened the cherry nicely when we first brushed it on. But as the finish dried, the wood got lighter and lighter. We tried a second coat, but the result was the same. The waterborne poly left the cherry pale and raw-looking. What a disaster! The county fair was only a week away and my daughter was in tears.

It took a lot of elbow grease, but we stripped the

credenza and refinished it with good-old oil-based poly in time for the fair. You can be sure that from now on, I'll never try a new finish on a project without testing it first.

Douglas J. Wagner

Douglas, as you discovered the hard way, waterborne polyurethanes don't make dark-colored wood come alive the way oil-based finishes do. There is an easy solution, however. Bring out the wood's color before you put on the waterborne poly by applying a coat of oil finish first. Just make sure the oil is completely dry before you put the waterborne poly on top of it. TJ AW

If you have a woodworking blunder you're willing to share, send it to us. You'll receive \$100 for each one we print. Send to: **AW Oops!, American Woodworker, 2915 Commers Drive, Suite 700, Eagan, MN 55121, or e-mail to oops@readersdigest.com.** Submissions can't be returned and become our property upon acceptance and payment. We may edit submissions, and use them in all print and electronic media.

Talented Creator. Skilled Hobbyist.

BUSINESS OWNER.

You're already two. With Guardsman FurniturePro®, you can become all three!

Guardsman FurniturePro is a network of franchises specializing in furniture-related services. Guardsman FurniturePro has available territories throughout North America, so call us today.

TRAINING AND SUPPORT PROGRAMS:

- Comprehensive initial training
- Ongoing regional workshops
- Web-based support programs
- 24-hour technical assistance
- Access to fellow FurniturePro franchisees

GUARDSMAN FURNITUREPRO CUSTOMERS:

- Homeowners
- Furniture retailers
- Restaurants and Hotels
- Professional office buildings
- Moving and storage companies

NOT TO MENTION:


- Protected territories
- Affiliation with the most established and respected name and presence in the marketplace
- The support of a \$2.2 billion company, and the largest manufacturer of furniture finishes in the world.
- Affordable franchise entry fees, as low as \$9,500
- Home based with low overhead!

Profit Centers



Furniture Repair - gouges, scratches, burns, water marks, dents and more

NEW THIS YEAR



Leather Cleaning and Repair - stain removal, recoloring, and more



Upholstery Services - spot cleaning, panel replacement, seat re-upholstering



Cabinet Refurbishing - cleaning, degreasing, repairing and polishing



Refinishing - complete stripping and refinishing using an eco-friendly, water-based system



For Information Call

800.496.6377

www.guardsmanfurniturepro.com

GUARDSMAN
FurniturePro

The most trusted name in furniture repair™

Cold,



hard cash.

**PROMOTION
EXTENDED
30 DAYS!**

Now Ends April 30, 2003



\$50 or \$100?
It's your choice.

Buy one of 12 qualifying machines and we'll reimburse you \$100 when you purchase any additional JET, Powermatic, or Performax machine OR up to \$50 on the purchase of our accessories. Pick up your second machine or accessories immediately — or until April 30, 2003.


Look for the green tags on the industry's hottest sellers at participating dealers. Cold, hard cash. It's an easy choice.

Offer valid October 1, 2002 through April 30, 2003. For promotion details, visit your dealer, see our website at www.jettools.com, or call 1-800-274-6848.

JET®

Powermatic, Performax and JET. A Family Of Brands.

When the dust settles...
nothing tops a Laguna Bandsaw!



1.800.234.1976

LAGUNA TOOLS

Innovation, Imagination and Invention at work.

www.lagunatools.com